

women's
health
australia

the australian longitudinal
study on women's health

data book

*for survey 4 of the mid - age cohort
2004 (53-58 years)*

december 2005

This work is copyright. Permission to use or reproduce material in this book for the purpose of free distribution is not required, provided that proper acknowledgement of the source is given. For other uses, apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process without written permission from the Project Manager, The Research Centre for Gender and Health, University of Newcastle, NSW 2308, Australia.

Acknowledgements

This study is funded by a grant from the Australian Government Department of Health and Ageing. The research team would like to thank all participants who contributed to this project. This document was prepared by Richard Hockey, with help from the data management group of the Australian Longitudinal Study on Women's Health at the Universities of Newcastle and Queensland.

Notes

10,903 surveys were returned during 2004 from members of the ALSWH Mid-age cohort, and 10,690 are summarised here. 217 surveys were not able to be classified with respect to area of residence in phase 4.

Data for the whole sample are presented in the "weighted total" column and split by area of residence in the other 4 columns: "Capital city/other metropolitan"; "Large rural centre"; "Small rural centre"; and "Other rural/remote area". The "weighted total" column is weighted according to the area classification to account for deliberate over-sampling of women from Rural and Remote areas.

The WHA website (<http://www.newcastle.edu.au/centre/wha/>) has general information about the project; the investigators and staff; publications and presentations; information for participants; surveys; and information for potential data users. If you have any queries, please contact us at

Women's Health Australia
The University of Newcastle
University Drive
Callaghan NSW 2308
Phone: 02 4923 6872
Fax: 02 4923 6888
Email: whasec@newcastle.edu.au

	Weighted Total (n=10,690) Mean	Capital city/ Other Metropolitan (n=4,120) Mean	Large rural (n=1,443) Mean	Small Rural (n=1,512) Mean	Other Rural/ Remote (n=3,615) Mean
PHYSICAL COMPONENT SCALE - WHA MID					
Mean	47.8	48.1	47.5	47.5	47.2
Standard Error missing:	0.1	0.2	0.3	0.3	0.2
	4.2%				
MENTAL COMPONENT SCALE – WHA MID					
Mean	52.0	51.8	51.9	52.0	52.5
Standard Error missing:	0.1	0.2	0.3	0.3	0.2
	4.2%				
STATE	%	%	%	%	%
NSW	29.8	28.9	27.7	35.9	26.5
Vic	24.4	24.2	20.9	25.8	23.2
Qld	19.8	18.9	41.0	16.1	21.6
SA	9.5	10.1	1.9	7.7	11.2
WA	10.6	11.7	0.0	10.1	9.8
Tas	3.0	2.2	8.6	4.4	4.8
NT	1.0	0.9	0.0	0.0	2.8
ACT	2.0	3.1	0.0	0.0	0.0

Q1 In general, would you say your health is	Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
		Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
Excellent	11.6	12.0	9.8	10.6	9.6
Very good	36.5	36.4	35.3	37.8	35.7
Good	38.4	38.5	40.0	36.3	39.7
Fair	12.1	11.5	13.3	13.7	13.6
Poor	1.5	1.5	1.5	1.7	1.4
<i>missing:</i>	0.7%				
Q2 Compared to one year ago, how would you rate your health in general now?					
Much better	7.4	7.6	6.9	6.7	6.4
Somewhat better	13.9	14.3	13.5	13.2	12.3
About the same	65.8	65.5	65.9	66.1	67.3
Somewhat worse	12.0	11.8	12.6	12.8	13.1
Much worse	0.9	0.9	1.0	1.2	0.9
<i>missing:</i>	0.6%				
Q3 The following questions are about activities you might do during a typical day.					
Does YOUR HEALTH NOW LIMIT YOU in these activities? If so, how much?					
a) Vigorous activities					
Limited a lot	35.1	34.9	37.9	35.8	36.4
Limited a little	47.2	46.8	46.1	47.4	48.1
Not limited	17.6	18.3	16.0	16.8	15.5
<i>missing:</i>	2.2%				
b) Moderate activities					
Limited a lot	5.9	5.7	6.3	6.9	5.8
Limited a little	24.4	24.6	23.8	23.9	23.5
Not limited	69.6	69.7	69.9	69.2	70.7
<i>missing:</i>	1.1%				

Q3		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
c) Lifting or carrying groceries	Limited a lot	4.5	4.5	4.2	5.0	4.4	
	Limited a little	21.6	22.0	20.1	21.1	19.9	
	Not limited <i>missing:</i>	73.8	73.5	75.7	73.9	75.7	
		1.7%					
d) Climbing SEVERAL flights of stairs	Limited a lot	11.1	11.1	11.1	11.3	11.2	
	Limited a little	35.9	35.6	37.0	36.3	37.8	
	Not limited <i>missing:</i>	53.0	53.3	52.0	52.4	51.0	
		2.0%					
e) Climbing ONE flight of stairs	Limited a lot	3.1	2.9	3.4	4.4	3.4	
	Limited a little	13.9	13.6	14.6	15.1	14.4	
	Not limited <i>missing:</i>	83.1	83.5	82.0	80.5	82.1	
		1.7%					
f) Bending, kneeling or stooping	Limited a lot	9.4	9.1	9.7	10.5	10.2	
	Limited a little	38.0	37.7	37.3	35.9	38.3	
	Not limited <i>missing:</i>	52.6	53.2	53.0	53.6	51.5	
		1.8%					
g) Walking MORE THAN ONE kilometre	Limited a lot	7.6	7.1	8.5	8.2	8.4	
	Limited a little	18.5	18.3	18.4	19.1	19.9	
	Not limited <i>missing:</i>	73.9	74.5	73.1	72.7	71.7	
		1.6%					

Q3	h) Walking HALF a kilometre	Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	Limited a lot	4.0	3.9	4.6	5.1	4.2
	Limited a little	9.1	8.7	10.1	8.6	10.4
	Not limited <i>missing:</i>	86.9	87.4	85.3	86.3	85.4
		1.4%				
	i) Walking 100 metres					
	Limited a lot	1.9	1.8	1.9	2.1	1.8
	Limited a little	5.4	5.1	6.9	5.9	5.9
	Not limited <i>missing:</i>	92.8	93.1	91.3	92.0	92.3
		1.4%				
	j) Bathing or dressing yourself					
	Limited a lot	1.4	1.5	1.3	1.3	1.1
	Limited a little	3.9	3.9	3.5	4.5	4.3
	Not limited <i>missing:</i>	94.7	94.6	95.2	94.2	94.5
		1.2%				
Q4	During the PAST FOUR WEEKS, have you had any of the following problems with your work or other regular daily activities AS A RESULT OF YOUR PHYSICAL HEALTH?					
	a) Cut down on the amount of time you spent on work or other activities					
	Yes	16.8	16.7	17.0	19.1	17.8
	No	83.2	83.3	83.0	80.9	82.2
	<i>missing:</i>					
		0.5%				
	b) Accomplished less than you would like					
	Yes	30.9	30.2	30.6	32.6	33.1
	No	69.1	69.8	69.4	67.4	66.9
	<i>missing:</i>					
		1.0%				

		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
Q4	c) Were limited in the kind of work or other activities						
	Yes	22.9	22.6	22.2	23.9	23.8	
	No missing:	77.1 1.0%	77.4	77.8	76.1	76.2	
d) Had difficulty performing the work or other activities	Yes	25.7	25.4	26.7	26.3	28.2	
	No missing:	74.3 0.8%	74.6	73.3	73.7	71.8	
Q5	During the PAST FOUR WEEKS, have you had any of the following problems with your work or other regular daily activities AS A RESULT OF ANY EMOTIONAL PROBLEMS?						
	a) Cut down on the amount of time you spent on work or other activities						
	Yes	15.0	15.2	15.1	16.8	14.7	
No missing:	85.0 0.6%	84.8	84.9	83.2	85.3		
b) Accomplished less than you would like							
Yes	24.7	24.9	24.6	26.7	24.4		
No missing:	75.3 0.9%	75.1	75.4	73.3	75.6		
c) Didn't do work or other activities as carefully as usual							
Yes	17.2	17.5	17.4	18.5	15.9		
No missing:	82.8 0.9%	82.5	82.6	81.5	84.1		

	Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
		Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
Q6					
During the PAST FOUR WEEKS, to what extent have your PHYSICAL HEALTH OR EMOTIONAL PROBLEMS interfered with your normal social activities with family, friends, neighbours or groups?					
		59.6	59.3	58.2	59.4
Not at all		22.2	22.7	23.5	22.4
Slightly		9.7	9.7	9.3	10.3
Moderately		6.9	6.9	7.4	6.7
Quite a bit		1.5	1.5	1.5	1.2
Extremely					
<i>missing:</i>	0.3%				
Q7					
How much BODILY pain have you had during the PAST FOUR WEEKS?					
		17.8	18.5	16.8	16.6
No bodily pain		32.5	32.7	33.5	30.8
Very mild		19.5	19.0	20.1	20.9
Mild		22.1	21.9	19.5	23.5
Moderate		7.0	6.8	8.6	7.4
Severe		1.1	1.1	1.4	0.9
Very severe					
<i>missing:</i>	0.3%				
Q8					
During the PAST FOUR WEEKS, how much did PAIN interfere with your normal work?					
		51.0	51.8	51.0	48.2
Not at all		28.9	28.5	28.9	29.5
A little bit		11.8	11.7	10.3	13.7
Moderately		6.9	6.6	8.1	7.4
Quite a bit		1.4	1.4	1.6	1.2
Extremely					
<i>missing:</i>	0.2%				

	Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
Q9					
a) How much of the time during the PAST FOUR WEEKS:					
Did you feel full of life					
All of the time	4.2	4.5	3.9	4.1	3.7
Most of the time	36.0	35.1	35.6	37.2	36.5
A good bit of the time	22.4	22.6	21.5	20.7	21.8
Some of the time	20.7	20.9	20.8	21.8	21.4
A little of the time	10.6	10.9	11.6	10.8	10.7
None of the time	6.0	6.1	6.6	5.3	5.8
<i>missing:</i>					
	0.9%				
b) Have you been a very nervous person					
All of the time	1.2	1.2	1.1	1.1	1.2
Most of the time	2.3	2.4	2.8	2.4	2.3
A good bit of the time	4.1	4.1	4.8	4.1	3.8
Some of the time	14.0	14.1	14.1	14.4	13.3
A little of the time	30.2	30.5	29.2	29.6	29.9
None of the time	48.2	47.7	48.1	48.3	49.6
<i>missing:</i>					
	1.3%				
c) Have you felt so down in the dumps that nothing could cheer you up					
All of the time	0.8	0.8	0.6	0.9	0.8
Most of the time	1.6	1.7	1.3	1.1	1.5
A good bit of the time	2.9	2.9	3.8	4.2	2.6
Some of the time	9.8	10.1	10.6	9.0	9.8
A little of the time	20.0	20.2	20.5	21.1	19.5
None of the time	65.0	64.3	63.3	63.8	65.8
<i>missing:</i>					
	0.8%				

Q9	d) Have you felt calm and peaceful	Capital city/ Other				Other Rural/ Remote (n=3,615) %
		Weighted Total (n=10,690) %	Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	All of the time	4.6	4.4	4.8	5.6	4.8
	Most of the time	36.8	35.7	38.3	39.1	39.0
	A good bit of the time	18.9	18.6	18.5	18.2	18.9
	Some of the time	21.8	22.6	20.5	19.6	20.4
	A little of the time	13.0	13.4	12.7	13.0	12.2
	None of the time	5.0	5.2	5.1	4.5	4.7
	<i>missing:</i>					
		1.3%				
	e) Did you have a lot of energy					
	All of the time	3.0	3.3	2.1	3.2	2.4
	Most of the time	29.9	29.5	30.5	30.8	30.3
	A good bit of the time	22.7	22.8	22.2	21.9	22.1
	Some of the time	23.8	23.4	23.6	23.8	24.1
	A little of the time	12.9	13.0	12.4	12.9	13.0
	None of the time	7.8	7.9	9.1	7.3	8.1
	<i>missing:</i>					
		2.0%				
	f) Have you felt down					
	All of the time	1.0	1.1	0.7	0.9	1.0
	Most of the time	2.8	3.0	2.6	3.2	2.2
	A good bit of the time	5.1	5.1	6.5	5.0	5.3
	Some of the time	19.6	19.8	19.9	18.8	18.8
	A little of the time	41.5	41.8	40.5	41.9	41.6
	None of the time	30.0	29.3	29.8	30.1	31.0
	<i>missing:</i>					
		1.2%				
	g) Did you feel worn out					
	All of the time	2.5	2.5	3.1	2.5	2.3
	Most of the time	5.8	5.8	7.2	5.7	6.2
	A good bit of the time	12.0	12.4	11.7	10.9	11.4
	Some of the time	26.3	25.5	27.4	27.0	27.7
	A little of the time	39.4	39.2	37.7	41.2	39.8
	None of the time	14.1	14.5	13.0	12.7	12.6
	<i>missing:</i>					
		1.1%				

Q9	h) Have you been a happy person	Capital city/ Other				Other Rural/ Remote (n=3,615) %
		Weighted Total (n=10,690) %	Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	All of the time	9.7	9.5	9.4	11.6	10.3
	Most of the time	50.3	49.6	50.2	50.6	51.6
	A good bit of the time	16.6	16.6	15.8	15.9	15.9
	Some of the time	15.6	16.1	16.2	14.0	14.6
	A little of the time	6.1	6.3	6.6	6.9	6.1
	None of the time	1.7	2.0	1.9	0.9	1.5
	<i>missing:</i>					
						0.9%
	i) Did you feel tired					
	All of the time	4.9	5.0	4.6	5.0	4.7
	Most of the time	9.6	10.1	11.9	8.4	9.3
	A good bit of the time	16.2	16.3	14.4	16.7	15.5
	Some of the time	33.2	33.0	34.4	32.2	34.6
	A little of the time	32.7	32.2	31.7	34.2	32.7
	None of the time	3.4	3.5	3.0	3.5	3.2
	<i>missing:</i>					
						0.6%

Q10	During the PAST FOUR WEEKS, how much of the time have your PHYSICAL HEALTH OR EMOTIONAL PROBLEMS interfered with your social activities?	Capital city/ Other				Other Rural/ Remote (n=3,615) %
		Weighted Total (n=10,690) %	Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	All of the time	1.6	1.6	1.5	2.1	1.2
	Most of the time	4.6	4.8	4.7	4.9	4.3
	Some of the time	14.6	14.4	15.9	17.2	14.7
	A little of the time	20.2	20.4	21.2	18.6	20.2
	None of the time	59.1	58.7	56.7	57.4	59.6
	<i>missing:</i>					
						0.3%

Q11	How TRUE or FALSE is EACH of the following statements for you?	Capital city/ Other				Other Rural/ Remote (n=3,615) %
		Weighted Total (n=10,690) %	Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	a) I seem to get sick a little easier than other people					
	Definitely true	1.6	1.8	1.8	2.0	1.5
	Mostly true	4.8	4.9	4.0	4.6	4.3
	Don't know	8.3	8.4	7.8	8.3	7.4
	Mostly false	19.3	19.2	20.9	20.1	20.1
	Definitely false	65.9	65.7	65.6	64.9	66.8
	<i>missing:</i>					
						2.3%

	Weighted Total (n=10,690) %	Capital city/ Other			Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
		Metropolitan (n=4,120) %	Large rural (n=1,443) %			
Q11						
b) I am as healthy as anybody I know						
Definitely true	32.4	33.1	30.2	32.0	30.4	
Mostly true	42.9	42.7	43.1	44.6	44.3	
Don't know	11.2	11.1	12.3	9.5	11.6	
Mostly false	8.5	8.2	9.0	8.7	8.7	
Definitely false	5.0	4.9	5.4	5.2	5.0	
<i>missing:</i>	2.0%					
c) I expect my health to get worse						
Definitely true	4.0	4.2	4.0	4.1	4.4	
Mostly true	13.8	13.6	14.3	13.6	13.4	
Don't know	35.2	35.6	33.1	35.1	33.4	
Mostly false	18.3	18.3	19.6	16.3	19.6	
Definitely false	28.7	28.4	29.0	30.9	29.2	
<i>missing:</i>	2.5%					
d) My health is excellent						
Definitely true	18.9	19.4	17.0	18.5	17.0	
Mostly true	54.3	54.0	54.5	54.1	55.1	
Don't know	5.5	5.6	5.9	4.9	5.2	
Mostly false	11.6	11.2	12.2	12.5	12.4	
Definitely false	9.7	9.7	10.4	9.9	10.3	
<i>missing:</i>	2.0%					
Q12						
How many times have you consulted the following people for YOUR OWN HEALTH in the LAST TWELVE MONTHS?						
a) A family doctor or another General Practitioner (GP)						
None	6.8	6.6	5.9	7.7	7.7	
Once or twice	32.8	31.6	35.7	35.9	34.9	
3 or 4 times	30.1	30.8	30.1	27.1	28.0	
5 or 6 times	15.9	16.0	15.3	15.3	16.1	
7 to 12 times	9.2	9.6	8.5	9.3	8.7	
13 to 24 times	3.8	4.0	3.8	3.2	3.5	
25 or more times	1.3	1.4	0.8	1.5	1.0	
<i>missing:</i>	0.6%					

Q13		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Metropolitan (n=4,120) %			
d) Pharmacist	No	44.9	44.3	42.9	45.4	46.2	
	Yes	55.1	55.7	57.1	54.6	53.8	
	missing:	0.4%					
e) Optician	No	51.6	50.9	53.9	51.8	55.2	
	Yes	48.4	49.1	46.1	48.2	44.8	
	missing:	0.4%					
f) Dietitian	No	95.3	95.4	94.2	95.9	94.7	
	Yes	4.7	4.6	5.8	4.1	5.3	
	missing:	0.4%					
g) Naturopath/Herbalist	No	89.6	90.1	88.0	89.1	88.5	
	Yes	10.4	9.9	12.0	10.9	11.5	
	missing:	0.4%					
h) Acupuncturist	No	95.3	95.2	96.3	96.1	95.8	
	Yes	4.7	4.8	3.7	3.9	4.2	
	missing:	0.4%					
i) Podiatrist	No	86.7	85.9	88.6	90.2	89.9	
	Yes	13.3	14.1	11.4	9.8	10.1	
	missing:	0.4%					
j) Chiropractor	No	86.0	87.1	86.1	83.5	81.4	
	Yes	14.0	12.9	13.9	16.5	18.6	
	missing:	0.4%					

		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Metropolitan (n=4,120) %			
Q13	k) Osteopath	No	96.8	96.6	96.3	97.9	97.5
		Yes	3.2	3.4	3.7	2.1	2.5
		missing:	0.4%				
	l) Massage therapist	No	80.1	80.8	78.6	76.9	77.3
		Yes	19.9	19.2	21.4	23.1	22.7
		missing:	0.4%				
	m) Other alternative health practitioner	No	95.0	95.1	94.4	95.0	94.4
		Yes	5.0	4.9	5.6	5.0	5.6
		missing:	0.4%				
	n) None of these people	At least one of these	93.5	93.8	93.0	93.4	91.9
		None of these	6.5	6.2	7.0	6.6	8.1
		missing:	0.4%				
Q14	When you go to a General Practitioner:	a) Do you go to the same place?					
		Always	74.9	73.8	79.1	78.0	76.0
		Most of time	22.2	23.1	18.7	19.1	21.7
		Sometimes	2.2	2.3	1.7	2.0	1.7
		Rarely/never	0.8	0.8	0.5	0.9	0.6
		missing:	0.9%				
	b) Do you usually see the same doctor?	Always	49.2	49.7	55.2	49.1	44.7
		Most of time	42.7	42.4	38.6	41.7	45.9
		Sometimes	6.5	6.4	4.9	7.2	7.5
		Rarely/never	1.6	1.5	1.2	2.0	1.8
		missing:	4.2%				

	Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
Q15 How would you rate the cost to you of your LAST visit to a General Practitioner?					
No cost	28.1	30.9	18.6	18.4	22.7
Good	19.2	18.8	21.3	21.4	21.5
Fair	40.8	39.3	46.2	44.2	43.3
Poor	9.7	9.0	12.2	13.3	10.4
Don't know	2.1	2.0	1.7	2.7	2.0
<i>missing:</i>	0.5%				
Q16 In the previous 12 months, has your GP talked to you about making LIFESTYLE changes?					
Have not visited GP for 12 months	5.3	5.1	4.7	5.9	6.1
Yes	41.6	41.9	43.1	39.4	41.5
No	52.3	52.1	51.7	54.2	51.8
Don't know	0.8	0.9	0.5	0.5	0.6
<i>missing:</i>	0.9%				
Q18 Do you have a Health Care Card?					
Yes	21.9	20.8	24.3	25.8	26.3
No	78.1	79.2	75.7	74.2	73.7
<i>missing:</i>	0.3%				
Q19 Do you have private health insurance for:					
a) Hospital cover					
Yes	69.4	72.1	65.9	60.9	60.2
No – covered by Veteran's Affairs	0.3	0.3	0.6	0.5	0.4
No – can't afford the cost	17.9	16.4	20.1	23.2	22.5
No – don't think get value for money	7.4	6.7	8.1	9.3	9.6
No – don't think I need it	2.2	2.1	2.3	3.1	3.0
No – other reason	2.9	2.4	3.0	3.1	4.3
<i>missing:</i>	0.7%				
b) Ancillary services					
Yes	60.2	63.0	54.9	54.8	50.7
No – covered by Veteran's Affairs	0.4	0.3	0.6	0.4	0.6
No – can't afford the cost	19.9	17.9	23.6	24.6	26.1
No – don't think get value for money	11.6	11.3	13.3	11.8	12.1
No – don't think I need it	3.6	3.6	3.3	4.0	4.4
No – other reason	0.1	.	.	0.1	0.6
<i>missing:</i>	4.2	4.0	4.4	4.4	5.6

		Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
Q20	When did you last have:					
	a) a Pap test					
	In last 2 years	63.6	63.7	60.6	60.1	63.2
	2 to 5 years	14.6	14.5	15.8	14.6	14.2
	More than 5 yrs	17.9	17.8	19.6	20.4	19.1
	Never	1.5	1.6	0.9	1.9	1.3
	Don't know	2.5	2.4	3.0	3.0	2.2
	<i>missing:</i>	1.4%				
	b) A mammogram					
	In last 2 years	81.0	80.7	80.5	81.7	82.1
	2 to 5 years	9.8	9.8	10.0	10.4	10.1
	More than 5 yrs	3.5	3.8	4.0	2.5	2.7
	Never	5.3	5.4	5.3	5.1	4.9
	Don't know	0.3	0.3	0.2	0.3	0.1
	<i>missing:</i>	1.9%				
Q21	Have you EVER had an abnormal result from:					
	a) A Pap test					
	Yes	23.5	24.2	21.5	23.4	20.9
	No	75.2	74.6	77.9	75.2	78.0
	Don't know	1.3	1.3	0.6	1.4	1.0
	<i>missing:</i>	2.2%				
	b) A mammogram					
	Yes	22.1	22.8	20.6	22.3	20.5
	No	75.9	75.1	77.3	75.9	78.2
	Don't know	2.0	2.1	2.1	1.8	1.3
	<i>missing:</i>	5.3%				
Q22	In the PAST THREE YEARS, have you:					
	a) Had your breasts examined by a doctor?					
	No	33.5	31.9	35.9	38.5	40.3
	Yes	66.5	68.1	64.1	61.5	59.7
	<i>missing:</i>	0.1%				
	b) Carried out regular monthly breast self examination?					
	No	52.9	54.2	50.3	49.2	48.7
	Yes	47.1	45.8	49.7	50.8	51.3
	<i>missing:</i>	0.1%				

	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
		Metropolitan (n=4,120) %	Other %			
Q22						
c) Had your blood pressure checked by a doctor?						
No	8.2	7.8		7.7	8.8	9.3
Yes	91.8	92.2		92.3	91.2	90.7
<i>missing:</i>			0.1%			
d) Had your cholesterol checked by a doctor?						
No	29.5	28.4		32.1	31.7	32.8
Yes	70.5	71.6		67.9	68.3	67.2
<i>missing:</i>			0.1%			
e) None of the above						
At least one of these	96.6	96.6		96.8	95.8	96.2
None of these	3.4	3.4		3.2	4.2	3.8
<i>missing:</i>			0.1%			
Q23						
Are you currently taking:						
a) The oral contraceptive pill						
No	99.3	99.2		99.0	99.2	99.5
Yes	0.7	0.8		1.0	0.8	0.5
b) Hormone Replacement Therapy (HRT)						
No	77.4	77.2		78.0	77.1	79.8
Yes	22.6	22.8		22.0	22.9	20.2
Q24						
Have you:						
a) Had a hysterectomy?						
Yes	30.6	30.0		34.0	35.3	31.7
No	69.4	70.0		66.0	64.7	68.3
<i>missing:</i>			7.7%			

	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
		Metropolitan (n=4,120) %	Other %			
Q24 b) Had a period or menstrual bleeding in the last 12 months?						
Yes	15.8	16.0	14.6	16.4	15.2	
No	55.8	56.2	53.6	50.8	55.0	
Had a hysterectomy missing:	28.4	27.8	31.8	32.9	29.8	
						1.6%
Q26 c) Had a period or menstrual bleeding in the last 3 months?						
Yes	9.5	9.3	9.3	10.4	9.5	
No	5.8	6.1	4.8	5.6	5.0	
No period for 12 months	56.1	56.6	53.9	51.0	55.4	
Had a hysterectomy missing:	28.6	28.0	31.9	33.0	30.0	
						2.3%
Q25 Compared with 12 months ago, are your periods:						
Less frequent	8.7	9.0	7.6	8.4	7.9	
Same	4.7	4.7	4.4	5.2	4.9	
More frequent	0.3	0.3	0.6	0.3	0.3	
Changeable	2.3	2.1	2.3	2.7	2.6	
No period for 12 months	55.1	55.6	53.0	50.1	54.2	
Had a hysterectomy missing:	28.8	28.3	32.1	33.3	30.1	
						3.0%
Q26 If you have reached menopause, at what age did your periods completely stop?						
Mean	49.3	49.3	49.7	49.3	49.2	
Standard Error	0.1	0.2	0.2	0.3	0.2	
Not applicable missing						37.8%
						5.1%

		Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
Q27	Thinking about your own health care, how would you rate the following:					
	a) Access to medical specialists if you need them					
	Excellent	31.2	36.2	25.2	19.6	16.8
	Very good	32.1	33.3	32.3	31.2	29.7
	Good	21.8	19.9	23.6	25.6	26.4
	Fair	7.8	5.3	10.9	14.2	13.9
	Poor	3.6	1.8	4.5	6.4	9.8
	Don't know <i>missing:</i>	3.6	3.6	3.5	3.0	3.4
						0.8%
	b) Access to a hospital if you need it					
	Excellent	34.9	36.2	35.4	31.8	29.9
	Very good	31.7	32.8	31.5	31.6	30.1
	Good	21.3	19.4	23.5	24.7	26.1
	Fair	6.2	5.2	5.4	6.9	9.4
	Poor	2.0	1.7	2.1	2.7	2.5
	Don't know <i>missing:</i>	3.8	4.6	2.1	2.3	2.0
						1.3%
	c) Access to medical care in an emergency					
	Excellent	27.6	28.8	29.1	24.9	22.8
	Very good	30.4	30.6	34.5	32.2	28.1
	Good	22.2	21.1	22.5	23.7	25.5
	Fair	8.4	7.1	7.5	10.0	13.2
	Poor	3.4	2.9	1.5	3.8	5.1
	Don't know <i>missing:</i>	8.0	9.4	4.9	5.3	5.3
						1.4%
	d) Access to after-hours medical care					
	Excellent	14.4	14.5	17.8	13.8	13.8
	Very good	20.9	20.7	25.4	22.9	20.3
	Good	21.8	21.9	23.7	21.2	21.5
	Fair	16.7	16.1	15.4	18.4	18.9
	Poor	10.9	9.5	7.6	11.6	14.9
	Don't know <i>missing:</i>	15.3	17.2	10.0	12.1	10.6
						1.9%

Q27		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Metropolitan (n=4,120) %			
e) Access to a GP who bulk bills	Excellent	17.4	19.1	12.7	11.0	14.8	
	Very good	12.5	13.8	9.5	10.2	10.4	
	Good	10.9	11.4	8.9	9.0	9.8	
	Fair	8.7	8.9	8.6	7.9	7.7	
	Poor	31.2	27.9	36.8	38.7	39.2	
	Don't know	19.4	18.9	23.5	23.2	18.2	
	<i>missing:</i>	1.4%					
f) Access to a female GP	Excellent	26.9	29.4	21.3	20.6	19.8	
	Very good	22.1	23.1	21.9	18.7	19.4	
	Good	20.2	20.0	20.8	22.2	21.5	
	Fair	10.7	9.1	12.2	16.4	14.2	
	Poor	9.0	6.6	10.6	13.0	17.1	
	Don't know	11.1	11.9	13.1	9.2	8.0	
	<i>missing:</i>	1.4%					
g) Hours when a GP is available	Excellent	11.8	12.3	12.0	9.1	10.7	
	Very good	25.8	26.9	25.1	24.0	23.8	
	Good	33.2	33.9	32.4	33.1	31.7	
	Fair	19.3	17.8	19.0	21.7	22.3	
	Poor	6.6	6.0	7.1	7.9	7.9	
	Don't know	3.4	3.2	4.4	4.1	3.6	
	<i>missing:</i>	0.9%					
h) Number of GPs you have to choose from	Excellent	17.0	18.3	15.2	15.1	12.8	
	Very good	26.8	28.4	26.1	25.7	21.9	
	Good	30.9	31.2	28.4	30.2	30.6	
	Fair	14.0	12.5	14.8	16.4	18.3	
	Poor	6.9	4.7	11.1	9.0	13.6	
	Don't know	4.5	4.9	4.4	3.6	2.9	
	<i>missing:</i>	1.4%					

Q27	i) Ease of seeing the GP of your choice	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
	Excellent	17.7	18.9	16.5	13.0	13.8	
	Very good	26.5	28.4	26.9	22.7	21.1	
	Good	28.8	29.1	27.1	30.2	27.8	
	Fair	17.1	15.6	18.0	19.1	21.9	
	Poor	8.3	6.2	9.8	13.7	13.9	
	Don't know missing:	1.6	1.8	1.7	1.3	1.5	
		1.0%					
	j) How long you wait to get a GP appointment						
	Excellent	12.3	13.4	10.3	7.5	9.5	
	Very good	27.4	28.7	28.1	21.4	23.1	
	Good	29.9	30.2	29.5	30.6	29.7	
	Fair	20.5	19.2	21.4	25.0	24.6	
	Poor	8.4	6.9	9.0	14.4	12.0	
	Don't know missing:	1.4	1.6	1.6	1.1	1.1	
		1.0%					
	k) The outcomes of your medical care						
	Excellent	19.5	20.6	17.4	16.3	14.6	
	Very good	35.1	36.4	35.3	31.4	33.0	
	Good	31.8	30.6	33.6	35.8	34.2	
	Fair	10.0	9.1	10.0	12.7	13.4	
	Poor	1.7	1.5	1.4	1.6	2.2	
	Don't know missing:	2.0	1.9	2.2	2.1	2.6	
		2.7%					
	l) Ease of obtaining a mammogram						
	Excellent	40.0	42.4	43.4	33.9	29.4	
	Very good	31.8	32.3	31.2	32.1	29.7	
	Good	18.0	16.7	18.2	21.7	23.7	
	Fair	3.9	2.7	1.5	5.7	9.0	
	Poor	1.1	0.3	0.6	1.7	4.1	
	Don't know missing:	5.2	5.7	5.1	4.8	4.1	
		1.1%					

Q27		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
m) Ease of obtaining a Pap test	Excellent	36.1	37.4	37.6	31.3	29.0	
	Very good	30.6	31.0	30.3	30.7	30.5	
	Good	18.2	16.6	18.1	21.0	24.3	
	Fair	2.6	2.0	1.6	3.1	5.2	
	Poor	0.7	0.6	0.3	0.7	1.4	
	Don't know	11.8	12.4	12.1	13.3	9.6	
	<i>missing:</i>						3.8%
n) Availability of medical information or advice by phone	Excellent	9.9	10.3	10.1	8.1	8.3	
	Very good	16.5	16.7	17.8	15.5	15.7	
	Good	18.0	18.0	17.2	19.2	19.9	
	Fair	11.8	10.9	12.9	12.6	14.3	
	Poor	10.2	9.4	9.8	12.5	11.9	
	Don't know	33.6	34.7	32.2	32.1	29.9	
	<i>missing:</i>						1.3%
o) Services available for getting doctors' prescriptions filled	Excellent	40.1	41.5	41.5	39.1	32.8	
	Very good	31.0	31.3	31.5	29.9	30.3	
	Good	19.0	18.1	18.7	20.0	23.8	
	Fair	4.1	3.4	2.9	5.2	7.4	
	Poor	1.5	1.3	1.3	1.6	2.6	
	Don't know	4.2	4.5	4.1	4.3	3.1	
	<i>missing:</i>						0.7%
p) Access to a counselling service if you need it	Excellent	10.4	11.4	9.6	8.4	7.4	
	Very good	14.2	14.9	15.8	14.0	12.5	
	Good	15.3	14.7	17.0	16.1	17.5	
	Fair	6.0	4.8	6.7	7.5	9.5	
	Poor	3.2	2.6	3.0	4.0	6.2	
	Don't know	50.8	51.6	47.8	50.1	46.8	
	<i>missing:</i>						1.5%

Q27	q) Access to a Women's Health Centre or a Family Planning Centre	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
	Excellent	7.9	8.4	9.1	7.2	5.7	
	Very good	10.8	11.1	14.2	13.4	9.7	
	Good	13.1	12.7	15.8	16.2	14.6	
	Fair	5.5	4.5	4.6	7.3	9.3	
	Poor	4.2	2.5	2.7	5.6	10.8	
	Don't know missing:	58.4	60.9	53.5	50.3	49.8	
						1.4%	
	r) Access to advice from health professionals about lifestyle changes						
	Excellent	9.4	10.4	9.1	7.2	6.1	
	Very good	14.8	15.4	16.0	14.7	12.7	
	Good	17.8	16.8	21.3	19.5	19.6	
	Fair	7.2	5.9	6.6	8.7	11.9	
	Poor	3.5	2.6	3.5	3.7	7.0	
	Don't know missing:	47.4	48.9	43.6	46.1	42.7	
						1.1%	
	Q28 Never given birth						
	Given birth	90.7	90.1	92.4	92.5	93.3	
	Never given birth missing:	9.3	9.9	7.6	7.5	6.7	
						2.2%	
	If you have given birth: Number of births						
	Mean	2.5	2.5	2.6	2.7	2.7	
	Standard error missing	0.0	0.0	0.0	0.0	0.0	
						2.2%	

Q29A	During the PAST FOUR WEEKS, have you taken any medications recommended or prescribed by a doctor	Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
a) For nerves/anxiety/worries	No	91.1	90.8	90.6	90.3	91.8
	Yes	8.9	9.2	9.4	9.7	8.2
	missing:	1.4%				
b) For stress	No	94.4	94.2	94.8	94.8	94.1
	Yes	5.6	5.8	5.2	5.2	5.9
	missing:	1.4%				
c) To help you sleep	No	90.1	89.9	89.9	91.3	90.9
	Yes	9.9	10.1	10.1	8.7	9.1
	missing:	1.4%				
d) For tiredness/fatigue	No	97.9	98.0	98.5	97.6	98.0
	Yes	2.1	2.0	1.5	2.4	2.0
	missing:	1.4%				
e) For depression	No	91.0	90.7	90.1	90.7	92.1
	Yes	9.0	9.3	9.9	9.3	7.9
	missing:	1.4%				
f) For menopausal symptoms	No	84.1	84.0	83.6	83.5	85.8
	Yes	15.9	16.0	16.4	16.5	14.2
	missing:	1.4%				
g) For high blood pressure	No	79.1	79.7	77.1	79.1	75.0
	Yes	20.9	20.3	22.9	20.9	25.0
	missing:	1.4%				

Q29A		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
h) For high cholesterol	No	87.6	87.1	88.0	88.1	88.0	88.4
	Yes	12.4	12.9	11.9	12.0	11.6	11.6
	missing:	1.4%					
i) For heart problems	No	96.8	96.9	96.8	95.8	96.4	96.4
	Yes	3.2	3.1	3.2	4.2	3.6	3.6
	missing:	1.4%					
j) For arthritis	No	85.9	86.4	86.4	83.7	83.7	83.7
	Yes	14.1	13.6	13.6	16.3	16.3	16.3
	missing:	1.4%					
k) For diabetes or blood sugar	No	96.4	96.4	97.3	96.8	96.2	96.2
	Yes	3.6	3.6	2.7	3.2	3.8	3.8
	missing:	1.4%					
l) For asthma	No	91.9	91.7	89.7	90.7	91.5	91.5
	Yes	8.1	8.3	10.3	9.3	8.5	8.5
	missing:	1.4%					
m) For digestive/bowel problems	No	90.8	91.0	90.9	90.0	91.3	91.3
	Yes	9.2	9.0	9.1	10.0	8.7	8.7
	missing:	1.4%					
n) For skin problems	No	93.6	93.0	94.9	94.5	95.4	95.4
	Yes	6.4	7.0	5.1	5.5	4.6	4.6
	missing:	1.4%					

		Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %	
Q29A	o) For headache	No	86.2	85.8	86.0	87.6	
		Yes	13.8	14.2	14.2	12.4	
		missing:	1.4%				
	p) For backache	No	89.4	89.6	88.8	89.2	89.3
		Yes	10.6	10.4	11.2	10.8	10.7
		missing:	1.4%				
	q) For other pain	No	89.1	88.7	89.6	87.7	90.1
		Yes	10.9	11.3	10.4	12.3	9.9
		missing:	1.4%				
	Q29B	r) For any other chronic illness or condition	No	87.1	86.8	87.9	88.5
Yes			12.9	13.2	12.1	12.5	11.5
		missing:	1.4%				
s) None of these		No	87.4	87.3	87.2	89.0	88.2
		Yes	12.6	12.7	12.8	11.0	11.8
		missing:	1.4%				
a) For nerves/anxiety/worries		No	96.5	96.5	96.4	95.9	96.3
		Yes	3.5	3.5	3.6	4.1	3.7
		missing:	1.4%				
b) For stress		No	97.2	97.0	97.2	97.0	97.0
	Yes	2.8	3.0	2.8	3.0	3.0	
	missing:	1.4%					

Q29B			Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
				Metropolitan (n=4,120) %	Other %			
c) To help you sleep	No		92.6	92.5	93.8	92.1	93.0	
	Yes		7.4	7.5	6.3	7.9	7.0	
	missing:	1.4%						
d) For tiredness/fatigue	No		95.9	96.0	95.7	95.6	95.9	
	Yes		4.1	4.0	4.3	4.4	4.1	
	missing:	1.4%						
e) For depression	No		98.9	99.0	98.9	98.7	98.8	
	Yes		1.1	1.0	1.1	1.3	1.2	
	missing:	1.4%						
f) For menopausal symptoms	No		93.6	93.7	92.9	92.6	93.3	
	Yes		6.4	6.3	7.1	7.4	6.7	
	missing:	1.4%						
g) For high blood pressure	No		99.4	99.3	99.4	99.3	99.5	
	Yes		0.6	0.7	0.6	0.7	0.5	
	missing:	1.4%						
h) For high cholesterol	No		99.0	98.8	99.2	98.8	98.9	
	Yes		1.0	1.2	0.8	1.2	1.1	
	missing:	1.4%						
i) For heart problems	No		99.4	99.3	99.5	99.4	99.4	
	Yes		0.6	0.7	0.5	0.6	0.6	
	missing:	1.4%						

Q29B			Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
				Metropolitan (n=4,120) %	Other %			
j) For arthritis	No		92.6	92.8	93.1	93.7	91.8	
	Yes		7.4	7.2	6.9	6.3	8.2	
	<i>missing:</i>	1.4%						
k) For diabetes or blood sugar	No		99.3	99.2	99.5	99.2	99.4	
	Yes		0.7	0.8	0.5	0.8	0.6	
	<i>missing:</i>	1.4%						
l) For asthma	No		99.2	99.1	99.6	98.9	99.2	
	Yes		0.8	0.9	0.4	1.1	0.8	
	<i>missing:</i>	1.4%						
m) For digestive/bowel problems	No		92.6	92.6	92.8	92.7	92.9	
	Yes		7.4	7.4	7.2	7.3	7.1	
	<i>missing:</i>	1.4%						
n) For skin problems	No		97.4	97.2	98.0	97.4	97.3	
	Yes		2.6	2.8	2.0	2.6	2.7	
	<i>missing:</i>	1.4%						
o) For headache	No		65.1	65.5	64.2	63.4	64.1	
	Yes		34.9	34.5	35.8	36.6	35.9	
	<i>missing:</i>	1.4%						
p) For backache	No		89.2	89.7	88.8	87.4	87.1	
	Yes		10.8	10.3	11.2	12.6	12.9	
	<i>missing:</i>	1.4%						

		Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
Q29B	q) For other pain					
	No	88.8	89.3	88.1	86.6	87.4
	Yes	11.2	10.7	11.9	13.4	12.6
	<i>missing:</i>					
	r) For any other chronic illness or condition					
	No	98.3	98.3	98.6	96.9	98.5
	Yes	1.7	1.7	1.4	3.1	1.5
	<i>missing:</i>	1.4%				
	s) None of these					
	No	92.3	92.2	92.1	92.9	92.6
	Yes	7.7	7.8	7.9	7.1	7.4
	<i>missing:</i>	1.4%				
Q30	During the PAST FOUR WEEKS, how many different types of vitamin, mineral or herbal products or supplements have you taken?					
	None	42.7	41.5	43.8	46.6	45.1
	One	22.2	22.5	23.1	19.4	22.1
	Two or three	23.0	23.3	22.0	22.4	22.2
	Four or more	12.1	12.7	11.1	11.6	10.6
	<i>missing:</i>	0.8%				
Q31	In the last 12 months have you:					
	a) Slipped, tripped or stumbled					
	No	69.2	69.3	68.4	71.1	67.2
Yes	30.8	30.7	31.6	28.9	32.8	
	<i>missing:</i>	2.4%				
	b) Had a fall to the ground					
	No	81.4	81.4	82.1	80.7	78.9
	Yes	18.6	18.6	17.9	19.3	21.1
	<i>missing:</i>	2.4%				
	c) Been injured as a result of a fall					
	No	89.6	89.3	89.6	90.7	89.1
	Yes	10.4	10.7	10.4	9.3	10.9
	<i>missing:</i>	2.4%				

Q31	d) Needed to seek medical attention for an injury or fall		Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
				Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	No		92.9	92.7	93.0	93.8	93.1
	Yes		7.1	7.3	7.0	6.2	6.9
	<i>missing:</i>	2.4%					
	e) Had any other injury from an accident at your home						
	No		95.6	95.7	96.1	95.9	95.3
	Yes		4.4	4.3	3.9	4.1	4.7
	<i>missing:</i>	2.4%					
	f) Broken or fractured any bones						
	No		96.7	96.7	96.9	96.5	96.8
	Yes		3.3	3.3	3.1	3.5	3.2
	<i>missing:</i>	2.4%					
	g) None of these						
	No		37.6	37.1	38.8	36.8	40.3
	Yes		62.4	62.9	61.2	63.2	59.7
	<i>missing:</i>	2.4%					
Q32	In the PAST THREE YEARS, have you been diagnosed or treated for:						
	a) Arthritis/rheumatism						
	No		74.2	74.4	73.2	73.3	73.0
	Yes		25.8	25.6	26.8	26.7	27.0
	<i>missing:</i>	2.6%					
	b) Diabetes						
	No		95.4	95.5	95.5	95.2	95.1
	Yes		4.6	4.5	4.5	4.8	4.9
	<i>missing:</i>	2.6%					
	c) Impaired glucose tolerance						
	No		98.3	98.4	98.5	98.1	98.3
	Yes		1.7	1.6	1.5	1.9	1.7
	<i>missing:</i>	2.6%					

Q32		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
d) Heart disease	No	97.2	97.5	96.5	96.3	96.7	
	Yes	2.8	2.5	3.5	3.7	3.3	
	missing:	2.6%					
e) Hypertension	No	80.3	80.7	77.7	80.3	77.8	
	Yes	19.7	19.3	22.3	19.7	22.2	
	missing:	2.6%					
f) Stroke	No	99.5	99.5	99.4	99.6	99.6	
	Yes	0.5	0.5	0.6	0.4	0.4	
	missing:	2.6%					
g) Thrombosis	No	98.7	98.7	98.4	98.4	98.9	
	Yes	1.3	1.3	1.6	1.6	1.1	
	missing:	2.6%					
h) Low iron level	No	92.5	92.2	91.8	92.5	93.6	
	Yes	7.5	7.8	8.2	7.5	6.4	
	missing:	2.6%					
i) Asthma	No	90.0	90.0	87.4	89.5	89.8	
	Yes	10.0	10.0	12.6	10.5	10.2	
	missing:	2.6%					
j) Bronchitis/emphysema	No	94.8	94.5	95.0	94.6	95.3	
	Yes	5.2	5.5	5.0	5.4	4.7	
	missing:	2.6%					

Q32		Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
k) Osteoporosis	No	94.3	93.7	96.0	94.7	95.9
	Yes	5.7	6.3	4.0	5.3	4.1
	<i>missing:</i>	2.6%				
l) Breast cancer	No	97.9	97.7	98.2	98.3	98.5
	Yes	2.1	2.3	1.8	1.7	1.5
	<i>missing:</i>	2.6%				
m) Cervical cancer	No	99.6	99.6	99.6	99.9	99.8
	Yes	0.4	0.4	0.4	0.1	0.2
	<i>missing:</i>	2.6%				
n) Bowel cancer	No	99.7	99.8	99.6	99.8	99.7
	Yes	0.3	0.2	0.4	0.2	0.3
	<i>missing:</i>	2.6%				
o) Skin cancer	No	89.9	90.2	88.8	89.7	89.8
	Yes	10.1	9.8	11.2	10.3	10.2
	<i>missing:</i>	2.6%				
p) Other cancer	No	99.1	99.2	99.1	99.2	98.9
	Yes	0.9	0.8	0.9	0.8	1.1
	<i>missing:</i>	2.6%				
q) Depression	No	86.9	86.3	85.5	87.4	88.0
	Yes	13.1	13.7	14.5	12.6	12.0
	<i>missing:</i>	2.6%				
r) Anxiety/nervous disorder	No	92.0	91.6	90.6	91.1	93.0
	Yes	8.0	8.4	9.4	8.9	7.0
	<i>missing:</i>	2.6%				

Q32	s) Other psychiatric disorder		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
				Metropolitan (n=4,120) %	Other %			
	No		99.3	99.3	99.0	99.5		99.4
	Yes		0.7	0.7	1.0	0.5		0.6
	<i>missing:</i>	2.6%						
	t) Chronic Fatigue Syndrome		98.7	98.7	98.5	98.6		98.8
	No		1.3	1.3	1.5	1.4		1.2
	Yes							
	<i>missing:</i>	2.6%						
	u) Sexually transmitted infection		99.2	99.1	99.5	99.1		99.4
	No		0.8	0.9	0.5	0.9		0.6
	Yes							
	<i>missing:</i>	2.6%						
	v) Other major illness		90.2	90.0	90.6	90.0		91.0
	No		9.8	10.0	9.4	10.0		9.0
	Yes							
	<i>missing:</i>	2.6%						
	w) None of these conditions		67.3	67.6	70.4	66.4		66.7
	At least one of these		32.7	32.4	29.6	33.6		33.3
	None of these							
	<i>missing:</i>	2.6%						
	Q33 Do you have any of these sleeping problems?		48.6	48.8	48.3	48.8		49.3
	a) Waking up in the early hours of the morning		51.4	51.2	51.7	51.2		50.7
	No							
	Yes							
	<i>missing:</i>	1.6%						
	b) Lying awake for most of the night		86.8	87.0	87.7	86.4		86.5
	No		13.2	13.0	12.3	13.6		13.5
	Yes							
	<i>missing:</i>	1.6%						

		Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
Q33	c) Taking a long time to get to sleep					
	No	73.7	74.2	71.6	71.9	71.6
	Yes <i>missing:</i>	26.3 1.6%	25.8	28.4	28.1	28.4
	d) Worry keeping you awake at night					
	No	80.6	80.4	81.6	80.5	80.8
	Yes <i>missing:</i>	19.4 1.6%	19.6	18.4	19.5	19.2
	e) Sleeping badly at night					
	No	64.7	63.9	65.9	65.0	66.7
	Yes <i>missing:</i>	35.3 1.6%	36.1	34.1	35.0	33.3
	f) None of these					
	At least one of these	72.6	72.5	72.4	72.9	73.4
	None of these <i>missing:</i>	27.4 1.6%	27.5	27.6	27.1	26.6
Q34	During the past month, how often have you had trouble staying awake whilst driving, eating meals or engaging in social activity?					
	Never	74.8	75.6	75.4	74.6	72.6
	Not during the past month	11.3	10.6	12.3	12.1	13.7
	Less than once a week	8.7	8.8	7.8	8.0	8.5
	Once or twice a week	3.9	3.8	3.6	3.8	3.8
	Three or more times a week <i>missing:</i>	1.3 0.8%	1.2	0.9	1.5	1.3
Q35	In the PAST THREE YEARS, have you had any of the following operations?					
	a) Hysterectomy					
	No	96.9	96.9	96.4	96.8	96.7
Yes <i>missing:</i>	3.1 3.4%	3.1	3.6	3.2	3.3	

Q35		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
b) Both ovaries removed	No	98.3	98.4	98.1	98.6	98.2	
	Yes	1.7	1.6	1.9	1.4	1.8	
	<i>missing:</i>	3.4%					
c) Repair of prolapsed vagina, bladder or bowel	No	97.5	97.7	96.9	96.7	97.6	
	Yes	2.5	2.3	3.1	3.3	2.4	
	<i>missing:</i>	3.4%					
d) Endometrial ablation	No	98.7	98.6	98.6	98.6	98.8	
	Yes	1.3	1.4	1.4	1.4	1.2	
	<i>missing:</i>	3.4%					
e) Joint replacement	No	98.9	99.1	98.9	98.8	98.6	
	Yes	1.1	0.9	1.1	1.2	1.4	
	<i>missing:</i>	3.4%					
f) Mastectomy	No	99.5	99.5	99.5	99.7	99.5	
	Yes	0.5	0.5	0.5	0.3	0.5	
	<i>missing:</i>	3.4%					
g) Lumpectomy	No	98.2	98.1	98.6	98.5	98.4	
	Yes	1.8	1.9	1.4	1.5	1.6	
	<i>missing:</i>	3.4%					
h) Removal of skin cancer	No	86.8	87.0	84.7	85.5	86.9	
	Yes	13.2	13.0	15.3	14.5	13.1	
	<i>missing:</i>	3.4%					

Q35		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
i) Any cancer surgery	No	99.2	99.1	99.1	99.1	99.2	99.2
	Yes	0.8	0.9	0.9	0.8	0.8	0.8
	<i>missing:</i>	3.4%					
j) Chemotherapy	No	98.5	98.4	98.9	99.0	98.7	98.7
	Yes	1.5	1.6	1.1	1.0	1.3	1.3
	<i>missing:</i>	3.4%					
k) Breast biopsy	No	96.0	95.7	97.4	96.4	96.6	96.6
	Yes	4.0	4.3	2.6	3.6	3.4	3.4
	<i>missing:</i>	3.4%					
l) Hysteroscopy	No	97.1	97.2	97.1	97.1	97.0	97.0
	Yes	2.9	2.8	2.9	2.9	3.0	3.0
	<i>missing:</i>	3.4%					
m) Cholecystectomy	No	98.1	98.1	97.6	98.3	98.3	98.3
	Yes	1.9	1.9	2.4	1.7	1.7	1.7
	<i>missing:</i>	3.4%					
n) Gastroscopy/colonoscopy	No	85.8	85.4	85.6	87.3	87.8	87.8
	Yes	14.2	14.6	14.4	12.7	12.2	12.2
	<i>missing:</i>	3.4%					
o) None of these	At least one of these	36.2	36.1	37.8	36.6	34.4	34.4
	None of these	63.8	63.9	62.2	63.4	65.6	65.6
	<i>missing:</i>	3.4%					

Q37	d) Remembering specific facts from a newspaper?	Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other (n=4,120) %			
	Much better now	1.2	1.2	1.0	1.0	1.7	1.1
	Somewhat better now	3.7	3.7	4.2	4.2	3.4	3.9
	About the same	55.4	55.8	53.7	53.7	56.1	54.7
	Somewhat worse now	33.2	33.0	33.6	33.6	32.1	34.0
	Much worse now	6.4	6.2	7.4	7.4	6.7	6.2
	<i>missing:</i>						
		0.4%					
	e) Remembering the item(s) you intend to buy when you arrive at the shops?						
	Much better now	1.0	1.1	0.6	0.6	1.1	0.8
	Somewhat better now	2.8	2.9	3.0	3.0	3.0	2.2
	About the same	52.1	52.9	50.8	50.8	50.4	50.0
	Somewhat worse now	37.9	36.9	39.2	39.2	39.5	40.2
	Much worse now	6.2	6.2	6.4	6.4	6.0	6.8
	<i>missing:</i>						
		0.3%					
	f) In general, how would you describe your memory compared to when you were in your twenties?						
	Much better now	0.8	0.9	0.9	0.9	0.7	0.7
	Somewhat better now	2.2	2.1	2.4	2.4	2.6	2.5
	About the same	35.4	35.8	34.1	34.1	36.6	34.1
	Somewhat worse now	49.6	49.3	50.8	50.8	47.9	51.0
	Much worse now	11.9	11.8	11.8	11.8	12.3	11.7
	<i>missing:</i>						
		0.3%					
Q38	Aa) In the LAST 12 MONTHS, have you had allergies, hay fever, sinusitis?						
	Never	44.9	44.6	44.5	44.5	46.1	46.6
	Rarely	14.6	14.6	14.2	14.2	14.7	13.9
	Sometimes	27.7	28.0	27.6	27.6	27.1	26.5
	Often	12.8	12.9	13.7	13.7	12.1	13.1
	<i>missing:</i>						
		2.9%					
	Ba) Did you seek help for allergies, hay fever, sinusitis?						
	Did not seek help	37.9	38.3	36.0	36.0	38.0	37.3
	Sought help	17.2	17.2	19.4	19.4	15.9	16.2
	Did not have symptom	44.9	44.6	44.5	44.5	46.1	46.6
	<i>missing:</i>						
		2.9%					

Q38		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
Ca) If you did seek help, were you not satisfied with that help?	Satisfied with help	15.2	15.1	17.0	13.8	14.6	
	Not satisfied	2.0	2.1	2.4	2.0	1.5	
	Did not seek help	37.9	38.3	36.0	38.0	37.3	
	Did not have symptom <i>missing:</i>	44.9	44.6	44.5	46.1	46.6	
						2.9%	
Ab) In the LAST 12 MONTHS, have you had breathing difficulty?	Never	75.8	75.6	73.2	75.7	76.0	
	Rarely	10.2	10.5	11.0	10.4	9.5	
	Sometimes	11.3	11.0	13.2	11.1	11.4	
	Often <i>missing:</i>	2.8	2.9	2.6	2.8	3.1	
						5.1%	
Bb) Did you seek help for breathing difficulty?	Did not seek help	16.1	16.4	16.3	15.5	15.6	
	Sought help	8.2	7.9	10.6	8.9	8.4	
	Did not have symptom <i>missing:</i>	75.8	75.6	73.2	75.7	76.0	
							5.1%
Cb) If you did seek help, were you not satisfied with that help?	Satisfied with help	7.4	7.1	9.8	8.2	7.6	
	Not satisfied	0.8	0.8	0.7	0.7	0.8	
	Did not seek help	16.1	16.4	16.3	15.5	15.6	
	Did not have symptom <i>missing:</i>	75.8	75.6	73.2	75.7	76.0	
						5.1%	
Ac) In the LAST 12 MONTHS, have you had indigestion/heartburn?	Never	53.8	54.4	53.6	53.9	52.9	
	Rarely	17.6	17.7	18.9	16.2	17.1	
	Sometimes	20.8	20.2	18.7	21.7	22.1	
	Often <i>missing:</i>	7.8	7.7	8.9	8.2	7.9	
						4.3%	

Q38	Bc) Did you seek help for indigestion/heartburn? Did not seek help Sought help Did not have symptom <i>missing:</i>	4.3%	Capital city/ Other				Other Rural/ Remote (n=3,615) %
			Weighted Total (n=10,690) %	Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
			36.4	35.9	37.1	35.5	36.9
			9.8	9.7	9.3	10.6	10.2
			53.8	54.4	53.6	53.9	52.9
	Cc) If you did seek help, were you not satisfied with that help? Satisfied with help Not satisfied Did not seek help Did not have symptom <i>missing:</i>	4.3%	9.0	8.9	9.0	9.6	9.2
			0.8	0.7	0.3	1.0	1.0
			36.4	35.9	37.1	35.5	36.9
			53.8	54.4	53.6	53.9	52.9
	Ad) In the LAST 12 MONTHS, have you had chest pain? Never Rarely Sometimes Often <i>missing:</i>	4.3%	80.6	81.3	78.7	78.7	80.7
			10.9	11.0	11.5	11.5	10.1
			7.5	6.8	8.9	8.3	8.0
			0.9	0.9	0.8	1.5	1.2
	Bd) Did you seek help for chest pain? Did not seek help Sought help Did not have symptom <i>missing:</i>	6.7%	13.6	13.3	13.9	14.9	13.4
			5.8	5.4	7.4	6.5	5.9
			80.6	81.3	78.7	78.7	80.7
	Cd) If you did seek help, were you not satisfied with that help? Satisfied with help Not satisfied Did not seek help Did not have symptom <i>missing:</i>	6.7%	5.1	4.9	6.4	5.7	4.9
			0.7	0.5	1.0	0.8	1.0
			13.6	13.3	13.9	14.9	13.4
			80.6	81.3	78.7	78.7	80.7

Q38			Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
				Metropolitan (n=4,120) %	Other Metropolitan (n=4,120) %			
Ae) In the LAST 12 MONTHS, have you had headaches/migraines?	Never		29.7	29.3	31.1	30.6	29.7	
	Rarely		25.9	26.2	25.3	25.2	26.1	
	Sometimes		35.1	35.0	34.5	34.0	34.7	
	Often		9.3	9.5	9.1	10.1	9.5	
	<i>missing:</i>	3.1%						
Be) Did you seek help for headaches/migraines?	Did not seek help		61.3	61.6	59.8	59.8	61.2	
	Sought help		9.0	9.1	9.2	9.5	9.1	
	Did not have symptom		29.7	29.3	31.1	30.6	29.7	
	<i>missing:</i>	3.1%						
Ce) If you did seek help, were you not satisfied with that help?	Satisfied with help		8.1	8.2	8.6	8.4	8.1	
	Not satisfied		0.9	0.9	0.6	1.2	1.0	
	Did not seek help		61.3	61.6	59.8	59.8	61.2	
	Did not have symptom		29.7	29.3	31.1	30.6	29.7	
	<i>missing:</i>	3.1%						
Af) In the LAST 12 MONTHS, have you had severe tiredness?	Never		40.3	40.4	39.3	41.8	39.6	
	Rarely		19.4	19.5	19.3	17.9	19.0	
	Sometimes		27.9	27.3	29.6	28.0	29.0	
	Often		12.5	12.8	11.8	12.3	12.5	
	<i>missing:</i>	4.0%						
Bf) Did you seek help for severe tiredness?	Did not seek help		52.2	52.1	52.0	50.2	52.4	
	Sought help		7.5	7.5	8.7	8.1	8.0	
	Did not have symptom		40.3	40.4	39.3	41.8	39.6	
	<i>missing:</i>	4.0%						

Q38	Cf) If you did seek help, were you not satisfied with that help?	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
	Satisfied with help	5.9	5.9	7.3	6.3	5.9	
	Not satisfied	1.7	1.6	1.4	1.8	2.1	
	Did not seek help	52.2	52.1	52.0	50.2	52.4	
	Did not have symptom <i>missing:</i>	40.3	40.4	39.3	41.8	39.6	
							4.0%
	Ag) In the LAST 12 MONTHS, have you had stiff or painful joints?						
	Never	29.0	29.8	29.0	30.0	27.1	
	Rarely	13.6	13.8	13.0	12.4	12.6	
	Sometimes	34.0	33.1	33.9	34.3	35.5	
	Often <i>missing:</i>	23.5	23.3	24.1	23.3	24.7	
							3.1%
	Bg) Did you seek help for stiff or painful joints?						
	Did not seek help	52.1	51.2	52.8	51.7	53.0	
	Sought help	18.9	18.9	18.2	18.3	19.8	
	Did not have symptom <i>missing:</i>	29.0	29.8	29.0	30.0	27.1	
							3.1%
	Cg) If you did seek help, were you not satisfied with that help?						
	Satisfied with help	15.9	15.9	15.7	16.1	17.1	
	Not satisfied	3.0	3.0	2.5	2.3	2.8	
	Did not seek help	52.1	51.2	52.8	51.7	53.0	
	Did not have symptom <i>missing:</i>	29.0	29.8	29.0	30.0	27.1	
							3.1%
	Ah) In the LAST 12 MONTHS, have you had back pain?						
	Never	32.3	33.4	32.6	30.6	30.8	
	Rarely	16.9	17.0	17.9	15.2	15.3	
	Sometimes	33.6	32.7	32.3	35.3	34.9	
	Often <i>missing:</i>	17.3	17.0	17.1	19.0	19.0	
							3.2%

Q38		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
Bh) Did you seek help for back pain?	Did not seek help	49.0	48.1	50.7	50.4	49.6	
	Sought help	18.7	18.5	16.7	19.1	19.6	
	Did not have symptom <i>missing:</i>	32.3	33.4	32.6	30.6	30.8	
						3.2%	
Ch) If you did seek help, were you not satisfied with that help?	Satisfied with help	16.2	16.0	14.7	16.9	17.5	
	Not satisfied	2.5	2.5	2.0	2.2	2.1	
	Did not seek help	49.0	48.1	50.7	50.4	49.6	
	Did not have symptom <i>missing:</i>	32.3	33.4	32.6	30.6	30.8	
						3.2%	
Aj) In the LAST 12 MONTHS, have you had urine that burns or stings?	Never	81.0	81.3	79.5	79.4	80.4	
	Rarely	12.1	12.1	13.4	11.6	12.3	
	Sometimes	6.1	5.9	6.3	7.5	6.1	
	Often	0.8	0.7	0.8	1.5	1.1	
	<i>missing:</i>						
						4.3%	
Bi) Did you seek help for urine that burns or stings?	Did not seek help	13.5	13.1	14.9	14.4	14.1	
	Sought help	5.5	5.6	5.5	6.2	5.4	
	Did not have symptom <i>missing:</i>	81.0	81.3	79.5	79.4	80.4	
						4.3%	
Ci) If you did seek help, were you not satisfied with that help?	Satisfied with help	5.1	5.2	5.2	5.7	5.0	
	Not satisfied	0.4	0.4	0.4	0.5	0.4	
	Did not seek help	13.5	13.1	14.9	14.4	14.1	
	Did not have symptom <i>missing:</i>	81.0	81.3	79.5	79.4	80.4	
						4.3%	

Q38		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %	
			Metropolitan (n=4,120) %	Other %				
A) In the LAST 12 MONTHS, have you had haemorrhoids?	Never	73.8	73.8	73.8	73.5	74.1	74.9	
	Rarely	12.2	12.0	13.4	13.4	12.3	11.4	
	Sometimes	10.8	10.9	10.6	10.6	10.0	10.7	
	Often	3.3	3.4	2.5	2.5	3.6	3.0	
	<i>missing:</i>							4.2%
B) Did you seek help for haemorrhoids?	Did not seek help	22.9	22.7	23.6	23.6	23.1	22.4	
	Sought help	3.3	3.5	2.9	2.9	2.8	2.7	
	Did not have symptom	73.8	73.8	73.5	73.5	74.1	74.9	
	<i>missing:</i>							4.2%
C) If you did seek help, were you not satisfied with that help?	Satisfied with help	3.1	3.2	2.9	2.9	2.4	2.5	
	Not satisfied	0.3	0.3	0.1	0.1	0.4	0.2	
	Did not seek help	22.9	22.7	23.6	23.6	23.1	22.4	
	Did not have symptom	73.8	73.8	73.5	73.5	74.1	74.9	
	<i>missing:</i>							4.2%
A) In the LAST 12 MONTHS, have you had other bowel problems?	Never	71.9	71.9	71.2	71.2	72.6	73.7	
	Rarely	11.2	11.2	11.6	11.6	10.7	10.2	
	Sometimes	12.1	12.4	11.6	11.6	11.4	11.4	
	Often	4.8	4.5	5.5	5.5	5.2	4.6	
	<i>missing:</i>							4.8%
B) Did you seek help for other bowel problems?	Did not seek help	21.7	22.0	22.1	22.1	21.2	19.9	
	Sought help	6.4	6.1	6.7	6.7	6.1	6.4	
	Did not have symptom	71.9	71.9	71.2	71.2	72.6	73.7	
	<i>missing:</i>							4.8%

Q38	Ck) If you did seek help, were you not satisfied with that help?	Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	Satisfied with help	5.5	5.2	6.0	5.4	5.6
	Not satisfied	1.0	0.9	0.6	0.8	0.8
	Did not seek help	21.7	22.0	22.1	21.2	19.9
	Did not have symptom <i>missing:</i>	71.9	71.9	71.2	72.6	73.7
						4.8%
	A) In the LAST 12 MONTHS, have you had vaginal discharge or irritation?					
	Never	79.0	78.2	78.9	80.8	81.2
	Rarely	12.7	13.1	13.1	11.4	11.5
	Sometimes	6.8	7.0	6.4	6.4	6.0
	Often	1.6	1.6	1.5	1.4	1.3
	<i>missing:</i>					4.5%
	B) Did you seek help for vaginal discharge or irritation?					
	Did not seek help	16.4	16.7	17.2	14.7	15.0
	Sought help	4.6	5.1	3.9	4.5	3.7
	Did not have symptom <i>missing:</i>	79.0	78.2	78.9	80.8	81.2
						4.5%
	C) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	4.0	4.5	3.5	4.2	3.2
	Not satisfied	0.6	0.6	0.4	0.3	0.6
	Did not seek help	16.4	16.7	17.2	14.7	15.0
	Did not have symptom <i>missing:</i>	79.0	78.2	78.9	80.8	81.2
						4.5%
	Am) In the LAST 12 MONTHS, have you had menstrual problems?					
	Never	90.6	90.6	91.0	90.7	90.7
	Rarely	4.2	4.3	3.4	4.5	3.9
	Sometimes	4.0	3.8	4.5	4.2	4.0
	Often	1.3	1.3	1.1	0.6	1.4
	<i>missing:</i>					5.6%

Q38		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
Bm) Did you seek help for menstrual problems?	Did not seek help	6.3	6.1	6.1	6.1	6.6	6.5
	Sought help	3.1	3.3	2.9	2.8	2.8	2.8
	Did not have symptom <i>missing:</i>	90.6	90.6	91.0	90.7	90.7	90.7
							5.6%
Cm) If you did seek help, were you not satisfied with that help?	Satisfied with help	2.8	3.0	2.6	2.3	2.5	2.5
	Not satisfied	0.3	0.3	0.4	0.4	0.3	0.3
	Did not seek help	6.3	6.1	6.1	6.6	6.5	6.5
	Did not have symptom <i>missing:</i>	90.6	90.6	91.0	90.7	90.7	90.7
							5.6%
An) In the LAST 12 MONTHS, have you had hot flushes?	Never	38.1	38.5	40.4	35.9	38.3	38.3
	Rarely	13.4	13.6	11.7	13.3	13.6	13.6
	Sometimes	27.2	26.7	26.9	27.9	26.8	26.8
	Often	21.3	21.1	21.1	23.0	21.4	21.4
	<i>missing:</i>						
							2.5%
Bn) Did you seek help for hot flushes?	Did not seek help	48.8	47.8	48.0	50.6	50.0	50.0
	Sought help	13.1	13.7	11.6	13.5	11.7	11.7
	Did not have symptom <i>missing:</i>	38.1	38.5	40.4	35.9	38.3	38.3
							2.5%
Cn) If you did seek help, were you not satisfied with that help?	Satisfied with help	11.0	11.6	9.6	11.3	9.6	9.6
	Not satisfied	2.1	2.2	2.1	2.2	2.2	2.2
	Did not seek help	48.8	47.8	48.0	50.6	50.0	50.0
	Did not have symptom <i>missing:</i>	38.1	38.5	40.4	35.9	38.3	38.3
							2.5%

Q38		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
Ao) In the LAST 12 MONTHS, have you had night sweats?	Never	50.2	50.5	53.2	48.0	50.8	
	Rarely	13.6	13.4	13.0	13.5	13.2	
	Sometimes	21.1	20.9	19.6	22.2	20.3	
	Often	15.1	15.2	14.2	16.4	15.7	
	<i>missing:</i>	3.5%					
Bo) Did you seek help for night sweats?	Did not seek help	40.5	39.9	38.6	42.1	40.7	
	Sought help	9.3	9.6	8.3	9.9	8.5	
	Did not have symptom	50.2	50.5	53.2	48.0	50.8	
	<i>missing:</i>	3.5%					
Co) If you did seek help, were you not satisfied with that help?	Satisfied with help	7.7	8.0	7.0	8.4	7.0	
	Not satisfied	1.6	1.7	1.2	1.5	1.5	
	Did not seek help	40.5	39.9	38.6	42.1	40.7	
	Did not have symptom	50.2	50.5	53.2	48.0	50.8	
	<i>missing:</i>	3.5%					
Ap) In the LAST 12 MONTHS, have you had eyesight problems?	Never	41.9	41.8	43.0	40.6	40.2	
	Rarely	15.2	15.3	16.6	14.4	15.7	
	Sometimes	30.7	30.6	29.4	31.5	31.8	
	Often	12.1	12.3	11.1	13.6	12.2	
	<i>missing:</i>	3.5%					
Bp) Did you seek help for eyesight problems?	Did not seek help	38.1	37.8	36.6	39.1	40.5	
	Sought help	20.0	20.4	20.4	20.3	19.3	
	Did not have symptom	41.9	41.8	43.0	40.6	40.2	
	<i>missing:</i>	3.5%					

Q38	Cp) If you did seek help, were you not satisfied with that help?	Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	Satisfied with help	18.3	18.6	18.7	18.7	17.9
	Not satisfied	1.7	1.8	1.7	1.7	1.4
	Did not seek help	38.1	37.8	36.6	39.1	40.5
	Did not have symptom <i>missing:</i>	41.9	41.8	43.0	40.6	40.2
						3.5%
	Aq) In the LAST 12 MONTHS, have you had hearing problems?					
	Never	71.1	70.9	71.3	70.9	70.6
	Rarely	11.1	11.4	11.1	10.8	11.3
	Sometimes	13.0	13.1	12.9	13.1	12.9
	Often	4.8	4.6	4.7	5.2	5.3
	<i>missing:</i>					4.1%
	Bq) Did you seek help for hearing problems?					
	Did not seek help	25.5	25.5	25.1	26.2	26.5
	Sought help	3.4	3.5	3.5	2.9	3.0
	Did not have symptom <i>missing:</i>	71.1	70.9	71.3	70.9	70.6
						4.1%
	Cq) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	2.8	2.9	3.2	2.5	2.3
	Not satisfied	0.6	0.7	0.3	0.3	0.6
	Did not seek help	25.5	25.5	25.1	26.2	26.5
	Did not have symptom <i>missing:</i>	71.1	70.9	71.3	70.9	70.6
						4.1%
	Ar) In the LAST 12 MONTHS, have you had depression?					
	Never	61.1	60.8	60.6	60.8	61.7
	Rarely	15.4	15.4	14.9	15.8	15.3
	Sometimes	16.8	16.9	17.2	16.7	16.6
	Often	6.6	6.9	7.3	6.7	6.4
	<i>missing:</i>					3.3%

Q38		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
Br) Did you seek help for depression?	Did not seek help	29.9	30.0	29.9	29.3	29.7	
	Sought help	9.0	9.3	9.5	9.8	8.6	
	Did not have symptom	61.1	60.8	60.6	60.8	61.7	
	<i>missing:</i>	3.3%					
Cr) If you did seek help, were you not satisfied with that help?	Satisfied with help	8.0	8.3	8.7	8.4	7.5	
	Not satisfied	1.1	1.0	0.9	1.4	1.1	
	Did not seek help	29.9	30.0	29.9	29.3	29.7	
	Did not have symptom	61.1	60.8	60.6	60.8	61.7	
<i>missing:</i>	3.3%						
As) In the LAST 12 MONTHS, have you had poor memory?	Never	43.5	43.7	43.2	43.2	43.1	
	Rarely	20.4	20.8	20.2	19.1	19.8	
	Sometimes	28.1	27.8	27.7	29.1	29.0	
	Often	8.0	7.7	8.8	8.6	8.1	
	<i>missing:</i>	3.0%					
Bs) Did you seek help for poor memory?	Did not seek help	54.7	54.7	54.9	54.5	54.7	
	Sought help	1.8	1.7	1.8	2.3	2.2	
	Did not have symptom	43.5	43.7	43.2	43.2	43.1	
	<i>missing:</i>	3.0%					
Cs) If you did seek help, were you not satisfied with that help?	Satisfied with help	1.3	1.2	1.6	1.8	1.5	
	Not satisfied	0.5	0.4	0.2	0.5	0.7	
	Did not seek help	54.7	54.7	54.9	54.5	54.7	
	Did not have symptom	43.5	43.7	43.2	43.2	43.1	
<i>missing:</i>	3.0%						

Q38		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %	
			Metropolitan (n=4,120) %	Other %				
At) In the LAST 12 MONTHS, have you had episodes of intense anxiety?	Never	74.9	74.5	74.3	74.3	75.0	76.3	
	Rarely	13.0	13.2	14.0	14.0	13.0	12.7	
	Sometimes	9.5	9.6	8.9	8.9	9.8	8.7	
	Often	2.5	2.7	2.8	2.8	2.2	2.3	
	<i>missing:</i>							3.1%
Bt) Did you seek help for episodes of intense anxiety?	Did not seek help	20.8	21.0	21.1	21.1	20.3	20.0	
	Sought help	4.3	4.5	4.6	4.6	4.7	3.7	
	Did not have symptom	74.9	74.5	74.3	74.3	75.0	76.3	
	<i>missing:</i>							3.1%
Ct) If you did seek help, were you not satisfied with that help?	Satisfied with help	3.7	3.9	4.1	4.1	4.2	3.3	
	Not satisfied	0.6	0.7	0.5	0.5	0.5	0.5	
	Did not seek help	20.8	21.0	21.1	21.1	20.3	20.0	
	Did not have symptom	74.9	74.5	74.3	74.3	75.0	76.3	
	<i>missing:</i>							3.1%
Au) In the LAST 12 MONTHS, have you had palpitations?	Never	60.7	60.9	59.4	59.4	60.9	60.8	
	Rarely	18.0	17.6	18.6	18.6	19.1	17.8	
	Sometimes	17.7	18.2	18.3	18.3	16.5	17.2	
	Often	3.5	3.3	3.8	3.8	3.5	4.3	
	<i>missing:</i>							2.7%
Bu) Did you seek help for palpitations?	Did not seek help	32.4	32.3	33.1	33.1	32.6	32.0	
	Sought help	6.9	6.8	7.5	7.5	6.5	7.2	
	Did not have symptom	60.7	60.9	59.4	59.4	60.9	60.8	
	<i>missing:</i>							2.7%

	Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
Q38					
Cu) If you did seek help, were you not satisfied with that help?					
Satisfied with help	5.8	5.7	6.2	5.9	6.3
Not satisfied	1.0	1.0	1.3	0.6	0.9
Did not seek help	32.4	32.3	33.1	32.6	32.0
Did not have symptom <i>missing:</i>	60.7	60.9	59.4	60.9	60.8
					2.7%
Q39					
In the PAST WEEK, have you been feeling that life isn't worth living?					
Yes	6.3	6.5	5.9	5.9	6.3
No	93.7	93.5	94.1	94.1	93.7
<i>missing:</i>					
					0.4%
Q40					
In the PAST 6 MONTHS, have you EVER deliberately hurt yourself or done anything that you knew might have harmed or even killed you?					
Yes	0.4	0.4	0.3	0.4	0.5
No	99.6	99.6	99.7	99.6	99.5
<i>missing:</i>					
					0.4%
Q41					
In the last month, have you accidentally leaked urine?					
Yes	45.0	44.6	45.5	44.2	46.4
No	55.0	55.4	54.5	55.8	53.6
<i>missing:</i>					
					0.0%
How often did you leak urine in the last month when you:					
Aa) Coughed, laughed or sneezed?					
Never	60.8	61.1	61.5	61.3	59.1
Rarely	12.2	12.4	11.2	11.5	11.6
Sometimes	21.5	21.6	20.8	20.8	22.3
Often	5.5	4.9	6.5	6.3	7.0
<i>missing:</i>					
					1.1%
Ba) If you leaked urine when you coughed, laughed or sneezed how much did you leak?					
Did not leak urine	64.6	64.8	65.5	65.2	62.7
Drops, or just a little	27.6	27.8	26.4	26.9	28.3
More than just drops	7.8	7.4	8.1	7.9	9.1
<i>missing:</i>					
					6.9%

Q41	Ab) Stood from a sitting position?	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other			
	Never	91.6	92.1	91.0	91.6	90.9	
	Rarely	4.2	4.0	4.4	3.4	4.6	
	Sometimes	3.2	3.1	3.7	3.8	3.5	
	Often	0.9	0.8	0.8	1.3	1.0	
	missing:	1.6%					
	Bb) If you leaked urine when you stood from a sitting position how much did you leak?						
	Did not leak urine	92.7	93.0	92.7	92.4	92.2	92.2
	Drops, or just a little	5.7	5.4	5.9	6.0	6.4	6.4
	More than just drops	1.6	1.6	1.4	1.6	1.4	1.4
	missing:	3.3%					
	Ac) Bent down to pick something up?						
	Never	91.8	92.4	91.0	92.2	90.9	90.9
	Rarely	4.3	4.1	5.1	3.4	4.6	4.6
	Sometimes	3.1	2.9	3.3	3.4	3.4	3.4
	Often	0.8	0.6	0.6	1.0	1.1	1.1
	missing:	1.5%					
	Bc) If you leaked urine when you bent down to pick something up how much did you leak?						
	Did not leak urine	93.0	93.4	92.8	93.1	92.2	92.2
	Drops, or just a little	5.9	5.6	6.1	5.9	6.5	6.5
	More than just drops	1.1	1.0	1.2	1.1	1.3	1.3
	missing:	3.2%					
	Ad) Walked up or down stairs?						
	Never	95.5	95.7	95.0	95.6	95.4	95.4
	Rarely	2.7	2.6	3.3	2.4	2.9	2.9
	Sometimes	1.4	1.3	1.4	1.3	1.2	1.2
	Often	0.4	0.3	0.3	0.7	0.5	0.5
	missing:	1.6%					
	Bd) If you leaked urine when you walked up or down stairs how much did you leak?						
	Did not leak urine	96.3	96.5	95.9	96.2	96.5	96.5
	Drops, or just a little	3.3	3.1	3.7	3.1	3.1	3.1
	More than just drops	0.5	0.4	0.4	0.7	0.5	0.5
	missing:	3.0%					

Q41		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other (n=4,120) %			
Ae) Lifted something heavy?	Never	89.0	90.2	88.1	88.1	88.1	85.7
	Rarely	5.2	5.0	5.2	5.0	5.0	5.7
	Sometimes	4.5	3.8	5.3	5.3	5.3	6.6
	Often	1.3	1.0	1.4	1.6	1.6	2.0
	<i>missing:</i>	1.4%					
Be) If you leaked urine when you lifted something heavy how much did you leak?	Did not leak urine	90.6	91.7	90.1	89.7	89.7	87.8
	Drops, or just a little	7.1	6.4	6.6	8.2	8.2	9.2
	More than just drops	2.2	1.9	3.2	2.1	2.1	3.1
	<i>missing:</i>	3.7%					
Af) Engaged in sexual intercourse?	Never	95.2	95.6	94.7	95.8	95.8	94.6
	Rarely	2.7	2.5	3.0	2.3	2.3	2.9
	Sometimes	1.8	1.7	2.0	1.3	1.3	2.0
	Often	0.3	0.2	0.3	0.6	0.6	0.4
	<i>missing:</i>	1.9%					
Bf) If you leaked urine when you engaged in sexual intercourse how much did you leak?	Did not leak urine	96.2	96.5	95.9	96.9	96.9	95.4
	Drops, or just a little	2.7	2.4	3.3	2.4	2.4	3.4
	More than just drops	1.1	1.0	0.8	0.8	0.8	1.2
	<i>missing:</i>	3.2%					
Ag) Played sport or exercised?	Never	84.9	85.0	84.9	85.2	85.2	83.7
	Rarely	5.5	5.5	5.7	4.8	4.8	5.2
	Sometimes	7.7	7.6	7.1	8.1	8.1	8.5
	Often	1.9	1.9	2.2	1.9	1.9	2.6
	<i>missing:</i>	1.9%					
Bg) If you leaked urine when you played sport or exercised how much did you leak?	Did not leak urine	87.4	87.4	87.5	87.7	87.7	86.2
	Drops, or just a little	9.0	9.1	8.4	9.3	9.3	9.5
	More than just drops	3.6	3.4	4.0	3.1	3.1	4.3
	<i>missing:</i>	5.0%					

Q41	Ah) Were on your way to the toilet?	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
	Never	69.0	69.6	69.6	69.6	71.5	66.9
	Rarely	10.3	10.0	10.2	10.2	8.2	10.7
	Sometimes	16.2	16.0	16.3	16.3	15.8	17.2
	Often	4.6	4.3	3.9	3.9	4.5	5.2
	missing:	1.2%					
	Bh) If you leaked urine when you were on your way to the toilet how much did you leak?						
	Did not leak urine	73.1	73.7	74.7	74.7	76.1	71.2
	Drops, or just a little	18.2	17.9	16.9	16.9	16.0	19.8
	More than just drops	8.6	8.5	8.4	8.4	7.9	9.0
	missing:	7.2%					
	Ai) Put your key in the door?						
	Never	87.2	86.7	87.6	87.6	88.8	89.7
	Rarely	4.9	4.9	5.8	5.8	3.6	4.0
	Sometimes	6.1	6.4	5.6	5.6	5.4	5.1
	Often	1.8	1.9	1.0	1.0	2.2	1.2
	missing:	1.5%					
	Bi) If you leaked urine when you put your key in the door how much did you leak?						
	Did not leak urine	89.1	88.6	90.0	90.0	91.0	91.3
	Drops, or just a little	7.4	7.9	7.3	7.3	5.6	6.3
	More than just drops	3.5	3.5	2.7	2.7	3.4	2.4
	missing:	3.8%					
	Aj) Stepped into water or had your hands in water?						
	Never	89.6	90.1	88.4	88.4	89.4	88.9
	Rarely	4.8	4.6	5.5	5.5	4.4	4.7
	Sometimes	4.3	4.1	5.2	5.2	4.6	5.2
	Often	1.2	1.2	0.8	0.8	1.6	1.2
	missing:	1.3%					
	Bj) If you leaked urine when you stepped into water or had your hands in water how much did you leak?						
	Did not leak urine	91.3	91.7	90.9	90.9	91.5	90.8
	Drops, or just a little	6.7	6.4	7.0	7.0	6.5	7.3
	More than just drops	2.0	1.9	2.1	2.1	2.0	1.9
	missing:	3.7%					

Q41	Ak) Had to wait to use the toilet?	Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	Never	80.3	80.8	79.5	81.0	79.0
	Rarely	8.3	8.5	8.6	8.0	8.0
	Sometimes	9.5	8.9	9.8	9.2	11.0
	Often	1.9	1.8	2.0	1.7	2.0
	missing:	1.3%				
	Bk) If you leaked urine when you had to wait to use the toilet how much did you leak?					
	Did not leak urine	83.7	84.0	83.3	84.6	82.8
	Drops, or just a little	11.5	11.4	12.5	11.0	11.7
	More than just drops	4.8	4.5	4.2	4.4	5.5
	missing:	5.8%				
	Al) Delayed going to the toilet immediately, when you first felt the need to urinate?					
	Never	72.7	73.2	72.1	74.5	71.3
	Rarely	9.3	9.2	10.6	8.1	8.6
	Sometimes	14.4	14.1	14.2	14.0	16.1
	Often	3.5	3.4	3.1	3.3	4.0
	missing:	1.2%				
	Bl) If you leaked urine when you delayed going to the toilet immediately how much did you leak?					
	Did not leak urine	77.4	77.8	77.5	80.0	76.0
	Drops, or just a little	16.0	15.7	16.8	14.0	16.6
	More than just drops	6.6	6.5	5.7	6.0	7.4
	missing:	7.5%				
	Am) Sitting quietly in a chair?					
	Never	95.9	95.8	96.6	95.9	96.4
	Rarely	2.5	2.7	2.2	1.9	2.1
	Sometimes	1.2	1.1	1.3	1.7	1.3
	Often	0.4	0.5	.	0.5	0.2
	missing:	1.4%				
	Bm) If you leaked urine when you were sitting quietly in a chair how much did you leak?					
	Did not leak urine	96.6	96.7	97.6	96.2	97.0
	Drops, or just a little	2.8	2.6	2.2	3.3	2.6
	More than just drops	0.6	0.7	0.2	0.5	0.4
	missing:	2.5%				

Q41	An) Leaking urine without realizing it at the time?	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
	Never	93.9	94.1	93.9	94.0	93.9	93.9
	Rarely	3.2	3.1	3.4	2.8	3.0	3.0
	Sometimes	2.3	2.3	2.2	2.1	2.5	2.5
	Often	0.6	0.5	0.5	1.1	0.6	0.6
	<i>missing:</i>	1.1%					
	Bn) If you leaked urine without realizing it at the time how much did you leak?						
	Did not leak urine	94.8	94.8	95.5	95.3	95.0	95.0
	Drops, or just a little	4.2	4.3	3.7	3.9	4.3	4.3
	More than just drops	0.9	1.0	0.8	0.8	0.7	0.7
	<i>missing:</i>	2.6%					
Q42	Do you regularly NEED help with daily tasks because of long-term illness, disability or frailty?						
	Yes	3.1	3.1	2.6	3.6	2.8	2.8
	No	96.9	96.9	97.4	96.4	97.2	97.2
	<i>missing:</i>	0.2%					
Q44	Over the LAST TWELVE MONTHS, how stressed have you felt about the following areas of your life:						
	a) Own health						
	Not stressed	49.5	49.2	48.4	51.0	50.4	50.4
	Somewhat stressed	33.3	33.4	35.6	31.4	33.0	33.0
	Moderately stressed	11.4	11.5	10.2	12.2	11.0	11.0
	Very stressed	4.4	4.6	4.8	4.1	4.1	4.1
	Extremely stressed	1.4	1.4	1.0	1.3	1.4	1.4
	<i>missing:</i>	4.4%					
	b) Health of other family members						
	Not applicable	4.1	3.8	4.5	4.1	4.5	4.5
	Not stressed	31.1	31.7	31.1	31.3	30.6	30.6
	Somewhat stressed	35.3	34.7	36.6	36.9	35.4	35.4
	Moderately stressed	15.3	15.4	14.1	13.7	15.1	15.1
	Very stressed	9.2	9.1	9.0	9.6	9.9	9.9
	Extremely stressed	5.1	5.3	4.8	4.4	4.4	4.4
	<i>missing:</i>	2.8%					

Q44		Capital city/ Other					Other Rural/ Remote (n=3,615) %
		Weighted Total (n=10,690) %	Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Rural/ Remote (n=3,615) %	
c) Work/Employment	Not applicable	24.9	24.2	24.4	27.6	25.9	
	Not stressed	27.4	26.9	25.8	28.9	29.5	
	Somewhat stressed	26.1	26.3	27.6	24.1	25.5	
	Moderately stressed	11.7	12.2	11.9	10.8	10.4	
	Very stressed	6.9	7.4	7.5	6.1	6.3	
Extremely stressed	2.9	3.0	2.8	2.4	2.5		
	missing:						
		1.6%					
d) Living arrangements	Not stressed	75.5	74.4	77.0	77.2	77.9	
	Somewhat stressed	15.1	15.6	14.4	13.8	14.0	
	Moderately stressed	5.4	5.9	4.6	4.9	4.3	
	Very stressed	2.9	3.2	2.8	3.1	2.6	
	Extremely stressed	1.1	0.9	1.2	1.1	1.2	
	missing:						
		6.5%					
e) Study	Not applicable	68.7	69.2	65.1	67.2	65.4	
	Not stressed	25.2	24.4	27.0	26.9	28.5	
	Somewhat stressed	4.1	4.1	5.2	3.8	4.3	
	Moderately stressed	1.3	1.5	1.8	0.8	1.1	
	Very stressed	0.6	0.6	0.6	0.9	0.5	
Extremely stressed	0.2	0.2	0.3	0.4	0.2		
	missing:						
		1.9%					
f) Money	Not stressed	45.2	44.7	44.0	47.3	44.2	
	Somewhat stressed	34.0	34.0	36.3	32.3	35.2	
	Moderately stressed	12.0	12.4	11.4	11.3	11.4	
	Very stressed	5.5	5.6	5.1	5.7	5.5	
	Extremely stressed	3.3	3.4	3.2	3.4	3.6	
	missing:						
		3.4%					

Q44		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
g) Relationship with parents	Not applicable	41.3	42.2		42.5	39.2	40.3
	Not stressed	38.5	37.3		39.0	42.9	42.0
	Somewhat stressed	12.6	12.8		11.2	11.9	11.5
	Moderately stressed	3.9	4.0		3.8	3.0	3.2
	Very stressed	2.2	2.4		2.0	1.5	1.9
	Extremely stressed <i>missing:</i>	1.3	1.2		1.5	1.4	1.1
							1.2%
h) Relationship with partner/spouse	Not applicable	17.5	19.0		19.4	15.8	13.1
	Not stressed	49.2	47.8		49.7	51.6	54.9
	Somewhat stressed	21.4	21.2		20.5	20.9	21.1
	Moderately stressed	5.8	6.0		4.7	5.7	5.3
	Very stressed	3.7	3.8		3.6	3.4	3.1
	Extremely stressed <i>missing:</i>	2.5	2.3		2.2	2.6	2.4
							1.2%
i) Relationship with children	Not applicable	11.2	11.7		9.6	8.9	9.0
	Not stressed	50.4	49.6		52.9	54.3	55.4
	Somewhat stressed	27.9	28.1		26.5	25.7	25.9
	Moderately stressed	6.3	6.5		5.7	6.6	5.7
	Very stressed	2.8	2.9		3.4	3.4	2.4
	Extremely stressed <i>missing:</i>	1.4	1.3		2.0	1.0	1.5
							0.9%
j) Relationship with other family members	Not applicable	9.3	9.5		8.5	8.7	8.7
	Not stressed	60.6	60.0		61.6	63.1	63.4
	Somewhat stressed	21.2	21.5		21.5	19.5	20.1
	Moderately stressed	5.4	5.5		5.0	5.6	4.9
	Very stressed	2.4	2.5		2.0	1.5	2.0
	Extremely stressed <i>missing:</i>	1.1	1.1		1.3	1.5	1.0
							0.8%

Mean Stress	Weighted Total Mean (n=10,690)	Capital city/ Other Metropolitan (n=4,120)		Large rural (n=1,443)		Small Rural (n=1,512)		Other Rural/ Remote (n=3,615)	
		Mean	%	Mean	%	Mean	%	Mean	%
Mean	0.6	0.6		0.6		0.6		0.6	
Standard Error	0.0	0.0		0.0		0.0		0.0	
missing:	0.6%								
Q45	How much do you agree or disagree with each of the following statements?								
	a) At home, I feel I have control over what happens in most situations								
	Disagree strongly	1.1	1.0	0.8	0.9	1.7			
	Disagree	4.6	4.3	4.1	4.4	5.3			
	Disagree slightly	7.0	7.5	7.0	7.2	5.7			
	Agree slightly	10.0	9.8	11.0	9.0	10.0			
	Agree	56.7	56.1	57.3	59.7	58.3			
	Agree strongly	20.7	21.3	19.7	18.9	19.0			
	missing:	0.6%							
	b) I feel that what happens in my life is often determined by factors beyond my control								
	Disagree strongly	8.4	8.4	7.2	7.4	8.5			
	Disagree	27.0	27.5	25.9	26.4	25.7			
	Disagree slightly	9.9	9.8	10.2	8.5	9.8			
	Agree slightly	26.7	26.4	26.5	28.0	25.9			
	Agree	23.3	23.2	26.4	25.2	24.9			
	Agree strongly	4.7	4.7	3.8	4.5	5.3			
	missing:	0.9%							
	c) Over the next 5-10 years I expect to have more positive than negative experiences								
	Disagree strongly	1.0	0.9	1.2	0.9	1.0			
	Disagree	4.4	4.3	4.1	3.4	4.4			
	Disagree slightly	6.2	6.3	5.7	4.9	6.0			
	Agree slightly	15.5	15.5	16.4	15.4	15.9			
	Agree	53.9	53.7	55.3	57.0	54.5			
	Agree strongly	19.0	19.2	17.3	18.4	18.3			
	missing:	1.0%							

	Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
Q45					
d) I often have the feeling that I am being treated unfairly					
Disagree strongly	20.0	19.9	18.4	18.0	20.0
Disagree	43.2	43.8	44.0	43.9	42.6
Disagree slightly	8.0	7.9	9.2	8.1	7.8
Agree slightly	18.4	18.4	17.9	18.8	19.0
Agree	8.3	8.2	8.5	8.9	8.3
Agree strongly	2.0	1.9	1.9	2.3	2.4
<i>missing:</i>	0.8%				
Q46					
e) In the past 10 years my life has been full of changes without my knowing what will happen next					
Disagree strongly	10.7	10.6	9.7	9.4	11.1
Disagree	31.7	31.3	30.2	32.2	32.6
Disagree slightly	8.3	8.3	8.3	8.8	7.8
Agree slightly	22.2	22.2	24.5	22.3	21.1
Agree	20.8	20.9	20.3	20.6	20.9
Agree strongly	6.3	6.6	7.1	6.6	6.6
<i>missing:</i>	0.9%				
Q46					
f) I gave up trying to make big improvements or changes in my life a long time ago					
Disagree strongly	23.6	24.2	20.5	22.9	21.7
Disagree	43.0	42.8	43.9	44.3	43.7
Disagree slightly	8.8	8.7	9.5	8.5	8.8
Agree slightly	12.4	12.5	13.3	12.1	12.0
Agree	10.5	10.1	11.4	10.8	11.7
Agree strongly	1.8	1.8	1.5	1.3	2.1
<i>missing:</i>	0.8%				
Q46					
How often do you currently smoke cigarettes or any tobacco products?					
Daily	11.6	11.5	10.9	11.0	12.2
Weekly	0.9	1.0	0.6	0.6	0.8
Less than weekly	1.1	1.1	1.3	0.7	1.1
Not at all	86.4	86.5	87.1	87.7	85.9
<i>missing:</i>	0.5%				

		Weighted Total Mean (n=10,690)	Capital city/ Other Metropolitan Mean (n=4,120)	Large rural Mean (n=1,443)	Small Rural Mean (n=1,512)	Other Rural/ Remote Mean (n=3,615)
Q47	If you smoke daily, on average how many cigarettes do you smoke each DAY?					
	Mean	18.4	18.1	18.6	19.0	19.2
	Standard Error	0.3	0.4	0.7	0.6	0.5
	Not daily smoker <i>missing</i>	88.4%				
		0.5%				
Q48	If you smoke but not daily, on average how many cigarettes do you smoke each WEEK?					
	Mean	18.6	19.3	18.0	22.1	16.7
	Standard Error	1.8	2.6	5.5	10.1	2.8
	Not applicable <i>missing</i>	99.1%				
		0.5%				
Q49	Have you ever smoked DAILY?					
	Yes	%	%	%	%	%
	No	29.2	29.5	29.3	29.5	28.1
	Daily smoker <i>missing</i>	59.3	59.1	59.7	59.5	59.7
		11.5	11.5	10.9	11.0	12.2
		0.4%				
Q50	At what age did you finally stop smoking daily?					
	Mean	Mean	Mean	Mean	Mean	Mean
	Standard Error	36.0	35.8	36.8	36.0	36.6
	Not applicable <i>missing</i>	0.2	0.3	0.5	0.5	0.3
		70.6%				
		0.4%				
Q51	At what age did you start smoking daily?					
	Mean	19.3	19.5	19.0	19.1	19.2
	Standard Error	0.1	0.1	0.2	0.2	0.2
	Not applicable <i>missing</i>	59.3%				
		0.4%				

	Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
Smoking classification (WHA)					
Never smoked	59.2	59.0	59.3	59.8	59.6
Ex-smoker	27.2	27.5	27.8	27.9	26.3
Smoke <10 day	3.6	3.7	2.6	2.6	3.3
Smoke 10-19 day	4.0	4.0	4.7	3.1	4.3
Smoke >=20 day	6.0	5.8	5.6	6.6	6.5
missing:	0.5%				
Q52 Please indicate how often you have felt this way DURING THE LAST WEEK.					
a) I was bothered by things that don't usually bother me					
Rarely/none	71.7	71.9	68.2	70.6	71.3
Some/little of the time	20.7	20.3	23.4	20.9	21.5
Occasionally	5.9	6.2	6.2	5.9	5.4
Most/all of the time	1.7	1.7	2.1	2.7	1.8
missing:	1.1%				
b) I had trouble keeping my mind on what I was doing					
Rarely/none	63.0	63.3	60.3	61.9	61.6
Some/little of the time	27.9	27.6	29.0	28.6	29.3
Occasionally	7.2	7.3	8.0	6.8	6.8
Most/all of the time	2.0	1.8	2.7	2.7	2.3
missing:	1.1%				
c) I felt depressed					
Rarely/none	71.6	70.8	69.0	72.6	73.2
Some/little of the time	19.0	19.6	21.5	18.1	17.5
Occasionally	6.3	6.5	6.5	5.7	6.3
Most/all of the time	3.1	3.0	3.0	3.6	3.0
missing:	1.6%				
d) I felt that everything I did was an effort					
Rarely/none	61.8	61.9	60.2	60.8	61.3
Some/little of the time	26.8	26.6	27.1	27.2	27.6
Occasionally	7.4	7.6	7.9	7.0	7.3
Most/all of the time	4.0	3.9	4.9	5.0	3.8
missing:	1.4%				

Q52		Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
e) I felt hopeful about the future	Rarely/none	12.8	12.4	14.5	13.4	13.3
	Some/little of the time	18.1	18.2	18.0	17.5	17.1
	Occasionally	18.7	19.1	19.2	19.0	19.9
	Most/all of the time <i>missing:</i>	50.3	50.2	48.3	50.1	49.7
		2.2%				
f) I felt fearful	Rarely/none	79.2	79.0	79.1	79.8	80.8
	Some/little of the time	14.4	14.3	14.6	14.0	14.1
	Occasionally	4.8	5.0	4.2	4.6	3.9
	Most/all of the time <i>missing:</i>	1.7	1.8	2.1	1.6	1.3
		1.9%				
g) My sleep was restless	Rarely/none	29.8	29.9	30.1	28.1	29.7
	Some/little of the time	35.6	35.2	35.1	36.6	35.8
	Occasionally	19.6	20.0	19.7	19.1	20.4
	Most/all of the time <i>missing:</i>	15.1	15.0	15.0	16.2	14.1
		1.6%				
h) I was happy	Rarely/none	5.5	5.4	5.6	5.9	5.7
	Some/little of the time	13.9	13.9	15.2	13.9	13.1
	Occasionally	21.3	22.1	20.5	20.7	20.0
	Most/all of the time <i>missing:</i>	59.3	58.6	58.7	59.6	61.2
		1.5%				
i) I felt lonely	Rarely/none	72.4	72.1	68.8	72.0	72.9
	Some/little of the time	17.2	17.8	19.4	16.6	16.4
	Occasionally	7.0	6.7	7.9	7.5	7.4
	Most/all of the time <i>missing:</i>	3.3	3.4	3.9	3.8	3.3
		1.4%				

Q52	j) I could not 'get going'	Capital city/ Other				Other Rural/ Remote (n=3,615) %
		Weighted Total (n=10,690) %	Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	Rarely/none	54.5	55.4	51.7	53.3	51.3
	Some/little of the time	31.9	31.4	33.9	32.8	34.2
	Occasionally	9.6	9.2	9.8	9.6	10.2
	Most/all of the time	4.1	4.0	4.5	4.3	4.4
	missing:	1.2%				
	k) I felt terrific					
	Rarely/none	21.6	21.8	22.7	21.6	20.4
	Some/little of the time	19.8	19.9	18.8	20.0	20.5
	Occasionally	25.3	25.1	25.4	24.6	26.1
	Most/all of the time	33.4	33.2	33.1	33.7	33.0
	missing:	1.2%				
	Mean	5.9	5.9	6.2	6.0	5.9
	Standard Error	0.1	0.1	0.1	0.1	0.1
	missing:	2.3%				
	Mean	%	%	%	%	%
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					
	Mean					
	Standard Error					
	missing:					

Q53		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
Ad) Birth of a grandchild	No	83.7	85.4	80.9	80.3	79.3	
	Yes	16.3	14.6	19.1	19.7	20.7	
	<i>missing:</i>						0.3%
Ae) Major surgery	No	94.8	95.0	93.5	94.4	94.9	
	Yes	5.2	5.0	6.5	5.6	5.1	
	<i>missing:</i>						0.3%
Af) Going through menopause	No	74.9	75.5	73.8	74.6	75.3	
	Yes	25.1	24.5	26.2	25.4	24.7	
	<i>missing:</i>						0.3%
Ag) Major decline in health of spouse or partner	No	91.4	91.8	92.4	91.0	90.7	
	Yes	8.6	8.2	7.6	9.0	9.3	
	<i>missing:</i>						0.3%
Ah) Major decline in health of other close family member or close friend	No	69.7	70.2	70.1	70.3	69.3	
	Yes	30.3	29.8	29.9	29.7	30.7	
	<i>missing:</i>						0.3%
Ai) Starting a new, close personal relationship	No	97.5	97.4	97.1	97.4	98.2	
	Yes	2.5	2.6	2.9	2.6	1.8	
	<i>missing:</i>						0.3%
Aj) Infidelity of spouse or partner	No	98.5	98.5	98.7	98.7	98.6	
	Yes	1.5	1.5	1.3	1.3	1.4	
	<i>missing:</i>						0.3%

Q53		Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
A) Break up of a close personal relationship	No	96.8	96.6	96.8	96.0	97.2
	Yes	3.2	3.4	3.2	4.0	2.8
	missing:	0.3%				
A) Divorce	No	99.1	99.1	99.5	99.5	99.3
	Yes	0.9	0.9	0.5	0.5	0.7
	missing:	0.3%				
A) Major conflict with teenage or older children	No	90.2	89.8	90.1	90.7	91.5
	Yes	9.8	10.2	9.9	9.3	8.5
	missing:	0.3%				
A) Child or other family member leaving home	No	88.1	87.1	91.5	91.1	91.7
	Yes	11.9	12.9	8.5	8.9	8.3
	missing:	0.3%				
A) Death of spouse or partner	No	99.6	99.6	99.8	99.2	99.4
	Yes	0.4	0.4	0.2	0.8	0.6
	missing:	0.3%				
A) Death of child	No	99.6	99.8	99.1	99.7	99.4
	Yes	0.4	0.2	0.9	0.3	0.6
	missing:	0.3%				
A) Death of other close family member	No	87.2	87.5	86.4	86.0	86.2
	Yes	12.8	12.5	13.6	14.0	13.8
	missing:	0.3%				

Q53		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
A) Death of close friend	No	90.3	90.6		90.3	88.6	89.6
	Yes	9.7	9.4		9.7	11.4	10.4
	missing:	0.3%					
As) Changing your type of work/hours/conditions/responsibilities at work	No	77.8	76.8		76.8	79.9	79.5
	Yes	22.2	23.2		23.2	20.1	20.5
	missing:	0.3%					
At) Retirement	No	95.9	96.2		95.5	95.4	95.1
	Yes	4.1	3.8		4.5	4.6	4.9
	missing:	0.3%					
Au) Your spouse or partner retiring from work	No	95.3	95.2		94.9	95.1	95.3
	Yes	4.7	4.8		5.1	4.9	4.7
	missing:	0.3%					
Av) Being made redundant	No	97.9	97.6		98.8	98.9	98.9
	Yes	2.1	2.4		1.2	1.1	1.1
	missing:	0.3%					
Aw) Your spouse/partner being made redundant	No	98.0	97.9		98.4	98.5	98.5
	Yes	2.0	2.1		1.6	1.5	1.5
	missing:	0.3%					
Ax) Decreased income	No	81.2	81.1		81.1	81.7	80.7
	Yes	18.8	18.9		18.9	18.3	19.3
	missing:	0.3%					

Q53		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
Ay) Moving house	No	90.4	89.4	89.1	90.6	90.1	
	Yes	9.6	10.6	10.9	9.4	9.9	
	<i>missing:</i>	0.3%					
Az) Natural disaster or house fire	No	98.2	98.9	97.7	98.0	94.8	
	Yes	1.8	1.1	2.3	2.0	5.2	
	<i>missing:</i>	0.3%					
Aaa) Major loss or damage to personal property	No	98.4	98.4	98.5	98.5	98.8	
	Yes	1.6	1.6	1.5	1.5	1.2	
	<i>missing:</i>	0.3%					
Abb) Being robbed	No	96.7	96.5	96.9	97.9	97.8	
	Yes	3.3	3.5	3.1	2.1	2.2	
	<i>missing:</i>	0.3%					
Acc) Being pushed, grabbed, shoved, kicked or hit	No	98.4	98.4	98.5	98.3	98.4	
	Yes	1.6	1.6	1.5	1.7	1.6	
	<i>missing:</i>	0.3%					
Add) Being forced to take part in unwanted sexual activity	No	99.6	99.6	99.9	99.4	99.4	
	Yes	0.4	0.4	0.1	0.6	0.6	
	<i>missing:</i>	0.3%					
Aee) Legal troubles or involved in a court case	No	95.3	95.0	95.1	95.7	96.0	
	Yes	4.7	5.0	4.9	4.3	4.0	
	<i>missing:</i>	0.3%					

		Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
Q53	Aff) Family member/close friend being arrested/in gaol					
	No	98.2	98.1	98.2	97.6	98.3
	Yes <i>missing:</i>	1.8 0.3%	1.9 0.3%	1.8 0.3%	2.4 0.3%	1.7 0.3%
	Agg) You or a family member involved in problem gambling					
	No	97.7	97.6	97.3	97.7	98.1
	Yes <i>missing:</i>	2.3 0.3%	2.4 0.3%	2.7 0.3%	2.3 0.3%	1.9 0.3%
	Which of the following events have you experienced more than 12 months ago.					
	Ba) Major personal illness					
	No	75.3	74.3	76.1	75.0	77.7
	Yes <i>missing:</i>	24.7 0.3%	25.7 0.3%	23.9 0.3%	25.0 0.3%	22.3 0.3%
	Bb) Major personal injury or involvement in a serious accident					
	No	90.7	90.6	90.3	91.5	90.5
	Yes <i>missing:</i>	9.3 0.3%	9.4 0.3%	9.7 0.3%	8.5 0.3%	9.5 0.3%
	Bc) Major personal achievement					
	No	82.4	81.8	84.5	82.8	83.3
	Yes <i>missing:</i>	17.6 0.3%	18.2 0.3%	15.5 0.3%	17.2 0.3%	16.7 0.3%
	Bd) Birth of a grandchild					
	No	73.3	74.5	71.2	68.3	67.5
	Yes <i>missing:</i>	26.7 0.3%	25.5 0.3%	28.8 0.3%	31.7 0.3%	32.5 0.3%
	Be) Major surgery					
	No	74.8	74.1	75.1	75.0	75.4
	Yes <i>missing:</i>	25.2 0.3%	25.9 0.3%	24.9 0.3%	25.0 0.3%	24.6 0.3%

Q53		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
Bf) Going through menopause	No	54.0	53.5		56.2	54.6	54.3
	Yes	46.0	46.5		43.8	45.4	45.7
	<i>missing:</i>	0.3%					
Bg) Major decline in health of spouse or partner	No	90.8	91.0		89.2	89.9	89.9
	Yes	9.2	9.0		10.8	10.1	10.1
	<i>missing:</i>	0.3%					
Bh) Major decline in health of other close family member or close friend	No	78.4	78.1		78.7	78.3	80.5
	Yes	21.6	21.9		21.3	21.7	19.5
	<i>missing:</i>	0.3%					
Bi) Starting a new, close personal relationship	No	90.1	89.8		89.3	91.1	91.5
	Yes	9.9	10.2		10.7	8.9	8.5
	<i>missing:</i>	0.3%					
Bj) Infidelity of spouse or partner	No	90.1	89.6		91.2	90.7	91.5
	Yes	9.9	10.4		8.8	9.3	8.5
	<i>missing:</i>	0.3%					
Bk) Break up of a close personal relationship	No	87.6	86.5		88.6	90.1	90.1
	Yes	12.4	13.5		11.4	9.9	9.9
	<i>missing:</i>	0.3%					
Bl) Divorce	No	87.7	87.3		87.3	87.7	89.9
	Yes	12.3	12.7		12.7	12.3	10.1
	<i>missing:</i>	0.3%					

Q53		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
Bm) Major conflict with teenage or older children	No	88.5	88.4	88.1	89.3	89.8	
	Yes	11.5	11.6	11.9	10.7	10.2	
	<i>missing:</i>	0.3%					
Bn) Child or other family member leaving home	No	74.1	74.3	74.0	72.1	75.0	
	Yes	25.9	25.7	26.0	27.9	25.0	
	<i>missing:</i>	0.3%					
Bo) Death of spouse or partner	No	96.0	95.6	95.3	96.2	96.4	
	Yes	4.0	4.4	4.7	3.8	3.6	
	<i>missing:</i>	0.3%					
Bp) Death of child	No	96.2	96.5	95.2	95.2	95.3	
	Yes	3.8	3.5	4.8	4.8	4.7	
	<i>missing:</i>	0.3%					
Bq) Death of other close family member	No	66.4	65.5	68.4	66.0	68.1	
	Yes	33.6	34.5	31.6	34.0	31.9	
	<i>missing:</i>	0.3%					
Br) Death of close friend	No	84.7	84.7	84.1	85.3	84.5	
	Yes	15.3	15.3	15.9	14.7	15.5	
	<i>missing:</i>	0.3%					
Bs) Changing your type of work/hours/conditions/responsibilities at work	No	82.0	81.1	83.4	82.3	83.7	
	Yes	18.0	18.9	16.6	17.7	16.3	
	<i>missing:</i>	0.3%					

Q53		Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
Bt) Retirement	No	91.5	91.8	92.2	90.3	92.1
	Yes	8.5	8.2	7.8	9.7	7.9
	<i>missing:</i>	0.3%				
Bu) Your spouse or partner retiring from work	No	89.2	89.8	90.6	87.0	90.2
	Yes	10.8	10.2	9.4	13.0	9.8
	<i>missing:</i>	0.3%				
Bv) Being made redundant	No	94.4	94.0	95.4	95.0	96.6
	Yes	5.6	6.0	4.6	5.0	3.4
	<i>missing:</i>	0.3%				
Bw) Your spouse/partner being made redundant	No	93.2	92.9	94.6	93.7	94.6
	Yes	6.8	7.1	5.4	6.3	5.4
	<i>missing:</i>	0.3%				
Bx) Decreased income	No	80.0	79.9	80.0	80.1	80.1
	Yes	20.0	20.1	20.0	19.9	19.9
	<i>missing:</i>	0.3%				
By) Moving house	No	76.2	75.3	77.7	74.8	77.6
	Yes	23.8	24.7	22.3	25.2	22.4
	<i>missing:</i>	0.3%				
Bz) Natural disaster or house fire	No	95.7	96.0	96.7	95.5	93.0
	Yes	4.3	4.0	3.3	4.5	7.0
	<i>missing:</i>	0.3%				

Q53		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
Baa) Major loss or damage to personal property	No	96.1	96.1		97.1	96.0	96.3
	Yes	3.9	3.9		2.9	4.0	3.7
	<i>missing:</i>	0.3%					
Bbb) Being robbed	No	87.7	86.6		90.9	90.1	92.6
	Yes	12.3	13.4		9.1	9.9	7.4
	<i>missing:</i>	0.3%					
Bcc) Being pushed, grabbed, shoved, kicked or hit	No	94.6	94.6		95.1	95.6	94.2
	Yes	5.4	5.4		4.9	4.4	5.8
	<i>missing:</i>	0.3%					
Bdd) Being forced to take part in unwanted sexual activity	No	96.0	96.2		95.7	95.2	95.9
	Yes	4.0	3.8		4.3	4.8	4.1
	<i>missing:</i>	0.3%					
Bee) Legal troubles or involved in a court case	No	91.5	91.5		91.9	90.9	91.8
	Yes	8.5	8.5		8.1	9.1	8.2
	<i>missing:</i>	0.3%					
Bff) Family member/close friend being arrested/in gaol	No	96.0	96.0		94.9	95.8	96.6
	Yes	4.0	4.0		5.1	4.2	3.4
	<i>missing:</i>	0.3%					
Bgg) You or a family member involved in problem gambling	No	97.1	96.9		97.8	97.4	97.9
	Yes	2.9	3.1		2.2	2.6	2.1
	<i>missing:</i>	0.3%					

Q53	hh) None of these events	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
	At least one of these	97.6	97.9	97.1	97.1	97.1	97.4
	None of these	2.4	2.1	2.9	2.9	2.9	2.6
	missing:	0.3%					
Q54	Thinking about your current approach to life, please indicate how much you think each statement describes you.						
	a) In uncertain times, I usually expect the best						
	strongly disagree	2.1	2.2	1.7	2.5	2.1	2.1
	disagree	14.1	13.8	16.6	13.4	14.0	14.0
	neutral	30.8	30.6	32.2	31.4	32.2	32.2
	agree	44.5	44.7	42.5	44.2	43.6	43.6
	strongly agree	8.5	8.7	7.0	8.5	8.0	8.0
	missing:	2.5%					
	b) If something can go wrong for me, it will						
	strongly disagree	18.5	18.7	17.8	16.5	17.5	17.5
	disagree	41.9	42.5	40.5	43.1	40.6	40.6
	neutral	21.6	21.4	21.0	20.8	22.9	22.9
	agree	15.5	14.9	18.4	17.1	16.8	16.8
	strongly agree	2.5	2.5	2.3	2.5	2.3	2.3
	missing:	2.5%					
	c) I'm always optimistic about my future						
	strongly disagree	1.1	1.1	1.2	1.0	1.1	1.1
	disagree	10.6	10.6	11.2	10.6	10.3	10.3
	neutral	22.6	22.2	23.8	21.3	23.8	23.8
	agree	53.5	53.4	53.6	55.6	53.5	53.5
	strongly agree	12.2	12.7	10.2	11.4	11.3	11.3
	missing:	2.4%					
	d) I hardly ever expect things to go my way						
	strongly disagree	18.0	18.4	15.5	16.2	17.1	17.1
	disagree	46.5	47.2	46.0	47.0	45.3	45.3
	neutral	20.9	20.3	21.7	20.5	22.2	22.2
	agree	13.2	12.8	15.2	14.9	13.9	13.9
	strongly agree	1.3	1.2	1.6	1.4	1.5	1.5
	missing:	2.5%					

		Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %	
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %		
Q54	e) I rarely count on good things happening to me						
	strongly disagree	18.6	19.2	15.2	16.3	18.0	
	disagree	44.1	44.4	45.2	44.2	42.5	
	neutral	20.0	19.6	19.8	19.7	21.3	
	agree	15.6	15.0	17.7	18.1	16.5	
strongly agree	1.8	1.7	2.1	1.7	1.7		
	missing:					2.1%	
Q54	f) Overall, I expect more good things to happen to me than bad						
	strongly disagree	1.4	1.4	1.4	1.3	1.6	
	disagree	5.6	5.2	6.7	5.9	5.7	
	neutral	15.5	15.4	17.5	14.7	15.8	
	agree	57.0	56.9	56.4	59.6	57.6	
strongly agree	20.5	21.0	18.0	18.5	19.3		
	missing:					1.5%	
Q55	In the past month:						
	a) Have you felt keyed up or on edge?						
	Yes	61.2	61.6	63.8	61.9	60.2	
	No	38.8	38.4	36.2	38.1	39.8	
	missing:						1.0%
Q55	b) Have you been worrying a lot?						
	Yes	44.4	44.8	46.1	45.4	44.4	
	No	55.6	55.2	53.9	54.6	55.6	
	missing:						1.0%
	c) Have you been irritable?						
Yes	50.1	50.1	51.3	48.6	49.8		
No	49.9	49.9	48.7	51.4	50.2		
missing:						1.6%	
Q55	d) Have you had difficulty relaxing?						
	Yes	45.5	46.0	46.9	46.2	44.1	
	No	54.5	54.0	53.1	53.8	55.9	
	missing:						1.4%

Q55	e) Have you been sleeping poorly?		Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
				Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	Yes		56.7	57.3	56.5	58.4	56.5
	No		43.3	42.7	43.5	41.6	43.5
	missing:	1.3%					
	f) Have you had headaches or neck aches?						
	Yes		62.1	61.6	63.6	62.7	63.0
	No		37.9	38.4	36.4	37.3	37.0
	missing:	1.2%					
	g) Have you had any of the following: trembling, tingling, dizzy spells, sweating, diarrhoea, or needing to pass urine more often than normal?						
	Yes		35.3	35.2	35.5	35.0	33.7
	No		64.7	64.8	64.5	65.0	66.3
	missing:	1.2%					
	h) Have you been worried about your health?						
	Yes		34.7	34.9	35.0	33.9	33.8
	No		65.3	65.1	65.0	66.1	66.2
	missing:	0.9%					
	i) Have you had difficulty falling asleep?						
	Yes		40.8	40.6	43.0	42.0	42.5
	No		59.2	59.4	57.0	58.0	57.5
	missing:	0.8%					
Q56	Are your parents still living?						
	a) Mother						
	Still living		50.5	50.5	48.2	50.5	50.8
	Deceased		49.2	49.2	51.6	48.9	49.0
	Don't know		0.3	0.3	0.2	0.5	0.2
	missing:	0.5%					
	b) Father						
	Still living		22.9	23.1	22.6	23.5	22.7
	Deceased		76.0	75.8	76.2	75.7	76.2
	Don't know		1.0	1.1	1.3	0.9	1.1
	missing:	1.4%					

Q57	Height in cms	Mean Standard Error <i>missing:</i>	Weighted Total (n=10,690)		Capital city/ Other Metropolitan (n=4,120)		Large rural (n=1,443)		Small Rural (n=1,512)		Other Rural/ Remote (n=3,615)	
			Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error
			162.9	0.1	162.9	0.1	163.0	0.2	162.7	0.2	163.1	0.1
		6.7%										
	Weight in kgs	Mean Standard Error <i>missing:</i>	71.5	0.1	71.0	0.2	72.3	0.4	71.8	0.4	73.6	0.3
		5.9%										
	Body Mass Index	Mean Standard Error <i>missing:</i>	26.9	0.1	26.7	0.1	27.2	0.1	27.1	0.2	27.7	0.1
		9.9%										
	BMI classification		%	%	%	%	%	%	%	%	%	%
	Underweight		4.7	4.9	4.9	5.1	5.1	4.6	4.6	3.6	3.6	
	Acceptable weight		37.8	38.8	38.8	33.7	33.7	38.7	38.7	33.6	33.6	
	Overweight		33.8	33.9	33.9	36.3	36.3	30.3	30.3	33.5	33.5	
	Obese <i>missing:</i>		23.7	22.4	22.4	25.0	25.0	26.4	26.4	29.2	29.2	
		9.9%										
Q58	In the LAST THREE YEARS, how many times have you											
	a) lost 5 kg or more on purpose	Yes No <i>missing:</i>	31.8 68.2		32.2 67.8		30.4 69.6		33.3 66.7		30.6 69.4	
		3.3%										
	b) lost 5kg or more for any other reason	Yes No <i>missing:</i>	9.6 90.4		9.5 90.5		10.7 89.3		10.6 89.4		9.8 90.2	
		4.8%										
	c) gained 5kg or more (previously lost on purpose)	Yes No <i>missing:</i>	41.3 58.7		40.8 59.2		43.1 56.9		41.3 58.7		40.5 59.5	
		5.1%										

		Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
Q59	How often do you usually drink alcohol?					
	I never drink alcohol	14.3	13.3	15.2	18.1	16.6
	I drink rarely	23.5	23.5	25.2	23.6	24.0
	Less than once a week	12.7	12.7	14.1	11.9	12.5
	On 1 or 2 days a week	16.2	16.9	14.4	13.5	14.8
	On 3 or 4 days a week	13.0	13.3	12.5	13.1	12.0
	On 5 or 6 days a week	10.4	10.1	9.6	9.7	10.6
	Every day	10.0	10.2	8.9	10.0	9.5
	missing:	1.3%				
Q60	On a day when you drink alcohol, how many drinks do you usually have?					
	I never drink alcohol	14.2	13.2	15.2	18.2	16.7
	1 or 2 drinks	69.8	70.5	69.9	66.4	68.5
	3 or 4 drinks	14.0	14.2	12.7	13.6	12.8
	5 to 8 drinks	1.9	2.0	1.9	1.6	1.7
	9 or more drinks	0.1	0.1	0.3	0.1	0.3
	missing:	3.2%				
Q61	How often do you have five or more drinks of alcohol on one occasion?					
	I never drink alcohol	14.4	13.3	15.3	18.3	16.7
	Never	58.3	59.3	56.9	53.0	55.4
	Less than once a month	14.4	14.0	15.4	16.1	16.0
	About once a month	7.2	7.6	6.6	6.6	6.3
	About once a week	4.0	4.0	4.0	4.5	4.1
	More than once a week	1.7	1.7	1.8	1.5	1.5
	missing:	1.7%				
	NHMRC alcohol classification					
	Non-drinker	14.3	13.3	15.2	18.1	16.6
	Rarely drinks	23.5	23.5	25.2	23.5	24.0
	Low risk drinker	55.4	56.6	53.2	51.8	52.7
	Risky drinker	5.9	5.7	5.3	6.1	5.8
	High risk drinker	1.0	1.0	1.0	0.5	1.0
	missing:	1.1%				

	Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
Alcohol drinking pattern					
Non-drinker	14.5	13.4	15.4	18.4	16.8
Low risk drinker, >=5 drinks <weekly	76.3	77.5	75.2	72.3	74.1
Low risk drinker, >=5 drinks weekly	2.3	2.3	3.0	2.5	2.2
Risky/high risk drinker	6.9	6.7	6.4	6.7	6.9
missing:	2.4%				
Q62	How many serves of vegetables do you usually eat each day?				
None	0.7	0.7	0.6	0.7	0.6
1 serve	14.9	15.3	15.6	13.3	14.4
2-3 serves	53.9	55.5	50.7	51.0	49.7
4 serves	21.5	20.3	22.3	24.2	24.3
5 serves or more	8.9	8.1	10.8	10.9	11.1
missing:	0.5%				
Q63	How many serves of fruit do you usually eat each day?				
None	5.0	4.9	3.8	5.2	6.2
1 serve	35.2	34.3	38.3	37.2	36.5
2-3 serves	50.1	50.7	48.6	47.6	48.6
4 serves	7.5	7.7	7.3	7.8	6.6
5 serves or more	2.2	2.3	1.9	2.3	2.1
missing:	0.3%				
Q64	How many glasses/cups of non-alcoholic drinks do you usually have each day?				
0-2 glasses	3.1	3.3	3.3	2.7	2.4
3-5 glasses	36.4	37.4	34.5	34.1	32.8
6-8 glasses	45.7	44.9	46.7	48.3	49.4
9 or more glasses	14.8	14.4	15.5	14.9	15.5
missing:	0.4%				
Exercise status (mets mins)					
Mean	1116.2	1094.7	1120.3	1197.3	1122.3
Standard Error	14.0	21.5	42.0	40.7	26.8
missing:	6.7%				

Exercise group	Weighted Total (n=10,690) %		Capital city/ Other Metropolitan (n=4,120) %		Large rural (n=1,443) %		Small Rural (n=1,512) %		Other Rural/ Remote (n=3,615) %	
	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error
Nil/sedentary	15.5		14.9		16.8		16.5		18.2	
Low	29.3		29.8		30.5		28.5		28.4	
Moderate	23.4		24.2		23.2		20.4		22.2	
High	31.8		31.1		29.5		34.6		31.2	
missing:	6.7%									

Q65 How many hours EACH DAY do you typically spend sitting down while doing things like visiting friends, driving, reading, watching television or working at a desk or computer?
a) on a usual WEEK DAY

	Mean		Mean		Mean		Mean		Mean	
	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error
Mean	6.6		6.9		6.2		6.0		5.8	
Standard Error	0.1		0.1		0.1		0.1		0.1	
missing:	5.1%									

b) on a usual WEEKEND DAY

	Mean		Mean		Mean		Mean		Mean	
	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error
Mean	5.7		5.7		5.8		5.6		5.5	
Standard Error	0.0		0.1		0.1		0.1		0.1	
missing:	8.4%									

Q66 How many times did you do each type of activity LAST WEEK?

a) Walking briskly

	Mean		Mean		Mean		Mean		Mean	
	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error
Mean	4.3		4.3		4.2		4.2		4.4	
Standard Error	0.0		0.1		0.1		0.1		0.1	
missing:	2.5%									

b) Moderate leisure activity

	Mean		Mean		Mean		Mean		Mean	
	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error
Mean	0.9		0.9		0.8		1.0		0.9	
Standard Error	0.0		0.0		0.1		0.0		0.0	
missing:	2.3%									

c) Vigorous leisure activity

	Mean		Mean		Mean		Mean		Mean	
	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error	Mean	Standard Error
Mean	0.6		0.6		0.6		0.7		0.7	
Standard Error	0.0		0.0		0.1		0.0		0.0	
missing:	2.5%									

	Weighted Total Mean (n=10,690)	Capital city/ Other Metropolitan Mean (n=4,120)	Large rural Mean (n=1,443)	Small Rural Mean (n=1,512)	Other Rural/ Remote Mean (n=3,615)
d) Vigorous household or garden chores					
Mean	2.4	2.2	2.4	2.6	3.0
Standard Error	0.0	0.1	0.1	0.1	0.1
missing:	2.5%				
Q67 If you add up all the times you spent in each activity LAST WEEK, how much time did you spend ALTOGETHER doing each type of activity?					
a) Walking briskly					
Mean	211.2	204.7	213.1	227.9	219.6
Standard Error	3.4	5.0	10.4	10.5	6.7
missing:	5.2%				
b) Moderate leisure activity					
Mean	62.4	60.8	61.2	72.6	61.0
Standard Error	1.5	2.3	4.4	4.8	2.7
missing:	3.7%				
c) Vigorous leisure activity					
Mean	34.1	33.2	38.7	37.2	34.8
Standard Error	1.1	1.6	4.3	3.1	2.2
missing:	3.7%				
d) Vigorous household or garden chores					
Mean	206.8	182.6	216.2	228.6	274.3
Standard Error	3.5	4.8	10.3	10.3	7.8
missing:	5.0%				

Q68 In the LAST WEEK, how much time in total did you spend doing the following things?

	Mean	Standard Error	missing:	%
a) Paid work				
Don't do this activity	36.3	34.1	35.0	40.8
1-15 hours	10.5	9.8	9.8	11.8
16-24 hours	9.7	9.5	10.1	9.8
25-34 hours	12.4	12.8	13.1	11.2
35-40 hours	18.0	19.7	18.8	15.0
41-48 hours	8.2	9.2	8.9	7.1
49 hours or more	4.8	4.9	4.3	4.2
missing:	1.5%			

Q68		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
b) Home duties	Don't do this activity	2.2	2.3	2.3	2.3	2.5	2.1
	1-15 hours	56.0	58.3	55.3	54.3	54.6	46.6
	16-24 hours	18.9	18.4	18.8	18.7	21.8	21.8
	25-34 hours	11.3	10.9	11.5	11.0	12.8	12.8
	35-40 hours	5.3	4.7	5.3	6.3	7.4	7.4
	41-48 hours	1.8	1.6	2.2	2.3	2.4	2.4
	49 hours or more missing:	4.5	3.8	4.6	5.0	6.9	6.9
3.7%							
c) Work without pay	Don't do this activity	77.7	80.8	77.4	75.7	75.2	65.2
	1-15 hours	16.0	14.8	16.9	15.7	21.8	21.8
	16-24 hours	2.2	1.6	2.4	3.3	4.1	4.1
	25-34 hours	1.3	1.0	1.2	1.9	2.5	2.5
	35-40 hours	1.0	0.8	0.4	1.1	1.7	1.7
	41-48 hours	0.4	0.2	0.6	0.7	1.2	1.2
	49 hours or more missing:	1.3	0.8	1.0	1.6	3.6	3.6
6.3%							
d) Looking for work	Don't do this activity	96.9	96.9	96.1	96.6	97.4	97.4
	1-15 hours	2.9	2.9	3.7	3.1	2.4	2.4
	16-24 hours	0.1	0.2	0.1	0.3	0.1	0.1
	25-34 hours	0.0	0.0	0.1	.	0.1	0.1
	35-40 hours	0.0	0.0	.	.	0.0	0.0
	49 hours or more missing:	0.0	.	.	0.1	.	.
	4.7%						
e) Unpaid voluntary work	Don't do this activity	76.5	79.4	74.0	74.4	67.3	67.3
	1-15 hours	21.6	19.1	24.4	23.3	29.6	29.6
	16-24 hours	1.0	0.8	0.9	1.4	2.0	2.0
	25-34 hours	0.5	0.5	0.4	0.2	0.7	0.7
	35-40 hours	0.1	0.1	0.1	0.3	0.1	0.1
	41-48 hours	0.1	0.1	.	0.1	0.0	0.0
	49 hours or more missing:	0.1	0.1	0.1	0.3	0.3	0.3
3.8%							

Q68		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
f) Active leisure	Don't do this activity	19.7	19.7	21.3	19.9	22.2	
	1-15 hours	75.7	76.1	75.0	74.7	72.4	
	16-24 hours	3.5	3.4	2.8	4.0	3.9	
	25-34 hours	0.7	0.7	0.5	1.0	0.8	
	35-40 hours	0.1	0.0	0.4	0.1	0.2	
	41-48 hours	0.1	0.0	0.1	0.3	0.1	
	49 hours or more missing:	0.1	0.1	.	0.1	0.3	
							2.7%
g) Passive leisure	Don't do this activity	2.5	2.5	2.5	3.1	3.0	
	1-15 hours	65.3	65.6	64.7	64.4	65.2	
	16-24 hours	19.5	19.7	18.8	17.9	17.9	
	25-34 hours	7.5	7.5	8.3	8.9	7.9	
	35-40 hours	2.5	2.2	2.9	3.1	2.9	
	41-48 hours	1.3	1.3	1.6	0.9	0.9	
	49 hours or more missing:	1.4	1.3	1.2	1.7	2.0	
							1.6%
h) Studying	Don't do this activity	84.8	84.5	84.1	85.0	84.2	
	1-15 hours	13.5	13.6	14.0	13.6	14.2	
	16-24 hours	0.9	0.9	1.0	0.8	1.1	
	25-34 hours	0.5	0.5	0.4	0.3	0.3	
	35-40 hours	0.2	0.2	0.3	0.2	0.1	
	41-48 hours	0.1	0.1	0.1	.	0.1	
	49 hours or more missing:	0.1	0.1	0.1	0.1	0.1	
							5.1%

	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
		Metropolitan (n=4,120) %	Other %			
Q69						
Managing time is often difficult. How often do you feel:						
a) That you are rushed, pressured, too busy?						
Every day	17.1	17.3		15.5	14.2	16.5
Few times a week	37.9	39.0		35.8	35.2	35.9
Once a week	18.6	18.2		19.7	21.0	19.4
Once a month	15.6	15.3		16.6	16.6	15.6
Never	10.7	10.2		12.3	12.9	12.6
<i>missing:</i>	1.5%					
b) That you have time on your hands that you don't know what to do with						
Every day	1.9	1.9		2.2	2.3	2.2
Few times a week	8.1	8.0		8.6	9.9	7.2
Once a week	9.6	9.6		10.2	10.4	9.4
Once a month	13.3	13.9		12.7	11.8	12.2
Never	67.1	66.6		66.4	65.6	69.0
<i>missing:</i>	2.6%					
Q70						
Do you regularly provide care for grandchildren or other people's children?						
Daily	3.7	3.5		4.5	5.3	4.5
Weekly	12.9	12.7		12.6	14.8	11.4
Occasionally	28.9	27.1		32.6	31.3	35.7
Never	54.6	56.7		50.2	48.6	48.4
<i>missing:</i>	0.7%					
Q71						
Do you regularly PROVIDE care or assistance to any other person because of their long-term illness, disability or frailty?						
a) For someone who lives with you						
Yes	8.2	8.2		7.5	8.7	7.8
No	91.8	91.8		92.5	91.3	92.2
<i>missing:</i>	0.4%					
b) For someone who lives elsewhere						
Yes	22.6	22.4		21.4	22.1	22.1
No	77.4	77.6		78.6	77.9	77.9
<i>missing:</i>	0.4%					

	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
		Metropolitan (n=4,120) %	Other %			
Q75						
b) Child care						
		26.9	26.4	29.2	29.8	27.2
Happy the way it is		1.3	1.3	1.0	1.3	1.1
Would like others to do more		0.7	0.6	1.1	0.8	1.0
Would prefer another arrangement		71.2	71.7	68.6	68.2	70.7
Not applicable (don't do this)	6.6%					
<i>missing:</i>						
c) Caring for another adult						
Happy the way it is	25.2	24.6	24.3	24.3	26.6	25.8
Would like others to do more	3.8	3.9	2.9	2.9	3.1	2.8
Would prefer another arrangement	2.6	2.6	2.4	2.4	2.1	2.6
Not applicable (don't do this)	68.4	68.9	70.5	70.5	68.2	68.8
<i>missing:</i>	6.0%					
d) Other household work						
Happy the way it is	64.6	63.0	68.9	68.9	69.6	67.6
Would like others to do more	24.5	25.2	20.0	20.0	20.1	23.2
Would prefer another arrangement	5.3	5.6	5.8	5.8	5.0	5.0
Not applicable (don't do this)	5.6	6.2	5.2	5.2	5.4	4.2
<i>missing:</i>	1.4%					
Q76						
What do you think about the neighbourhood that you live in? How much do you agree with the following statements?						
a) I would be really sorry if I had to move away from the people in my neighbourhood						
strongly disagree	3.7	4.1	3.8	3.8	3.7	3.3
disagree	9.8	10.3	10.8	10.8	9.0	9.1
neutral	37.3	38.1	38.8	38.8	38.4	36.6
agree	31.9	30.8	32.1	32.1	32.1	32.9
strongly agree	17.2	16.7	14.5	14.5	16.8	18.1
<i>missing:</i>	0.9%					
b) I have a lot in common with people in my neighbourhood						
strongly disagree	3.6	3.9	3.8	3.8	3.4	3.3
disagree	14.0	14.6	15.3	15.3	12.8	13.1
neutral	47.4	49.3	46.2	46.2	47.3	41.3
agree	28.1	25.5	29.1	29.1	29.1	34.4
strongly agree	6.9	6.6	5.5	5.5	7.4	7.9
<i>missing:</i>	1.0%					

Q76		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
c) I generally trust my neighbours to look out for my property	strongly disagree	1.9	2.1	1.9	2.1	1.9	1.7
	disagree	5.1	5.6	4.5	4.7	4.0	4.0
	neutral	16.3	17.6	16.1	14.5	14.0	14.0
	agree	57.3	56.7	56.7	58.6	57.8	57.8
	strongly agree	19.5	18.0	20.5	20.3	22.5	22.5
	<i>missing:</i>						
		1.0%					
d) I am good friends with many people in this neighbourhood	strongly disagree	3.0	3.6	3.1	2.5	2.2	2.2
	disagree	14.9	17.4	13.7	12.5	9.2	9.2
	neutral	31.4	32.7	34.1	33.1	26.7	26.7
	agree	40.4	36.8	41.1	40.5	49.7	49.7
	strongly agree	10.3	9.5	8.0	11.4	12.2	12.2
	<i>missing:</i>						
		1.2%					
e) I like living where I live	strongly disagree	1.3	1.3	1.5	1.7	1.1	1.1
	disagree	3.1	3.4	2.7	2.3	2.6	2.6
	neutral	9.9	10.5	10.6	9.5	10.3	10.3
	agree	53.3	53.5	54.9	54.0	52.7	52.7
	strongly agree	32.4	31.3	30.2	32.4	33.2	33.2
	<i>missing:</i>						
		1.0%					
f) My neighbours treat me with respect	strongly disagree	0.9	1.0	0.6	0.9	0.9	0.9
	disagree	1.6	1.8	1.5	1.4	1.4	1.4
	neutral	17.4	18.8	16.6	14.8	14.7	14.7
	agree	61.9	61.4	63.2	62.4	63.4	63.4
	strongly agree	18.2	17.0	18.0	20.5	19.7	19.7
	<i>missing:</i>						
		1.0%					

Q76		Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %	
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %		
g) Children are safe walking around the neighbourhood during the day	strongly disagree	0.9	0.9	0.8	1.1	0.8	
	disagree	4.3	5.0	4.1	2.8	2.5	
	neutral	16.9	18.4	15.5	12.1	12.3	
	agree	61.2	61.2	63.6	65.7	60.9	
	strongly agree	16.7	14.5	16.0	18.2	23.5	
	missing:						
		1.2%					
	h) I get involved with most local issues	strongly disagree	1.4	1.7	1.1	1.3	1.1
		disagree	5.4	6.1	4.9	4.7	3.6
		neutral	34.9	39.4	32.8	28.6	22.2
agree		46.4	43.2	51.1	51.5	54.8	
strongly agree		11.9	9.7	10.2	13.8	18.4	
missing:							
		1.1%					
i) It is safe to walk around the neighbourhood at night		strongly disagree	3.9	4.3	5.3	3.6	2.9
		disagree	17.7	19.1	19.6	17.5	11.8
		neutral	26.7	28.4	25.9	24.7	21.3
	agree	42.6	41.1	43.5	44.5	47.8	
	strongly agree	9.0	7.0	5.6	9.7	16.2	
	missing:						
		1.2%					
	Neighbourhood Safety Score						
	Mean		7.2	Mean	7.2	Mean	7.7
	Standard Error		0.0	Mean	0.0	Mean	0.0
missing:							
	1.6%						
Neighbourhood Satisfaction Score							
Mean		25.7	Mean	25.6	Mean	26.4	
Standard Error		0.0	Mean	0.1	Mean	0.1	
missing:							
	0.9%						

Q77 Do you normally do any of the following kinds of work?

	Weighted Total (n=10,690) %	Capital city/ Other Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
a) Paid shift work					
No	92.3	92.2	90.3	91.9	91.6
Yes	7.7	7.8	9.7	8.1	8.4
missing:	0.0%				
b) Paid work at night					
No	95.3	95.1	94.3	94.4	95.5
Yes	4.7	4.9	5.7	5.6	4.5
missing:	0.0%				
c) Paid work from home					
No	95.4	95.2	95.3	96.4	95.5
Yes	4.6	4.8	4.7	3.6	4.5
missing:	0.0%				
d) Self employment					
No	86.9	89.0	85.3	84.5	79.9
Yes	13.1	11.0	14.7	15.5	20.1
missing:	0.0%				
e) Paid work in more than one job					
No	94.4	94.5	94.5	94.5	93.8
Yes	5.6	5.5	5.5	5.5	6.2
missing:	0.0%				
f) Casual paid work					
No	84.0	84.6	84.3	83.0	81.5
Yes	16.0	15.4	15.7	17.0	18.5
missing:	0.0%				
g) Paid work involving none of the above					
No	70.6	67.8	72.0	75.9	78.7
Yes	29.4	32.2	28.0	24.1	21.3
missing:	0.0%				

Q84	If you had a choice, at what age would you like to retire from the paid workforce?	Weighted Total		Capital city/ Other Metropolitan		Large rural		Small Rural		Other Rural/ Remote	
		(n=10,690)	Mean	(n=4,120)	Mean	(n=1,443)	Mean	(n=1,512)	Mean	(n=3,615)	Mean
	Mean age	58.7	0.1	58.9	0.1	58.6	0.2	58.2	0.2	58.6	0.1
	Standard error										
	Completely retired		24.2%								
	Do not want to ever retire		4.3%								
	Don't know		26.2%								
	Never been in paid work		1.6%								
	missing:		3.3%								

Q85	Indicate how important each of the following might be in your decision about when to retire from the workforce	%		%		%		%		%	
		a) Reaching the eligibility age for an old age pension		Metropolitan	Other	Large rural	Small Rural	Other Rural/ Remote			
	Never had paid work	1.4		1.2		1.2		1.6		2.0	
	Not important	27.0		27.6		25.2		26.0		26.1	
	Limited importance	14.8		15.3		14.4		11.8		14.0	
	Important	18.1		17.8		20.3		19.0		18.4	
	Very important	11.5		11.4		13.8		12.5		11.8	
	Don't know	4.6		4.6		4.9		4.1		4.9	
	Retired	22.6		22.1		20.3		25.0		22.9	
	missing:		6.1%								

b) The ability to access other government pensions or benefits	%		%		%		%		%	
	Never had paid work		Metropolitan	Other	Large rural	Small Rural	Other Rural/ Remote			
	Never had paid work	1.4		1.2		1.2		1.6		2.0
	Not important	22.4		22.9		20.7		20.3		22.2
	Limited importance	14.6		15.3		14.9		12.8		13.3
	Important	20.5		20.2		23.9		21.8		20.8
	Very important	13.1		12.9		14.0		13.8		13.1
	Don't know	5.4		5.5		5.0		4.6		5.6
	Retired	22.7		22.1		20.4		25.2		23.0
	missing:		6.5%							

Q85		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
c) The ability to access superannuation funds	Never had paid work	1.4	1.2	1.2	1.2	1.6	2.0
	Not important	11.0	10.9	11.1	11.1	10.3	12.6
	Limited importance	9.2	9.2	7.4	7.4	8.5	9.7
	Important	25.9	25.8	29.6	29.6	25.8	25.4
	Very important	26.5	27.5	27.1	27.1	25.1	23.3
	Don't know	3.5	3.4	3.3	3.3	3.6	4.1
	Retired	22.6	22.0	20.4	20.4	25.1	22.9
	<i>missing:</i>						
			6.1%				
d) Being retrenched or made redundant	Never had paid work	1.4	1.2	1.2	1.2	1.6	2.0
	Not important	27.8	27.2	27.8	27.8	27.3	31.5
	Limited importance	8.5	8.9	8.2	8.2	7.3	7.8
	Important	13.0	13.6	14.6	14.6	12.0	10.0
	Very important	12.1	12.2	12.6	12.6	12.0	11.4
	Don't know	14.1	14.3	14.6	14.6	13.7	13.7
	Retired	23.2	22.6	21.0	21.0	26.0	23.6
	<i>missing:</i>						
			8.7%				
e) The stresses and pressures of your job	Never had paid work	1.4	1.2	1.2	1.2	1.6	2.0
	Not important	15.0	15.0	14.3	14.3	13.9	16.8
	Limited importance	14.8	15.6	14.8	14.8	12.9	13.6
	Important	25.6	25.9	27.6	27.6	25.3	23.6
	Very important	15.5	15.3	16.9	16.9	16.2	15.1
	Don't know	4.8	4.8	4.5	4.5	4.7	5.7
	Retired	22.9	22.4	20.6	20.6	25.4	23.2
	<i>missing:</i>						
			7.4%				

Q85		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
f) A declining interest in work	Never had paid work	1.4	1.2	1.2	1.2	1.6	2.0
	Not important	11.9	12.1	12.5	11.2	11.2	13.5
	Limited importance	14.4	15.2	11.8	13.0	13.0	12.5
	Important	30.0	29.6	34.9	29.4	29.4	28.7
	Very important	14.4	14.8	13.8	13.9	13.9	14.1
	Don't know	4.9	4.6	5.0	5.2	5.2	5.9
	Retired	23.0	22.5	20.7	25.7	25.7	23.4
	<i>missing:</i>						
			8.0%				
g) Financial security	Never had paid work	1.4	1.2	1.2	1.2	1.5	1.9
	Not important	3.7	3.7	3.2	4.2	4.2	4.2
	Limited importance	3.7	3.7	3.1	3.2	3.2	3.9
	Important	22.5	21.5	26.3	23.6	23.6	24.4
	Very important	44.8	46.6	44.6	41.0	41.0	41.4
	Don't know	1.4	1.3	1.3	1.5	1.5	1.4
	Retired	22.5	21.9	20.2	24.9	24.9	22.8
	<i>missing:</i>						
			5.6%				
h) The number of people for whom you need to provide financial support	Never had paid work	1.4	1.2	1.2	1.2	1.6	2.0
	Not important	29.1	29.0	30.1	27.9	27.9	29.9
	Limited importance	12.7	12.8	13.8	12.1	12.1	11.8
	Important	16.4	16.6	17.1	16.3	16.3	16.1
	Very important	12.8	13.4	12.7	11.5	11.5	11.6
	Don't know	4.8	4.6	4.6	5.2	5.2	5.4
	Retired	22.9	22.3	20.5	25.4	25.4	23.2
	<i>missing:</i>						
			7.3%				

Q85		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
i) When your partner retires	Never had paid work	1.4	1.2	1.2	1.2	1.6	2.0
	Not important	23.5	24.4	23.0	23.0	21.2	21.2
	Limited importance	9.7	10.0	9.4	9.4	8.6	8.5
	Important	21.0	20.4	23.5	23.5	22.4	22.8
	Very important	14.9	14.7	15.2	15.2	14.8	16.8
	Don't know	5.9	6.3	6.2	6.2	5.4	5.2
	Retired <i>missing:</i>	23.5	23.0	21.4	21.4	26.0	23.6
							9.6%
j) Your personal health or physical abilities	Never had paid work	1.4	1.2	1.2	1.2	1.6	1.9
	Not important	2.4	2.5	2.7	2.7	1.8	2.7
	Limited importance	4.3	4.6	3.2	3.2	3.2	4.0
	Important	30.8	31.0	31.3	31.3	28.9	30.3
	Very important	37.2	37.4	40.0	40.0	38.0	36.8
	Don't know	1.4	1.3	1.4	1.4	1.6	1.5
	Retired <i>missing:</i>	22.5	22.0	20.2	20.2	25.0	22.8
							5.7%
k) The need to care for your spouse or another family member	Never had paid work	1.4	1.2	1.2	1.2	1.6	2.0
	Not important	13.2	14.2	13.5	13.5	10.4	11.9
	Limited importance	6.6	6.7	6.4	6.4	7.2	5.6
	Important	25.2	25.0	26.9	26.9	23.9	26.1
	Very important	24.3	23.9	25.0	25.0	26.6	25.8
	Don't know	6.4	6.7	6.4	6.4	5.0	5.6
	Retired <i>missing:</i>	22.9	22.4	20.6	20.6	25.4	23.0
							7.2%

Q85	I) The desire for a different lifestyle	Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	Never had paid work	1.4	1.2	1.2	1.5	1.9
	Not important	7.9	7.5	8.4	7.3	9.9
	Limited importance	10.7	10.7	11.6	9.9	10.4
	Important	29.4	30.0	32.5	28.6	27.2
	Very important	24.4	25.0	22.1	23.7	23.4
	Don't know	3.8	3.7	3.9	4.1	4.4
	Retired <i>missing:</i>	22.5	22.0	20.3	24.9	22.7
						5.7%

Q86 If you are retired, what are the sources of your retirement funding OR if you are not retired, what do you expect to be the sources for funding your retirement?

Q86	a) Age pension/Service pension/Widow's pension/War widow's pension	Weighted Total (n=10,690) %	Capital city/ Other			Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Large rural (n=1,443) %	Small Rural (n=1,512) %	
	No	62.3	61.8	60.0	61.3	61.6
	Yes	37.7	38.2	40.0	38.7	38.4
	<i>missing:</i>					
						9.5%
	b) Other government pension or allowance					
	No	82.0	82.0	80.3	80.8	82.4
	Yes	18.0	18.0	19.7	19.2	17.6
	<i>missing:</i>					
						9.5%
	c) Lump sum superannuation payout					
	No	66.4	64.8	68.7	69.1	70.7
	Yes	33.6	35.2	31.3	30.9	29.3
	<i>missing:</i>					
						9.5%
	d) A pension or annuity purchased with superannuation or some other funds					
	No	73.9	73.0	74.7	76.0	79.5
	Yes	26.1	27.0	25.3	24.0	20.5
	<i>missing:</i>					
						9.5%
	e) Income from savings and investments					
	No	61.3	60.8	65.1	61.9	62.6
	Yes	38.7	39.2	34.9	38.1	37.4
	<i>missing:</i>					
						9.5%

Q86	f) Income from business	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
	No	91.7	93.5	91.5	89.9	84.3	
	Yes	8.3	6.5	8.5	10.1	15.7	
	<i>missing:</i>						9.5%
	g) Income or pension from your spouse/partner						
	No	73.6	73.8	75.7	72.3	75.3	
	Yes	26.4	26.2	24.3	27.7	24.7	
	<i>missing:</i>						9.5%
	h) Financial support from family						
	No	98.2	98.0	98.8	98.2	98.6	
	Yes	1.8	2.0	1.2	1.8	1.4	
	<i>missing:</i>						9.5%
	i) Other sources						
	No	98.1	98.2	98.9	97.5	98.0	
	Yes	1.9	1.8	1.1	2.5	2.0	
	<i>missing:</i>						9.5%
	j) Don't know						
	Do know source of retirement funding	93.3	93.6	92.8	93.0	92.7	
	Don't know source of retirement funding	6.7	6.4	7.2	7.0	7.3	
	<i>missing:</i>						9.5%
	Q87 These questions are about getting on with other people:						
	a) Are you sad or lonely often?						
	Yes	14.0	14.2	15.6	15.2	14.0	
	No	86.0	85.8	84.4	84.8	86.0	
	<i>missing:</i>						0.9%
	b) Do you feel uncomfortable with anyone in your family?						
	Yes	22.0	21.8	22.9	21.8	21.6	
	No	78.0	78.2	77.1	78.2	78.4	
	<i>missing:</i>						1.4%

Q87		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
c) Can you take your own medication and get around by yourself?	Yes	95.2	95.5	94.5	95.1	94.8	
	No	4.8	4.5	5.5	4.9	5.2	
	missing:	1.4%					
d) Do you feel that nobody wants you around?	Yes	3.3	3.0	4.0	3.5	3.7	
	No	96.7	97.0	96.0	96.5	96.3	
	missing:	1.0%					
e) Does someone in your family make you stay in bed or tell you you're sick when you know you are not?	Yes	0.9	1.0	0.6	0.9	1.0	
	No	99.1	99.0	99.4	99.1	99.0	
	missing:	0.5%					
f) Has anyone forced you to do things you didn't want to do?	Yes	7.5	7.2	8.5	7.1	8.5	
	No	92.5	92.8	91.5	92.9	91.5	
	missing:	0.7%					
g) Has anyone taken things that belong to you without your OK?	Yes	10.3	10.6	10.0	10.3	9.4	
	No	89.7	89.4	90.0	89.7	90.6	
	missing:	0.7%					
h) Do you trust most of the people in your family?	Yes	94.0	94.3	94.3	94.1	93.5	
	No	6.0	5.7	5.7	5.9	6.5	
	missing:	1.0%					
i) Do you have enough privacy at home?	Yes	93.4	93.2	93.8	94.0	94.0	
	No	6.6	6.8	6.2	6.0	6.0	
	missing:	0.6%					

Q87		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
Q87	j) Has anyone close to you tried to hurt or harm you recently?						
	Yes	2.7	2.6	4.1	3.4	2.9	
	No	97.3	97.4	95.9	96.6	97.1	
	missing:	0.7%					
Q87	k) Has anyone close to you called you names or put you down or made you feel bad recently?						
	Yes	14.7	14.6	14.7	15.5	14.6	
	No	85.3	85.4	85.3	84.5	85.4	
	missing:	0.7%					
Q87	l) Are you afraid of anyone in your family?						
	Yes	3.1	3.0	3.9	3.1	3.0	
	No	96.9	97.0	96.1	96.9	97.0	
	missing:	0.8%					
Q87	m) Does anyone in your family drink a lot of alcohol?						
	Yes	15.6	14.8	18.2	16.0	16.9	
	No	84.4	85.2	81.8	84.0	83.1	
	missing:	0.7%					
Q87	n) Have you ever been in a violent relationship with a partner/spouse?						
	Yes	13.4	13.1	15.9	13.9	14.6	
	No	86.6	86.9	84.1	86.1	85.4	
	missing:	0.8%					
Q88	Marital status						
	Married	73.2	70.8	72.6	77.2	79.5	
	De facto (opposite sex)	5.3	5.2	5.2	4.9	5.3	
	De facto (same sex)	0.6	0.8	0.2	0.2	0.4	
	Separated	3.9	4.2	3.8	3.2	3.4	
	Divorced	10.3	11.5	10.9	8.9	6.4	
	Widowed	3.6	4.0	4.4	4.0	3.3	
	Never married	3.1	3.6	2.9	1.5	1.8	
		missing:	1.4%				

Q89 How many people live with you now?

a) No one, I live alone

No	88.1	87.5	85.6	89.4	90.0
Yes	11.9	12.5	14.4	10.6	10.0
<i>missing:</i>	0.3%				

b) Partner or spouse

No	22.0	24.6	22.6	18.4	15.3
Yes	78.0	75.4	77.4	81.6	84.7
<i>missing:</i>	0.3%				

c) Children under 16 years

none	94.0	93.3	95.0	95.0	95.3
one	4.5	5.0	3.6	3.4	3.4
two	1.1	1.2	1.3	1.3	0.9
three or more	0.4	0.4	0.1	0.3	0.4
<i>missing:</i>	0.3%				

d) Children 16-18 years

none	94.8	94.1	96.3	96.6	96.5
one	4.8	5.4	3.4	3.1	3.0
two	0.4	0.5	0.2	0.3	0.4
three or more	0.0	.	0.1	0.1	0.0
<i>missing:</i>	0.3%				

e) Children over 18 years

none	71.9	67.7	79.8	83.7	85.4
one	19.7	22.3	15.3	12.9	11.8
two	7.1	8.4	4.6	3.1	2.6
three or more	1.3	1.7	0.3	0.3	0.2
<i>missing:</i>	0.3%				

Q89	f) Your parents or in-laws	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
	none	97.3	97.1	97.3	97.3	97.3	97.9
	one	2.4	2.6	2.4	2.3	2.3	1.9
	two	0.3	0.3	0.2	0.3	0.3	0.2
	three or more	0.0	0.0	0.1	0.1	0.1	.
	missing:						
		0.3%					
	g) Other adult relatives						
	none	96.3	95.9	96.9	96.3	96.3	97.0
	one	2.8	3.2	2.1	2.8	2.8	2.0
	two	0.7	0.7	0.8	0.9	0.9	0.8
	three or more	0.2	0.1	0.2	0.1	0.1	0.2
	missing:						
		0.3%					
	h) Other adults						
	none	96.9	96.4	97.0	97.1	97.1	97.9
	one	2.6	2.9	2.6	2.3	2.3	1.8
	two	0.4	0.4	0.3	0.5	0.5	0.2
	three or more	0.2	0.2	0.1	0.1	0.1	0.1
	missing:						
		0.3%					
Q90	How often is each of the following kind of support available to you if you need it?						
	a) Someone to help you if you are confined to bed						
	None of the time	7.4	7.4	7.3	7.8	7.8	8.9
	Little of the time	10.6	10.7	11.5	9.3	9.3	11.0
	Some of the time	14.9	15.5	13.4	13.9	13.9	14.1
	Most of the time	30.5	31.1	31.4	30.0	30.0	29.2
	All of the time	36.6	35.4	36.5	39.0	39.0	36.8
	missing:						
		0.9%					
	b) Someone you can count on to listen to you when you need to talk						
	None of the time	2.4	2.1	3.1	2.2	2.2	3.1
	Little of the time	7.8	7.3	8.4	7.2	7.2	8.4
	Some of the time	14.2	14.4	14.0	14.1	14.1	14.7
	Most of the time	35.7	36.0	36.9	36.7	36.7	36.1
	All of the time	40.0	40.2	37.5	39.8	39.8	37.7
	missing:						
		0.7%					

Q90		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
c) Someone to give you good advice about a crisis	None of the time	4.1	3.8	4.3	3.7	5.3	
	Little of the time	8.0	7.6	8.2	7.9	8.5	
	Some of the time	15.9	16.0	15.8	15.6	17.0	
	Most of the time	37.3	37.7	38.3	38.4	36.8	
	All of the time	34.7	34.9	33.4	34.4	32.4	
	<i>missing:</i>	0.9%					
d) Someone to take you to the doctor if you need it	None of the time	3.8	3.9	4.0	3.6	3.8	
	Little of the time	6.6	6.9	6.1	5.3	6.1	
	Some of the time	9.4	9.7	9.9	8.7	8.5	
	Most of the time	31.3	32.2	31.5	30.4	30.8	
	All of the time	49.0	47.3	48.6	52.0	50.9	
	<i>missing:</i>	0.8%					
e) Someone who shows you love and affection	None of the time	2.3	2.2	2.2	2.3	2.6	
	Little of the time	5.6	5.4	6.9	5.3	5.4	
	Some of the time	10.4	10.7	10.8	11.1	10.0	
	Most of the time	26.5	26.6	25.9	25.3	26.4	
	All of the time	55.3	55.1	54.3	56.1	55.5	
	<i>missing:</i>	1.0%					
f) Someone to have a good time with	None of the time	2.4	2.2	2.4	2.4	2.9	
	Little of the time	6.5	6.4	7.9	7.3	6.9	
	Some of the time	15.6	16.0	14.8	15.0	14.9	
	Most of the time	32.4	32.7	34.1	31.5	31.9	
	All of the time	43.0	42.7	40.8	43.8	43.4	
	<i>missing:</i>	0.8%					
g) Someone to give you information to help you understand a situation	None of the time	2.6	2.5	2.4	2.3	3.5	
	Little of the time	6.7	6.5	7.8	6.1	7.5	
	Some of the time	16.3	16.5	16.7	16.0	16.8	
	Most of the time	38.9	39.0	39.0	40.1	38.9	
	All of the time	35.5	35.6	34.1	35.5	33.4	
	<i>missing:</i>	0.9%					

Q90		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
h) Someone to confide in or talk to about yourself or your problems	None of the time	3.2	3.1	3.3	3.0	4.2	
	Little of the time	8.6	8.2	8.8	8.4	9.0	
	Some of the time	14.8	15.1	17.1	14.9	14.2	
	Most of the time	34.5	34.3	32.1	35.5	35.2	
	All of the time	39.0	39.2	38.6	38.2	37.4	
	<i>missing:</i>	0.7%					
i) Someone who hugs you	None of the time	4.7	4.2	5.0	4.2	5.7	
	Little of the time	9.8	10.3	10.5	9.7	8.9	
	Some of the time	14.3	14.7	14.5	14.3	13.0	
	Most of the time	25.4	24.9	25.6	25.2	25.6	
	All of the time	45.9	45.8	44.4	46.6	46.9	
	<i>missing:</i>	0.8%					
j) Someone to get together with for relaxation	None of the time	2.8	2.8	3.1	2.5	3.1	
	Little of the time	8.2	8.0	9.0	9.0	9.1	
	Some of the time	17.1	17.3	17.7	16.2	16.9	
	Most of the time	32.8	32.8	32.7	31.8	32.7	
	All of the time	39.2	39.1	37.5	40.6	38.2	
	<i>missing:</i>	0.8%					
k) Someone to prepare your meals if you are unable to do it yourself	None of the time	7.0	7.3	7.7	7.4	7.2	
	Little of the time	10.2	10.6	10.6	8.8	9.1	
	Some of the time	14.2	14.4	13.5	11.7	14.6	
	Most of the time	26.7	26.3	28.5	28.8	28.3	
	All of the time	41.8	41.4	39.6	43.3	40.7	
	<i>missing:</i>	0.8%					

Q90		Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
I) Someone whose advice you really want	None of the time	5.5	5.7	5.2	4.3	6.3	
	Little of the time	9.6	9.2	11.6	10.1	9.6	
	Some of the time	17.7	18.3	18.3	16.5	17.7	
	Most of the time	34.1	33.8	32.8	35.1	34.4	
	All of the time	33.1	32.9	32.2	34.0	32.0	
	<i>missing:</i>	0.9%					
m) Someone to do things with to help to get your mind off things	None of the time	4.2	4.1	4.5	4.2	5.2	
	Little of the time	9.9	9.6	11.4	10.7	10.9	
	Some of the time	19.9	20.3	21.1	18.5	19.5	
	Most of the time	34.9	34.9	33.0	34.8	35.1	
	All of the time	31.1	31.1	29.9	31.8	29.3	
	<i>missing:</i>	0.8%					
n) Someone to help with daily chores if you are sick	None of the time	7.0	7.3	6.6	7.2	7.3	
	Little of the time	12.0	12.1	14.4	10.8	11.5	
	Some of the time	15.9	16.3	14.9	13.6	15.0	
	Most of the time	28.4	28.0	28.2	30.3	30.0	
	All of the time	36.7	36.2	35.8	38.1	36.2	
	<i>missing:</i>	0.7%					
o) Someone to share your most private worries and fears with	None of the time	7.5	7.2	8.3	7.1	9.0	
	Little of the time	10.9	10.5	12.8	11.3	11.1	
	Some of the time	14.5	15.2	13.8	13.9	14.1	
	Most of the time	28.8	29.1	27.5	29.2	27.2	
	All of the time	38.4	38.0	37.7	38.6	38.6	
	<i>missing:</i>	0.8%					

Q90	p) Someone to turn to for suggestions about how to deal with a personal problem	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
	None of the time	5.1	4.8	5.7	4.5	6.3	
	Little of the time	10.9	10.4	12.9	12.7	11.1	
	Some of the time	15.6	16.2	15.7	14.1	15.8	
	Most of the time	32.8	33.2	30.6	32.4	31.9	
	All of the time	35.6	35.4	35.1	36.4	34.8	
	<i>missing:</i>	0.8%					
	q) Someone to do something enjoyable with						
	None of the time	2.3	2.1	2.6	1.9	2.6	
	Little of the time	7.4	7.1	8.7	8.2	8.2	
	Some of the time	16.0	16.1	17.4	16.2	16.6	
	Most of the time	34.4	35.0	32.9	32.7	33.5	
	All of the time	39.9	39.6	38.4	41.0	39.1	
	<i>missing:</i>	0.8%					
	r) Someone who understands your problems						
	None of the time	4.6	4.3	4.4	4.5	5.2	
	Little of the time	9.0	8.4	12.0	9.9	10.1	
	Some of the time	18.1	18.8	17.4	17.7	17.6	
	Most of the time	34.6	34.9	33.2	33.8	34.3	
	All of the time	33.8	33.6	33.0	34.1	32.8	
	<i>missing:</i>	0.8%					
	s) Someone to love and make you feel wanted						
	None of the time	4.6	4.8	4.5	4.3	4.5	
	Little of the time	7.8	7.6	9.8	7.7	8.0	
	Some of the time	11.4	11.7	11.2	10.5	10.9	
	Most of the time	26.1	26.2	25.8	26.4	25.3	
	All of the time	50.1	49.7	48.7	51.2	51.4	
	<i>missing:</i>	0.8%					

Q91	In general, are you satisfied with what you have achieved in your life so far in the areas of:	Weighted Total (n=10,690) %	Capital city/ Other		Large rural (n=1,443) %	Small Rural (n=1,512) %	Other Rural/ Remote (n=3,615) %
			Metropolitan (n=4,120) %	Other %			
	a) Work						
	Very satisfied	26.5	26.4	24.4	28.6	28.2	
	Satisfied	61.1	60.7	62.3	60.0	61.8	
	Dissatisfied	10.5	11.1	11.6	9.0	8.2	
	Very dissatisfied	1.9	1.8	1.7	2.5	1.7	
	<i>missing:</i>	3.5%					
	b) Career						
	Very satisfied	21.4	21.3	19.5	22.2	22.4	
	Satisfied	56.8	56.2	59.3	57.9	57.6	
	Dissatisfied	18.8	19.7	18.4	16.4	16.9	
	Very dissatisfied	3.0	2.9	2.8	3.6	3.1	
	<i>missing:</i>	9.6%					
	c) Study						
	Very satisfied	14.8	15.2	13.7	15.0	14.5	
	Satisfied	55.6	54.7	58.6	59.6	57.2	
	Dissatisfied	25.9	26.3	24.6	22.0	24.9	
	Very dissatisfied	3.7	3.9	3.1	3.4	3.4	
	<i>missing:</i>	15.2%					
	d) Family relationships						
	Very satisfied	40.4	40.2	39.7	42.9	42.8	
	Satisfied	50.0	50.0	49.0	48.3	49.2	
	Dissatisfied	8.1	8.4	9.6	7.3	6.8	
	Very dissatisfied	1.5	1.5	1.6	1.5	1.3	
	<i>missing:</i>	1.7%					
	e) Partner/closest personal relationship						
	Very satisfied	43.5	43.0	43.0	46.2	46.9	
	Satisfied	38.2	37.9	37.9	36.5	37.5	
	Dissatisfied	13.2	13.7	14.0	13.1	11.4	
	Very dissatisfied	5.1	5.5	5.0	4.2	4.2	
	<i>missing:</i>	3.0%					

