

women's
health
a u s t r a l i a




the australian longitudinal
study on women's health

data book

*for survey 3 of the younger cohort
2003 (25 - 30 years)*

april 2005



This work is copyright. Permission to use or reproduce material in this book for the purpose of free distribution is not required, provided that proper acknowledgement of the source is given. For other uses, apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process without written permission from the Project Manager, The Research Centre for Gender and Health, University of Newcastle, NSW, Australia 2308.

Acknowledgements

The Australian Longitudinal Study on Women's Health (ALSWH), also known as Women's Health Australia, is funded by a grant from the Australian Government Department of Health and Ageing.

The research team would like to thank all participants who contributed to this project.

This document was prepared by Richard Hockey.

Notes

9074 surveys were returned and 8849 are summarised here. A further 225 surveys were not able to be classified with respect to area of residence at phase 3.

Data for the whole sample are presented in the "weighted total" column and split by area of residence in the other 4 columns: "Capital city/other metropolitan"; "Large rural"; "Small rural"; and "Other rural/remote". The "weighted total" column is weighted according to the area classification to account for deliberate over-sampling of women from Rural and Remote areas.

The ALSWH website has general information about the project (<http://www.newcastle.edu.au/centre/wha/>); the investigators and staff; publications and presentations; information for participants; and surveys. If you have any queries, please contact us at

The Australian Longitudinal Study on Women's Health
The University of Newcastle
University Drive
Callaghan NSW 2308
Phone: 02 4923 6872
Fax: 02 4923 6888
Email: whasec@newcastle.edu.au

		Weighted Total (n=8,853)	Capital City/ Other Metropolitan (n=5,330)	Large rural (n=917)	Small Rural (n=857)	Other Rural/ Remote (n=1,749)
SF36 MENTAL HEALTH INDEX	Mean	70.3	70.0	70.0	71.1	71.1
	Standard Error missing:	0.2 0.2%	0.2	0.6	0.6	0.4
SF36 ROLE-EMOTIONAL	Mean	77.2	76.6	76.7	79.5	80.2
	Standard Error missing:	0.4 0.4%	0.5	1.2	1.2	0.8
SF36 SOCIAL FUNCTIONING	Mean	80.2	80.1	79.6	80.4	80.3
	Standard Error missing:	0.2 0.1%	0.3	0.7	0.8	0.5
SF36 VITALITY	Mean	52.9	52.9	52.3	52.1	53.2
	Standard Error missing:	0.2 0.2%	0.3	0.7	0.7	0.5
SF36 GENERAL HEALTH PERCEPTIONS	Mean	72.2	72.2	70.7	71.5	72.2
	Standard Error missing:	0.2 0.3%	0.3	0.7	0.7	0.5
SF36 PAIN INDEX	Mean	75.3	75.4	75.8	73.8	74.8
	Standard Error missing:	0.2 0.1%	0.3	0.7	0.7	0.5
SF36 ROLE-PHYSICAL	Mean	80.7	80.8	80.2	79.6	80.7
	Standard Error missing:	0.3 0.3%	0.4	1.1	1.1	0.8
SF36 PHYSICAL FUNCTIONING	Mean	90.6	90.8	89.8	90.0	90.0
	Standard Error missing:	0.2 0.5%	0.2	0.6	0.6	0.4

	Weighted Total (n=8,853) 49.8 0.1	Capital city/ Other Metropolitan (n=5,330) 49.9 0.1	Large rural (n=917) 49.5 0.4	Small Rural (n=857) 48.9 0.4	Other Rural/ Remote (n=1,749) 49.4 0.3
PHYSICAL COMPONENT SCALE - WHA YNG					
Mean	51.4	51.2	51.1	51.8	52.0
Standard Error	0.1	0.1	0.3	0.3	0.2
missing:	1.5%				
MENTAL COMPONENT SCALE – WHA YNG					
Mean	28.3	28.5	24.0	31.6	21.8
Standard Error	27.7	29.1	24.1	26.1	21.3
missing:	19.7	18.3	41.9	15.2	25.4
NSW	8.1	8.1	2.5	8.8	10.3
Vic	9.8	9.7	0.0	12.6	13.0
Qld	2.6	1.6	7.5	5.7	5.3
SA	1.0	0.8	0.0	0.0	2.9
WA	2.7	3.8	0.0	0.0	0.0
Tas					
NT					
ACT					

		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
Q3	f) None of these services						
	No	81.5	82.2	80.3	79.0	76.1	
	Yes	18.5	17.8	19.7	21.0	23.9	
	<i>missing:</i>	1.2%					
Q4	Have you been admitted to hospital in the LAST 12 MONTHS for any of these reasons?						
	a) Normal childbirth						
	No	89.8	91.5	87.1	85.2	83.4	
	Yes	10.2	8.5	12.9	14.8	16.6	
	<i>missing:</i>	4.5%					
	b) Problems during pregnancy						
	No	95.8	96.3	94.0	93.6	94.6	
	Yes	4.2	3.7	6.0	6.4	5.4	
	<i>missing:</i>	4.5%					
	c) All other reasons						
	No	90.5	90.8	91.0	89.5	89.0	
	Yes	9.5	9.2	9.0	10.5	11.0	
<i>missing:</i>	4.5%						
d) Not admitted							
No	21.6	19.5	24.9	27.8	29.6		
Yes	78.4	80.5	75.1	72.2	70.4		
<i>missing:</i>	4.5%						
Q5	When you go to a General Practitioner:						
	a) Do you go to the same place?						
	Always	48.1	44.3	61.6	68.1	57.4	
	Most of the time	41.8	44.5	33.0	27.1	35.0	
	Sometimes	8.0	8.6	4.1	4.3	6.3	
	Rarely or never	2.1	2.5	1.3	0.5	1.3	
<i>missing:</i>	0.7%						

	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
		Metropolitan (n=5,330) %	Other %			
Q5						
b) Do you usually see the same doctor?						
Always	27.7	26.0	26.0	37.3	33.6	28.1
Most of the time	49.4	49.4	49.4	48.7	51.8	53.4
Sometimes	15.7	16.4	16.4	10.4	11.2	13.8
Rarely or never	7.2	8.1	8.1	3.7	3.4	4.6
missing:	1.2%					
Q6						
Here are some questions about your MOST RECENT VISIT to a general practitioner. In terms of your SATISFACTION, how would you rate each of the following?						
a) How long you waited to get an appointment						
Excellent	21.7	22.2	22.2	21.4	20.4	21.2
Very good	28.5	29.2	29.2	29.9	27.5	25.5
Good	29.1	29.1	29.1	28.5	30.2	27.9
Fair	15.3	14.7	14.7	13.6	15.5	18.2
Poor	5.5	4.9	4.9	6.7	6.5	7.2
missing:	0.4%					
b) Length of time you waited in the waiting room						
Excellent	9.1	9.2	9.2	10.2	8.6	9.1
Very good	20.0	20.7	20.7	21.5	18.5	18.4
Good	31.0	30.2	30.2	32.3	32.4	33.6
Fair	26.0	26.0	26.0	24.4	27.8	26.0
Poor	13.9	13.9	13.9	11.6	12.7	12.9
missing:	0.5%					
c) The amount of time you spent with the doctor						
Excellent	16.6	16.3	16.3	17.6	17.2	17.7
Very good	30.8	31.1	31.1	30.7	31.9	29.7
Good	33.6	33.4	33.4	33.8	31.5	35.5
Fair	14.8	15.0	15.0	13.9	15.2	13.5
Poor	4.2	4.2	4.2	4.0	4.3	3.6
missing:	1.6%					

Q6		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
d) The doctor's explanation of your problem and treatment	Excellent	23.4	22.7	25.6	25.5	24.3	
	Very good	32.2	32.1	33.6	36.2	31.6	
	Good	28.9	29.3	26.6	24.7	30.4	
	Fair	11.9	12.0	11.1	10.8	10.4	
	Poor	3.7	4.0	3.1	2.8	3.3	
	missing:	1.7%					
e) The doctor's interest in how you felt about having the tests, treatment or the advice given	Excellent	24.4	23.7	25.2	27.1	25.8	
	Very good	29.1	28.9	32.7	31.6	29.7	
	Good	27.3	27.2	25.3	25.6	29.5	
	Fair	13.8	14.6	12.3	10.8	10.6	
	Poor	5.3	5.6	4.5	4.8	4.4	
	missing:	0.6%					
f) Your opportunity to ask all the questions you wanted	Excellent	29.1	28.3	30.4	31.9	30.6	
	Very good	31.8	32.1	33.0	33.6	31.1	
	Good	25.4	25.2	24.8	22.3	27.3	
	Fair	10.6	11.3	8.4	9.3	7.9	
	Poor	3.2	3.1	3.4	3.0	3.1	
	missing:	1.1%					
g) The technical skills (thoroughness, carefulness, competence) of the doctor	Excellent	29.2	28.2	33.2	33.1	31.5	
	Very good	33.0	32.9	33.4	33.5	33.1	
	Good	26.0	26.6	22.8	23.6	25.1	
	Fair	9.1	9.7	8.1	7.1	7.4	
	Poor	2.6	2.6	2.4	2.7	2.8	
	missing:	0.6%					

Q6		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
h) The personal manner (courtesy, respect, sensitivity, friendliness) of the doctor	Excellent	36.8	35.8	40.7	41.4	38.7	
	Very good	31.0	30.9	29.8	32.5	31.3	
	Good	21.7	22.1	20.1	18.8	20.7	
	Fair	8.1	8.5	7.4	5.6	7.4	
	Poor	2.4	2.6	2.0	1.6	1.9	
	<i>missing:</i>						0.7%
i) The cost to you of the visit	No Cost	34.7	38.8	22.8	19.0	20.5	
	Excellent	2.1	1.8	3.2	2.5	4.0	
	Very good	7.1	6.6	9.1	8.5	8.8	
	Good	22.0	20.8	24.6	28.1	27.3	
	Fair	25.6	24.4	30.8	30.5	29.1	
	Poor	8.5	7.6	9.5	11.4	10.3	
	<i>missing:</i>						1.1%
j) The visit overall	Excellent	16.5	16.2	17.8	18.0	17.9	
	Very good	35.2	35.3	37.9	36.9	34.4	
	Good	34.4	34.2	33.0	33.4	34.7	
	Fair	11.5	11.8	9.5	9.8	10.8	
	Poor	2.3	2.4	1.8	1.9	2.2	
	<i>missing:</i>						3.3%

	Weighted Total (n=8,853)	Capital city/ Other Metropolitan (n=5,330)		Large rural (n=917)		Small Rural (n=857)		Other Rural/ Remote (n=1,749)	
		Mean	%	Mean	%	Mean	%	Mean	%
GP satisfaction score									
Mean score	3.7	3.6	3.7	3.8	3.7	3.8	3.7	3.7	
Standard error	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
missing:	0.0%								
Q7									
In general, do you prefer to see a female doctor?									
Yes, always	18.8	20.0	18.8	15.3	18.8	15.3	14.6	14.6	
Yes, but only for certain things	43.1	44.7	43.1	34.7	35.5	34.7	38.3	38.3	
No	11.5	10.3	11.5	18.8	16.2	18.8	14.5	14.5	
Don't know	26.5	25.0	26.5	31.2	29.5	31.2	32.6	32.6	
missing:	0.7%								
Q8									
Thinking about YOUR OWN HEALTH CARE, how would you rate the following now:									
a) Access to medical specialists if you need them									
Excellent	14.6	16.9	14.6	7.5	11.6	7.5	7.4	7.4	
Very good	28.8	31.3	28.8	23.9	28.2	23.9	19.1	19.1	
Good	30.7	29.6	30.7	33.0	34.0	33.0	32.7	32.7	
Fair	11.7	9.1	11.7	19.4	12.6	19.4	21.8	21.8	
Poor	5.2	2.9	5.2	9.6	6.5	9.6	13.5	13.5	
Don't know	9.0	10.1	9.0	6.6	7.1	6.6	5.6	5.6	
missing:	0.4%								
b) Access to a hospital if you need it									
Excellent	21.7	21.7	21.7	24.1	25.9	24.1	20.4	20.4	
Very good	32.0	31.8	32.0	34.3	33.2	34.3	30.6	30.6	
Good	28.3	28.0	28.3	28.7	27.5	28.7	30.8	30.8	
Fair	9.0	8.2	9.0	9.0	6.8	9.0	12.8	12.8	
Poor	2.3	2.0	2.3	2.1	2.3	2.1	3.4	3.4	
Don't know	6.7	8.2	6.7	1.8	4.3	1.8	2.0	2.0	
missing:	0.4%								

Q8		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other (n=5,330) %			
c) Access to after-hours medical care	Excellent	8.1	7.9	13.6	8.1	8.7	
	Very good	16.9	17.4	17.3	20.0	15.7	
	Good	27.0	27.1	29.0	24.8	27.3	
	Fair	22.8	22.6	19.3	22.5	23.9	
	Poor	14.0	12.1	11.8	16.1	17.9	
	Don't know missing:	11.2	12.8	9.0	8.6	6.5	
						0.6%	
d) Access to a GP who bulk bills	Excellent	11.9	13.0	9.8	8.0	8.7	
	Very good	12.4	13.6	8.9	8.1	9.9	
	Good	16.6	17.5	13.3	12.3	14.4	
	Fair	16.1	16.9	15.5	14.0	12.6	
	Poor	34.4	31.1	41.7	44.6	42.7	
	Don't know missing:	8.6	7.9	10.9	13.0	11.7	
						0.5%	
e) Access to a female GP	Excellent	14.7	16.2	12.8	11.4	10.3	
	Very good	22.8	24.8	22.4	18.1	16.0	
	Good	27.4	28.2	24.9	26.4	25.2	
	Fair	18.6	17.0	21.5	20.2	23.0	
	Poor	9.7	6.9	10.8	16.1	19.6	
	Don't know missing:	6.8	6.9	7.6	7.8	5.9	
						0.7%	
f) Hours when a GP is available	Excellent	6.7	7.0	8.5	6.6	6.6	
	Very good	20.7	21.3	22.3	21.5	18.1	
	Good	38.6	39.0	35.7	37.5	37.6	
	Fair	24.5	23.8	25.4	24.7	26.3	
	Poor	7.2	6.4	6.2	7.8	8.6	
	Don't know missing:	2.3	2.5	1.9	1.9	2.8	
						0.8%	

Q8		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
g) Number of GPs you have to choose from	Excellent	11.2	11.8	13.6	12.6	9.2	
	Very good	25.2	26.4	24.5	27.2	19.2	
	Good	35.4	36.9	31.0	33.1	31.5	
	Fair	17.1	16.0	15.1	17.9	21.8	
	Poor	8.0	5.4	12.8	7.6	16.6	
	Don't know missing:	3.2	3.6	3.0	1.6	1.7	
						0.6%	
h) Ease of seeing the GP of your choice	Excellent	9.4	9.6	11.7	8.7	8.2	
	Very good	19.6	20.8	20.3	19.3	16.8	
	Good	32.4	33.4	30.7	30.0	28.7	
	Fair	24.0	23.2	20.4	25.7	26.8	
	Poor	11.7	9.7	15.0	14.7	17.6	
	Don't know missing:	2.9	3.3	1.8	1.5	2.0	
						0.6%	
i) Ease of obtaining a Pap test	Excellent	23.7	23.3	27.7	23.9	24.1	
	Very good	32.1	33.2	31.8	32.7	28.8	
	Good	27.1	26.9	26.9	28.3	29.0	
	Fair	7.1	6.3	6.5	6.6	10.1	
	Poor	1.7	1.5	1.9	1.5	2.3	
	Don't know missing:	8.2	8.8	5.2	7.0	5.8	
						0.9%	
j) Access to a counselling service if you need it	Excellent	7.8	8.1	9.9	6.6	7.6	
	Very good	14.5	14.7	16.5	15.0	13.5	
	Good	22.1	21.5	22.2	23.3	24.4	
	Fair	9.6	9.0	9.0	9.3	11.9	
	Poor	4.6	4.2	3.4	4.1	6.9	
	Don't know missing:	41.4	42.6	39.1	41.7	35.7	
						0.6%	

Q12	In the LAST 3 YEARS, have you been diagnosed or treated for:	Weighted Total (n=8,853) %	Capital city/ Other Metropolitan (n=5,330) %		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other (n=1,749) %			
a) Gestational diabetes (during pregnancy)	No	98.6	98.9	98.3	98.1	97.7	
	Yes	1.4	1.1	1.7	1.9	2.3	
	missing:						1.6%
b) Insulin dependent (Type I) diabetes	No	99.6	99.7	99.6	99.3	99.7	
	Yes	0.4	0.3	0.4	0.7	0.3	
	missing:						1.6%
c) Non-insulin dependent (Type II) diabetes	No	99.6	99.7	99.8	98.8	99.5	
	Yes	0.4	0.3	0.2	1.2	0.5	
	missing:						1.6%
d) Heart disease	No	99.8	99.8	99.9	99.9	99.7	
	Yes	0.2	0.2	0.1	0.1	0.3	
	missing:						1.6%
e) Hypertension (high blood pressure) during pregnancy	No	96.9	97.3	96.2	94.8	95.2	
	Yes	3.1	2.7	3.8	5.2	4.8	
	missing:						1.6%
f) Hypertension (high blood pressure) other than during pregnancy	No	98.0	97.9	97.5	97.6	98.2	
	Yes	2.0	2.1	2.5	2.4	1.8	
	missing:						1.6%
g) Low iron (iron deficiency or anaemia)	No	84.4	84.1	84.3	84.6	85.3	
	Yes	15.6	15.9	15.7	15.4	14.7	
	missing:						1.6%

Q12	h) Asthma		Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %
				Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
	No		89.7	89.9	88.8	89.5	89.1
	Yes		10.3	10.1	11.2	10.5	10.9
	<i>missing:</i>	1.6%					
	i) Postnatal depression						
	No		97.6	97.9	96.6	96.6	95.8
	Yes		2.4	2.1	3.4	3.4	4.2
	<i>missing:</i>	1.6%					
	j) Depression (not postnatal)						
	No		87.4	87.0	86.0	87.9	89.1
	Yes		12.6	13.0	14.0	12.1	10.9
	<i>missing:</i>	1.6%					
	k) Anxiety disorder						
	No		93.6	93.3	94.2	94.4	95.4
	Yes		6.4	6.7	5.8	5.6	4.6
	<i>missing:</i>	1.6%					
	l) Endometriosis						
	No		96.6	96.6	95.2	96.8	97.0
	Yes		3.4	3.4	4.8	3.2	3.0
	<i>missing:</i>	1.6%					
	m) Urinary tract infection						
	No		81.9	81.4	81.3	83.8	84.3
	Yes		18.1	18.6	18.7	16.2	15.7
	<i>missing:</i>	1.6%					
	n) A Sexually Transmitted Infection (eg chlamydia, genital herpes)						
	No		95.9	95.6	94.6	97.0	97.5
	Yes		4.1	4.4	5.4	3.0	2.5
	<i>missing:</i>	1.6%					

			Capital city/ Other				Other Rural/ Remote (n=1,749) %
			Weighted Total (n=8,853) %	Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
Q12	o) Hepatitis B or C	No	99.7	99.7	99.9	99.6	99.8
		Yes	0.3	0.3	0.1	0.4	0.2
		<i>missing:</i>	1.6%				
Q13	p) Cancer	No	98.8	98.7	98.4	99.4	99.0
		Yes	1.2	1.3	1.6	0.6	1.0
		<i>missing:</i>	1.6%				
Q14	q) Other major illness	No	94.0	94.2	93.5	93.8	93.8
		Yes	6.0	5.8	6.5	6.2	6.2
		<i>missing:</i>	1.6%				
Q15	r) None of these conditions	No	53.4	53.9	54.9	53.3	51.4
		Yes	46.6	46.1	45.1	46.7	48.6
		<i>missing:</i>	1.6%				
Q16	Aa) In the LAST 12 MONTHS, have you had allergies, hay fever, sinusitis?	No	42.3	41.7	43.4	44.9	44.0
		Rarely	14.0	13.5	15.9	13.0	15.4
		Sometimes	26.2	27.1	23.9	26.8	24.1
		Often	17.5	17.7	16.7	15.3	16.6
		<i>missing:</i>	0.2%				
		Ba) Did you seek help for allergies, hay fever, sinusitis?	Did not seek help	40.4	40.9	38.6	38.9
Sought help	17.3	17.4	17.9	16.1	16.7		
Did not have symptom	42.3	41.7	43.4	44.9	44.0		
<i>missing:</i>	0.2%						

Q13		0.2%	Capital city/ Other				Other Rural/ Remote (n=1,749) %
			Weighted Total (n=8,853) %	Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
Ca) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	14.5	14.5	14.6	14.2	14.3	
	Not satisfied	2.8	2.8	3.3	2.0	2.4	
	Did not seek help	40.4	40.9	38.6	38.9	39.3	
	Did not have symptom	42.3	41.7	43.4	44.9	44.0	
	<i>missing:</i>						
Ab) In the LAST 12 MONTHS, have you had headaches/ migraines	No	17.8	17.9	17.6	17.3	17.5	
	Rarely	27.4	27.7	25.9	24.9	25.7	
	Sometimes	37.4	37.0	39.2	40.0	39.0	
	Often	17.3	17.4	17.4	17.8	17.8	
	<i>missing:</i>						
Bb) Did you seek help for headaches/ migraines?	Did not seek help	67.2	67.1	67.0	68.1	68.0	
	Sought help	14.9	15.0	15.4	14.6	14.5	
	Did not have symptom	17.8	17.9	17.6	17.3	17.5	
	<i>missing:</i>						
Cb) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	11.3	11.5	11.6	11.0	10.7	
	Not satisfied	3.7	3.5	3.8	3.6	3.8	
	Did not seek help	67.2	67.1	67.0	68.1	68.0	
	Did not have symptom	17.8	17.9	17.6	17.3	17.5	
	<i>missing:</i>						
Ac) In the LAST 12 MONTHS, have you had severe tiredness?	No	36.6	36.2	37.7	39.9	36.7	
	Rarely	19.0	18.9	18.0	16.7	18.8	
	Sometimes	29.5	30.0	26.7	27.0	29.2	
	Often	14.9	14.9	17.6	16.4	15.2	
	<i>missing:</i>						

Q13	Bc) Did you seek help for severe tiredness?	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
	Did not seek help	53.4	53.7	51.1	50.6	53.9	
	Sought help	10.0	10.1	11.2	9.5	9.3	
	Did not have symptom <i>missing:</i>	36.6	36.2	37.7	39.9	36.7	
							0.2%
	Cc) If you did seek help, were you NOT satisfied with that help?						
	Satisfied with help	6.6	6.7	7.3	6.0	6.7	
	Not satisfied	3.3	3.4	3.9	3.5	2.6	
	Did not seek help	53.4	53.7	51.1	50.6	53.9	
	Did not have symptom <i>missing:</i>	36.6	36.2	37.7	39.9	36.7	
							0.2%
	Ad) In the LAST 12 MONTHS, have you had stiff or painful joints?						
	No	60.0	60.5	60.2	59.4	57.7	
	Rarely	18.2	18.1	16.6	17.2	20.0	
	Sometimes	15.9	15.6	16.0	16.6	16.7	
	Often	6.0	5.7	7.2	6.8	5.6	
	<i>missing:</i>						0.2%
	Bd) Did you seek help for stiff or painful joints?						
	Did not seek help	31.9	31.6	30.8	30.3	34.9	
	Sought help	8.1	7.9	9.1	10.3	7.4	
	Did not have symptom <i>missing:</i>	60.0	60.5	60.2	59.4	57.7	
							0.2%
	Cd) If you did seek help, were you NOT satisfied with that help?						
	Satisfied with help	6.4	6.3	6.8	8.4	5.9	
	Not satisfied	1.6	1.6	2.3	1.9	1.5	
	Did not seek help	31.9	31.6	30.8	30.3	34.9	
	Did not have symptom <i>missing:</i>	60.0	60.5	60.2	59.4	57.7	
							0.2%

Q13	Ae) In the LAST 12 MONTHS, have you had back pain?	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
	No	39.1	39.8	36.8	35.8	36.2	
	Rarely	21.1	20.9	24.3	20.9	21.0	
	Sometimes	27.4	26.8	26.2	30.5	29.6	
	Often	12.3	12.4	12.7	12.7	13.2	
	<i>missing:</i>						0.2%
	Be) Did you seek help for back pain?						
	Did not seek help	41.8	41.2	44.0	42.8	44.1	
	Sought help	19.1	18.9	19.2	21.4	19.7	
	Did not have symptom	39.1	39.8	36.8	35.8	36.2	
	<i>missing:</i>						0.2%
	Ce) If you did seek help, were you NOT satisfied with that help?						
	Satisfied with help	16.1	15.9	16.3	17.8	16.8	
	Not satisfied	3.1	3.0	2.9	3.6	2.9	
	Did not seek help	41.8	41.2	44.0	42.8	44.1	
	Did not have symptom	39.1	39.8	36.8	35.8	36.2	
	<i>missing:</i>						0.2%
	Af) In the LAST 12 MONTHS, have you had problems with one or both feet?						
	No	77.7	77.9	78.2	77.7	79.3	
	Rarely	10.1	10.2	8.2	9.2	9.2	
	Sometimes	7.7	7.7	8.4	7.8	7.2	
	Often	4.5	4.3	5.2	5.3	4.2	
	<i>missing:</i>						0.2%
	Bf) Did you seek help for problems with one or both feet?						
	Did not seek help	15.3	15.2	14.3	16.3	15.4	
	Sought help	7.0	6.9	7.5	6.1	5.3	
	Did not have symptom	77.7	77.9	78.2	77.7	79.3	
	<i>missing:</i>						0.2%

Q13		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
Cf) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	5.4	5.2	6.6	4.3	4.1	
	Not satisfied	1.6	1.7	1.0	1.8	1.2	
	Did not seek help	15.3	15.2	14.3	16.3	15.4	
	Did not have symptom <i>missing:</i>	77.7	77.9	78.2	77.7	79.3	
						0.2%	
Ag) In the LAST 12 MONTHS, have you had urine that burns or stings?	No	79.3	78.8	79.7	82.3	81.3	
	Rarely	13.6	14.0	12.2	11.2	11.9	
	Sometimes	6.1	6.1	7.1	5.6	6.1	
	Often <i>missing:</i>	1.0	1.1	1.0	0.8	0.7	
						0.2%	
Bg) Did you seek help for urine that burns or stings?	Did not seek help	11.1	11.4	10.2	9.7	10.5	
	Sought help	9.5	9.8	10.2	8.0	8.3	
	Did not have symptom <i>missing:</i>	79.3	78.8	79.7	82.3	81.3	
							0.2%
Cg) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	8.4	8.7	8.8	7.4	7.3	
	Not satisfied	1.1	1.1	1.3	0.6	1.0	
	Did not seek help	11.1	11.4	10.2	9.7	10.5	
	Did not have symptom <i>missing:</i>	79.3	78.8	79.7	82.3	81.3	
						0.2%	
Ah) In the LAST 12 MONTHS, have you had leaking urine?	No	84.4	85.4	83.7	81.1	81.4	
	Rarely	8.8	8.6	8.5	8.9	9.6	
	Sometimes	5.5	4.9	6.0	8.1	7.2	
	Often <i>missing:</i>	1.3	1.1	1.7	2.0	1.8	
						0.2%	

Q13		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
Bh) Did you seek help for leaking urine?	Did not seek help	14.4	13.5	14.4	17.3	17.2	
	Sought help	1.3	1.1	1.9	1.6	1.3	
	Did not have symptom	84.4	85.4	83.7	81.1	81.4	
	<i>missing:</i>						0.2%
Ch) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	1.0	0.9	1.1	1.3	1.0	
	Not satisfied	0.3	0.2	0.8	0.4	0.3	
	Did not seek help	14.4	13.5	14.4	17.3	17.2	
	Did not have symptom	84.4	85.4	83.7	81.1	81.4	
	<i>missing:</i>						0.2%
Ai) In the LAST 12 MONTHS, have you had constipation?	No	62.5	62.2	66.4	62.1	63.8	
	Rarely	19.4	19.4	17.5	20.1	18.5	
	Sometimes	13.7	13.9	12.3	13.0	14.0	
	Often	4.4	4.5	3.8	4.8	3.7	
	<i>missing:</i>						0.2%
Bi) Did you seek help for constipation?	Did not seek help	32.8	33.0	29.4	32.7	31.5	
	Sought help	4.7	4.8	4.3	5.1	4.6	
	Did not have symptom	62.5	62.2	66.4	62.1	63.8	
	<i>missing:</i>						0.2%
Ci) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	3.7	3.7	3.4	4.2	3.8	
	Not satisfied	1.1	1.1	0.9	0.9	0.8	
	Did not seek help	32.8	33.0	29.4	32.7	31.5	
	Did not have symptom	62.5	62.2	66.4	62.1	63.8	
	<i>missing:</i>						0.2%

Q13		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
A) In the LAST 12 MONTHS, have you had haemorrhoids (piles)?	No	86.5	87.3	83.2	85.5	83.6	
	Rarely	6.3	5.9	7.9	5.7	8.3	
	Sometimes	5.6	5.3	7.0	6.1	6.4	
	Often	1.5	1.4	2.0	2.7	1.8	
	<i>missing:</i>						0.2%
B) Did you seek help for haemorrhoids (piles)?	Did not seek help	10.4	9.7	12.6	10.4	13.4	
	Sought help	3.1	3.0	4.3	4.1	3.1	
	Did not have symptom	86.5	87.3	83.2	85.5	83.6	
	<i>missing:</i>						0.2%
C) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	2.6	2.5	3.4	3.3	2.8	
	Not satisfied	0.5	0.5	0.9	0.8	0.3	
	Did not seek help	10.4	9.7	12.6	10.4	13.4	
	Did not have symptom	86.5	87.3	83.2	85.5	83.6	
	<i>missing:</i>						0.2%
Ak) In the LAST 12 MONTHS, have you had other bowel problems?	No	84.4	83.7	85.4	86.3	88.0	
	Rarely	5.8	6.1	4.9	4.2	4.9	
	Sometimes	5.9	6.2	6.0	5.5	4.3	
	Often	3.9	4.0	3.7	4.0	2.8	
	<i>missing:</i>						0.2%
Bk) Did you seek help for other bowel problems?	Did not seek help	10.0	10.3	8.5	9.1	8.3	
	Sought help	5.6	6.0	6.1	4.6	3.7	
	Did not have symptom	84.4	83.7	85.4	86.3	88.0	
	<i>missing:</i>						0.2%

Q13	Ck) If you did seek help, were you NOT satisfied with that help?	Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
	Satisfied with help	4.0	4.4	4.5	3.4	2.5
	Not satisfied	1.6	1.6	1.6	1.2	1.2
	Did not seek help	10.0	10.3	8.5	9.1	8.3
	Did not have symptom <i>missing:</i>	84.4	83.7	85.4	86.3	88.0
						0.2%
	Al) In the LAST 12 MONTHS, have you had vaginal discharge or irritation?					
	No	64.1	63.2	67.5	66.2	68.7
	Rarely	19.5	19.7	17.4	19.6	17.4
	Sometimes	13.2	13.9	11.5	11.2	11.0
	Often	3.2	3.1	3.7	2.9	2.9
	<i>missing:</i>					
						0.2%
	Bl) Did you seek help for vaginal discharge or irritation?					
	Did not seek help	25.1	25.7	21.2	23.4	22.4
	Sought help	10.8	11.0	11.4	10.4	8.9
	Did not have symptom <i>missing:</i>	64.1	63.2	67.5	66.2	68.7
	Cl) If you did seek help, were you NOT satisfied with that help?					
	Satisfied with help	8.8	9.0	8.8	8.2	7.1
	Not satisfied	2.0	2.1	2.5	2.2	1.8
	Did not seek help	25.1	25.7	21.2	23.4	22.4
	Did not have symptom <i>missing:</i>	64.1	63.2	67.5	66.2	68.7
	Am) In the LAST 12 MONTHS, have you had premenstrual tension?					
	No	50.7	48.9	55.8	55.9	58.1
	Rarely	14.9	15.5	14.1	13.2	13.2
	Sometimes	22.9	23.5	20.7	20.2	19.5
	Often	11.5	12.1	9.4	10.6	9.2
	<i>missing:</i>					
						0.2%

Q13		Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %	
			Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %		
Bm) Did you seek help for premenstrual tension?	Did not seek help	45.8	47.4	40.7	41.2	38.7	
	Sought help	3.5	3.7	3.5	2.9	3.2	
	Did not have symptom	50.7	48.9	55.8	55.9	58.1	
	<i>missing:</i>						0.2%
Cm) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	2.7	2.9	1.9	2.0	2.3	
	Not satisfied	0.8	0.8	1.6	0.9	0.9	
	Did not seek help	45.8	47.4	40.7	41.2	38.7	
	Did not have symptom	50.7	48.9	55.8	55.9	58.1	
	<i>missing:</i>						0.2%
An) In the LAST 12 MONTHS, have you had irregular periods?	No	71.1	70.8	71.6	71.1	72.5	
	Rarely	9.7	10.1	8.3	8.4	9.0	
	Sometimes	10.4	10.6	9.7	9.0	9.6	
	Often	8.9	8.5	10.4	11.5	8.9	
	<i>missing:</i>						0.2%
Bn) Did you seek help for irregular periods?	Did not seek help	20.6	21.0	18.3	19.3	18.8	
	Sought help	8.4	8.2	10.0	9.6	8.7	
	Did not have symptom	71.1	70.8	71.6	71.1	72.5	
	<i>missing:</i>						0.2%
Cn) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	6.3	6.0	8.4	6.9	7.0	
	Not satisfied	2.1	2.2	1.6	2.7	1.7	
	Did not seek help	20.6	21.0	18.3	19.3	18.8	
	Did not have symptom	71.1	70.8	71.6	71.1	72.5	
	<i>missing:</i>						0.2%

Q13		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
Ao) In the LAST 12 MONTHS, have you had heavy periods?	No	70.0	69.8	68.4	68.9	72.0	
	Rarely	12.6	12.9	12.3	10.8	10.8	
	Sometimes	11.0	11.2	11.6	12.0	10.0	
	Often	6.4	6.1	7.6	8.3	7.1	
	<i>missing:</i>	0.2%					
Bo) Did you seek help for heavy periods?	Did not seek help	26.1	26.4	26.5	26.7	23.7	
	Sought help	3.9	3.8	5.0	4.4	4.2	
	Did not have symptom	70.0	69.8	68.4	68.9	72.0	
	<i>missing:</i>	0.2%					
Co) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	3.1	3.0	3.8	3.4	3.3	
	Not satisfied	0.8	0.8	1.2	1.1	0.9	
	Did not seek help	26.1	26.4	26.5	26.7	23.7	
	Did not have symptom	70.0	69.8	68.4	68.9	72.0	
	<i>missing:</i>	0.2%					
Ap) In the LAST 12 MONTHS, have you had severe period pain?	No	59.7	58.7	61.2	60.9	64.2	
	Rarely	16.8	17.2	15.5	14.3	14.3	
	Sometimes	14.5	14.9	14.8	14.0	12.4	
	Often	9.0	9.1	8.4	10.8	9.1	
	<i>missing:</i>	0.2%					
Bp) Did you seek help for severe period pain?	Did not seek help	34.5	35.3	32.6	32.4	30.7	
	Sought help	5.8	5.9	6.1	6.7	5.1	
	Did not have symptom	59.7	58.7	61.2	60.9	64.2	
	<i>missing:</i>	0.2%					

Q13		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
Cp) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	4.5	4.6	4.4	5.1	4.0	
	Not satisfied	1.2	1.4	1.7	1.5	1.1	
	Did not seek help	34.5	35.3	32.6	32.4	30.7	
	Did not have symptom	59.7	58.7	61.2	60.9	64.2	
	<i>missing:</i>	0.2%					
Aq) In the LAST 12 MONTHS, have you had skin problems?	No	59.6	59.0	62.6	59.8	63.3	
	Rarely	16.1	16.4	13.1	16.7	14.6	
	Sometimes	14.9	15.3	14.8	14.9	13.2	
	Often	9.3	9.2	9.5	8.7	8.9	
	<i>missing:</i>	0.2%					
Bq) Did you seek help for skin problems?	Did not seek help	27.7	28.0	28.4	28.9	25.4	
	Sought help	12.6	13.0	9.1	11.3	11.2	
	Did not have symptom	59.6	59.0	62.6	59.8	63.3	
	<i>missing:</i>	0.2%					
	Cq) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	9.6	9.8	6.9	9.0	9.0
Not satisfied		3.0	3.2	2.2	2.3	2.2	
Did not seek help		27.7	28.0	28.4	28.9	25.4	
Did not have symptom		59.6	59.0	62.6	59.8	63.3	
<i>missing:</i>		0.2%					
Ar) In the LAST 12 MONTHS, have you had difficulty sleeping?	No	49.0	49.1	47.6	49.0	49.1	
	Rarely	20.0	19.9	18.7	20.0	19.0	
	Sometimes	21.9	21.8	23.7	22.5	22.5	
	Often	9.1	9.1	10.0	8.5	9.5	
	<i>missing:</i>	0.2%					

Q13		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
Br) Did you seek help for difficulty sleeping?	Did not seek help	44.3	44.1	46.3	44.2	45.0	
	Sought help	6.6	6.8	6.1	6.8	5.8	
	Did not have symptom <i>missing:</i>	49.0	49.1	47.6	49.0	49.1	
						0.2%	
Cr) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	4.9	5.1	4.0	4.8	4.3	
	Not satisfied	1.8	1.8	2.1	2.0	1.5	
	Did not seek help	44.3	44.1	46.3	44.2	45.0	
	Did not have symptom <i>missing:</i>	49.0	49.1	47.6	49.0	49.1	
						0.2%	
As) In the LAST 12 MONTHS, have you had depression?	No	64.0	63.3	64.1	66.2	66.1	
	Rarely	15.2	15.5	14.4	13.3	14.2	
	Sometimes	14.8	15.0	15.5	13.0	14.1	
	Often <i>missing:</i>	6.0	6.2	6.0	7.5	5.6	
						0.2%	
Bs) Did you seek help for depression?	Did not seek help	24.3	24.8	24.2	22.5	23.8	
	Sought help	11.6	11.9	11.7	11.3	10.1	
	Did not have symptom <i>missing:</i>	64.0	63.3	64.1	66.2	66.1	
						0.2%	
Cs) If you did seek help, were you NOT satisfied with that help?	Satisfied with help	9.5	9.7	8.5	9.1	8.5	
	Not satisfied	2.2	2.2	3.2	2.2	1.6	
	Did not seek help	24.3	24.8	24.2	22.5	23.8	
	Did not have symptom <i>missing:</i>	64.0	63.3	64.1	66.2	66.1	
						0.2%	

Q13	At) In the LAST 12 MONTHS, have you had episodes of intense anxiety (eg panic attacks)?	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other			
	No	79.4	78.5	80.8	83.0	83.2	
	Rarely	11.5	11.8	11.1	8.9	8.9	
	Sometimes	6.7	7.0	5.5	5.5	6.2	
	Often	2.5	2.7	2.6	2.6	1.7	
	missing:	0.2%					
	Bt) Did you seek help for episodes of intense anxiety?						
	Did not seek help	15.0	15.5	14.7	12.9	13.0	
	Sought help	5.6	6.0	4.5	4.1	3.8	
	Did not have symptom	79.4	78.5	80.8	83.0	83.2	
	missing:	0.2%					
	Ct) If you did seek help, were you NOT satisfied with that help?						
	Satisfied with help	4.6	4.9	3.4	3.6	3.4	
	Not satisfied	1.0	1.1	1.1	0.5	0.4	
	Did not seek help	15.0	15.5	14.7	12.9	13.0	
	Did not have symptom	79.4	78.5	80.8	83.0	83.2	
	missing:	0.2%					
	Au) In the LAST 12 MONTHS, have you had palpitations (feeling that your heart is racing or fluttering in your chest)?						
	No	73.3	73.2	73.0	73.2	73.4	
	Rarely	14.5	14.8	13.9	14.3	13.8	
	Sometimes	9.7	9.6	9.9	9.7	9.7	
	Often	2.5	2.5	3.2	2.8	3.2	
	missing:	0.2%					
	Bu) Did you seek help for palpitations?						
	Did not seek help	22.5	22.7	22.1	22.3	22.1	
	Sought help	4.2	4.1	4.9	4.4	4.6	
	Did not have symptom	73.3	73.2	73.0	73.2	73.4	
	missing:	0.2%					

	Weighted Total (n=8,853) %	Capital city/ Other Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
Q13					
Cu) If you did seek help, were you NOT satisfied with that help?					
Satisfied with help	3.2	3.1	3.7	3.5	3.6
Not satisfied	1.0	1.0	1.2	0.9	1.0
Did not seek help	22.5	22.7	22.1	22.3	22.1
Did not have symptom <i>missing:</i>	73.3	73.2	73.0	73.2	73.4
Q14					
In general, would you say your health is:					
Excellent	13.6	13.9	12.4	12.1	11.6
Very good	42.6	43.2	39.5	39.6	41.5
Good	34.6	33.7	36.2	37.1	37.8
Fair	7.7	7.7	10.9	9.7	7.7
Poor	1.4	1.5	0.9	1.4	1.4
<i>missing:</i>					
Q15					
Compared to one year ago, how would you rate your health in general now?					
Much better now than one year ago	10.8	10.7	9.3	10.5	10.4
Somewhat better now than one year ago	20.7	21.3	19.0	19.1	18.8
About the same as one year ago	57.5	56.8	59.9	58.6	59.7
Somewhat worse now than one year ago	10.0	9.9	11.5	10.5	10.2
Much worse now than one year ago	1.1	1.2	0.3	1.3	1.0
<i>missing:</i>					
Q16					
Does YOUR HEALTH NOW LIMIT YOU in these activities? If so, how much?					
a) VIGOROUS activities such as running, lifting heavy objects, participating in strenuous sports					
Yes, limited a lot	13.1	12.5	14.4	14.4	14.5
Yes, limited a little	35.0	34.9	33.4	35.1	37.0
No, not limited at all	51.9	52.6	52.2	50.6	48.5
<i>missing:</i>					

Q16	b) MODERATE ACTIVITIES, such as moving a table, pushing a vacuum cleaner, bowling or playing golf	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
	Yes, limited a lot	2.9	2.9	3.5	2.1	3.5	
	Yes, limited a little	9.7	9.5	10.4	11.5	8.7	
	No, not limited at all <i>missing:</i>	87.4	87.7	86.1	86.4	87.8	
		0.5%					
	c) Lifting or carrying groceries						
	Yes, limited a lot	2.0	1.9	2.6	2.5	2.2	
	Yes, limited a little	8.7	8.4	9.6	9.5	8.8	
	No, not limited at all <i>missing:</i>	89.4	89.7	87.7	88.0	88.9	
		0.5%					
	d) Climbing SEVERAL flights of stairs						
	Yes, limited a lot	3.6	3.7	4.6	3.4	3.8	
	Yes, limited a little	21.0	20.7	21.1	22.7	21.6	
	No, not limited at all <i>missing:</i>	75.4	75.7	74.2	73.9	74.6	
		0.7%					
	e) Climbing ONE flight of stairs						
	Yes, limited a lot	1.6	1.6	1.8	1.9	1.2	
	Yes, limited a little	4.9	4.9	5.2	5.4	5.7	
	No, not limited at all <i>missing:</i>	93.5	93.5	93.1	92.7	93.1	
		0.8%					
	f) Bending, kneeling or stooping						
	Yes, limited a lot	3.4	3.3	4.4	3.6	3.7	
	Yes, limited a little	14.6	14.5	15.4	15.6	15.5	
	No, not limited at all <i>missing:</i>	82.0	82.2	80.2	80.7	80.7	
		0.7%					
	g) Walking MORE THAN ONE kilometre						
	Yes, limited a lot	3.5	3.4	3.7	3.8	4.0	
	Yes, limited a little	11.2	10.8	11.9	13.3	12.4	
	No, not limited at all <i>missing:</i>	85.2	85.7	84.4	83.0	83.5	
		0.5%					

Q17	d) Had difficulty performing the work or other activities (for example it took extra effort)	Weighted Total (n=8,853) %	Capital city/ Other		Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Large rural (n=917) %		
	Yes	19.0	19.0	19.5	20.9	18.7
	No	81.0	81.0	80.5	79.1	81.3
	missing:	0.4%				

Q18 During the PAST 4 WEEKS, have you had any of the following problems with your work or other regular daily activities AS A RESULT OF ANY EMOTIONAL PROBLEMS (such as feeling depressed or anxious)?

a) Cut down on the amount of time you spent on work or other activities

Yes	18.3	18.7	17.9	15.9	16.1
No	81.7	81.3	82.1	84.1	83.9
missing:	0.4%				

b) Accomplished less than you would like

Yes	28.7	29.2	29.6	26.4	25.0
No	71.3	70.8	70.4	73.6	75.0
missing:	0.4%				

Q18 c) Didn't do work or other activities as carefully as usual

Yes	21.6	22.3	22.4	19.2	18.2
No	78.4	77.7	77.6	80.8	81.8
missing:	0.5%				

Q19 During the PAST 4 WEEKS, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbours or groups?

Not at all	50.5	50.0	50.1	52.9	52.6
Slightly	30.8	31.1	31.6	28.5	29.4
Moderately	10.8	10.8	10.3	11.8	9.8
Quite a bit	6.4	6.4	6.6	5.0	6.8
Extremely	1.6	1.6	1.5	1.9	1.4
missing:	0.1%				

	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
		Metropolitan (n=5,330) %	Other %			
Q20						
How much BODILY pain have you had during the PAST 4 WEEKS?						
None	25.5	25.8		27.1	23.4	24.0
Very mild	36.9	36.6		36.2	38.5	38.1
Mild	19.9	20.0		19.0	17.9	20.8
Moderate	13.9	14.0		13.2	15.1	12.8
Severe	3.1	3.0		3.7	3.9	3.0
Very severe	0.8	0.6		0.8	1.3	1.3
missing:						
			0.2%			

	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
		Metropolitan (n=5,330) %	Other %			
Q21						
During the PAST FOUR WEEKS, how much did PAIN interfere with your normal work (including both work outside the home and housework)?						
Not at all	58.3	58.4		58.4	54.9	57.3
Slightly	30.0	30.1		30.7	31.3	30.6
Moderately	7.9	7.8		7.5	9.3	7.7
Quite a bit	3.1	3.0		2.6	3.3	3.7
Extremely	0.8	0.8		0.7	1.2	0.7
missing:						
			0.2%			

Q22 For each question, please give the one answer that comes closest to the way you have been feeling.

a) Did you feel full of life

	Weighted Total (n=8,853) %	Capital city/ Other Metropolitan (n=5,330) %	Other %	Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
All of the time	1.9	1.9		3.5	1.4	2.0
Most of the time	31.0	31.1		28.7	29.8	33.5
A good bit of the time	27.8	27.2		29.8	28.4	25.7
Some of the time	22.5	22.6		21.0	24.3	22.1
A little bit of the time	13.6	14.0		13.1	12.5	12.9
None of the time	3.3	3.2		3.8	3.6	3.8
missing:						
			0.4%			

b) Have you been a very nervous person

	Weighted Total (n=8,853) %	Capital city/ Other Metropolitan (n=5,330) %	Other %	Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
All of the time	0.9	0.9		1.0	1.1	1.0
Most of the time	3.1	3.3		3.0	2.7	2.6
A good bit of the time	5.5	5.6		5.6	5.9	5.5
Some of the time	14.4	14.5		15.6	15.2	13.5
A little bit of the time	33.8	34.4		31.7	31.2	31.2
None of the time	42.3	41.4		43.1	44.0	46.2
missing:						
			0.3%			

	Weighted Total (n=8,853) %	Capital city/ Other Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
Q22					
c) Have you felt so down in the dumps that nothing could cheer you up					
All of the time	0.6	0.5	1.2	0.4	0.9
Most of the time	2.2	2.4	2.9	0.7	1.9
A good bit of the time	4.7	4.8	5.2	6.2	4.8
Some of the time	12.2	12.0	12.8	13.1	13.3
A little bit of the time	27.0	27.5	27.7	23.9	25.6
None of the time	53.3	52.8	50.2	55.6	53.5
<i>missing:</i>					
	0.4%				
d) Have you felt calm and peaceful					
All of the time	1.7	1.7	1.8	2.3	2.1
Most of the time	23.8	22.8	24.7	28.1	27.4
A good bit of the time	25.4	25.5	24.1	23.4	24.7
Some of the time	28.0	28.6	29.7	27.0	24.7
A little bit of the time	16.6	16.7	15.5	14.5	16.8
None of the time	4.4	4.6	4.2	4.6	4.4
<i>missing:</i>					
	0.5%				
e) Did you have a lot of energy					
All of the time	1.3	1.4	1.9	1.3	1.0
Most of the time	20.3	20.1	18.2	21.5	23.8
A good bit of the time	26.5	26.9	25.5	23.4	23.9
Some of the time	29.5	29.3	30.9	29.8	29.2
A little bit of the time	17.0	17.1	16.6	18.9	15.7
None of the time	5.3	5.1	6.9	5.2	6.4
<i>missing:</i>					
	0.7%				
f) Have you felt down					
All of the time	1.0	1.0	1.4	0.7	1.1
Most of the time	4.2	4.4	5.0	3.5	3.5
A good bit of the time	9.1	9.3	8.6	8.8	9.1
Some of the time	23.8	23.9	23.8	24.1	23.2
A little bit of the time	45.2	45.3	42.8	43.4	43.3
None of the time	16.7	16.1	18.5	19.5	19.9
<i>missing:</i>					
	0.6%				

Q22	g) Did you feel worn out	Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
	All of the time	2.9	2.7	3.6	2.5	3.8
	Most of the time	11.9	12.2	12.6	11.9	11.1
	A good bit of the time	19.3	19.4	19.7	21.6	18.4
	Some of the time	32.1	31.5	30.5	32.8	32.3
	A little bit of the time	28.4	28.7	28.9	26.4	29.2
	None of the time	5.4	5.5	4.6	4.8	5.1
	<i>missing:</i>	0.8%				
	h) Have you been a happy person					
	All of the time	5.1	5.1	5.9	5.1	5.1
	Most of the time	44.3	43.7	43.7	45.1	48.0
	A good bit of the time	24.1	24.6	24.6	22.4	20.9
	Some of the time	18.3	18.4	17.4	18.6	18.1
	A little bit of the time	7.3	7.3	7.3	8.3	6.7
	None of the time	0.9	0.9	1.0	0.5	1.2
	<i>missing:</i>	0.5%				
	i) Did you feel tired					
	All of the time	5.9	6.0	6.0	5.9	6.8
	Most of the time	16.8	16.5	18.8	19.1	16.9
	A good bit of the time	21.9	22.4	20.3	22.2	19.5
	Some of the time	32.1	31.9	31.1	30.5	32.2
	A little bit of the time	21.9	21.8	21.8	21.0	22.9
	None of the time	1.4	1.4	2.0	1.3	1.7
	<i>missing:</i>	0.4%				
	Q23 During the PAST 4 WEEKS, how much of the time has your PHYSICAL HEALTH OR EMOTIONAL PROBLEMS interfered with your social activities (like visiting friends, relatives, etc)?					
	All of the time	1.5	1.4	2.0	1.8	2.6
	Most of the time	4.8	5.0	5.3	4.6	4.6
	Some of the time	15.6	15.6	16.4	16.4	15.7
	A little bit of the time	29.2	29.1	28.8	29.0	27.2
	None of the time	48.9	49.0	47.6	48.3	49.9
	<i>missing:</i>	0.2%				

Q24	How TRUE or FALSE is EACH of the following statements for you? a) I seem to get sick a little easier than other people	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
	Definitely true	3.0	3.1	2.8	2.1	3.2	
	Mostly true	10.2	10.6	10.0	10.0	7.9	
	Don't know	9.7	9.5	11.8	10.0	9.9	
	Mostly false	32.2	32.3	32.6	32.6	31.8	
	Definitely false	44.9	44.5	42.8	45.4	47.2	
	<i>missing:</i>						
		0.5%					
	b) I am as healthy as anybody I know						
	Definitely true	25.9	26.5	23.8	23.7	24.3	
	Mostly true	47.3	46.9	47.6	46.0	48.9	
	Don't know	13.6	13.7	13.1	15.3	14.3	
	Mostly false	9.6	9.6	10.7	11.0	9.2	
	Definitely false	3.5	3.3	4.8	4.0	3.3	
	<i>missing:</i>						
		0.6%					
	c) I expect my health to get worse						
	Definitely true	1.1	1.2	0.9	0.8	1.3	
	Mostly true	6.8	6.9	6.6	6.0	6.3	
	Don't know	24.7	24.3	28.1	25.8	26.0	
	Mostly false	24.6	25.9	21.6	20.6	21.1	
	Definitely false	42.7	41.7	42.7	46.8	45.4	
	<i>missing:</i>						
		0.7%					
	d) My health is excellent						
	Definitely true	16.1	16.5	13.6	14.5	15.4	
	Mostly true	57.1	56.6	58.1	56.6	57.2	
	Don't know	8.6	8.7	8.3	8.7	9.1	
	Mostly false	11.8	12.2	12.3	12.8	11.0	
	Definitely false	6.3	6.0	7.7	7.4	7.3	
	<i>missing:</i>						
		0.6%					

Weighted Total (n=8,853) %

Capital city/ Other Metropolitan (n=5,330) %

Large rural (n=917) %

Small Rural (n=857) %

Other Rural/ Remote (n=1,749) %

Q26 Do you regularly NEED help with daily tasks because of a long-term illness or disability (eg help with personal care, getting around, preparing meals etc)?

Yes 1.0

No 99.0

missing: 0.5%

Mean

Mean

Mean

Mean

Mean

Q27 At what age did you first have sexual intercourse?

Mean age 17.8

Standard error 0.0

Not applicable 6.1

missing: 1.1%

Q28 Which of these most closely describes your sexual orientation?

I am exclusively heterosexual 89.1

I am mainly heterosexual 6.9

I am bisexual 1.2

I am mainly homosexual (lesbian) 0.4

I am exclusively homosexual (lesbian) 0.8

I don't know 0.6

I don't want to answer 1.1

missing: 0.7%

Q29	How many sexual partners have you had? a) Male sexual partners	Weighted Total (n=8,853)	Capital city/ Other Metropolitan (n=5,330)		Large rural (n=917)		Small Rural (n=857)		Other Rural/ Remote (n=1,749)	
			Mean	Mean	Mean	Mean	Mean	Mean		
	Mean	7.0	7.3	7.0	6.6	6.1				
	Standard error	0.2	0.3	0.7	0.4	0.2				
	No male sexual partners	5.8	6.1	5.2	4.9	4.8				
	Don't want to answer, or missing	10.4	9.7	13.4	12.0	13.4				
	a) Female sexual partners									
	Mean	2.6	2.5	3.7	2.4	2.3				
	Standard error	0.1	0.1	0.6	0.3	0.3				
	No female sexual partners	56.5	56.5	57.8	59.4	56.8				
	Don't want to answer, or missing	36.1	35.7	35.2	35.1	38.6				
		%	%	%	%	%			%	
Q30	What forms of contraception do you use NOW? a) I use the oral contraceptive pill	53.4	51.6	55.2	56.9	57.2				
	No	46.6	48.4	44.8	43.1	42.8				
	Yes									
	missing:	0.8%								
	b) I use condoms									
	No	70.2	69.3	72.1	74.6	74.0				
	Yes	29.8	30.7	27.9	25.4	26.0				
	missing:									
	c) I use emergency contraception (eg morning after pill)									
	No	98.8	98.7	98.9	99.3	99.5				
	Yes	1.2	1.3	1.1	0.7	0.5				
	missing:	0.8%								
	d) I use an implant (eg Implanon)									
	No	96.1	96.6	94.2	95.9	93.7				
	Yes	3.9	3.4	5.8	4.1	6.3				
	missing:	0.8%								

Q30	e) I use another method of contraception	Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
	No	95.6	95.8	94.4	94.7	94.8
	Yes	4.4	4.2	5.6	5.3	5.2
	<i>missing:</i>	0.8%				
	f) None, I don't use contraception					
	No	70.3	71.9	69.6	64.7	66.8
	Yes	29.7	28.1	30.4	35.3	33.2
	<i>missing:</i>	0.8%				
Q31	Which of these best describes why you are not using contraception NOW?					
	I am pregnant now/have recently had a baby	9.7	8.5	10.5	12.5	13.8
	I am trying to become pregnant	6.1	5.6	6.2	8.3	7.8
	I have had a tubal ligation or hysterectomy	0.8	0.5	1.1	1.8	2.2
	My partner has had a vasectomy	1.5	1.1	2.8	3.2	2.9
	I have found out that I cannot have children	0.2	0.2	0.3	0.5	0.2
	I have found out that my partner cannot have children	0.1	0.1	0.1	0.4	0.2
	I have no male sexual partners now	9.2	9.4	8.5	8.2	6.2
	Other	5.9	6.0	5.4	4.4	5.9
	Using contraception now	66.5	68.6	65.2	60.8	60.7
	<i>missing:</i>	0.8%				
Q32	Do either of these currently apply to you?					
	a) Are you currently using the oral contraceptive pill for reasons other than contraception?					
	Yes	19.5	20.6	17.0	16.1	17.1
	No	80.5	79.4	83.0	83.9	82.9
	<i>missing:</i>	4.0%				

		Weighted Total (n=8,853) %	Capital city/ Other Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
Q32	b) Are you currently using condoms (or other barrier methods) for prevention of infection?					
	Yes	14.7	15.4	15.7	13.9	11.9
	No	85.3	84.6	84.3	86.1	88.1
	<i>missing:</i>	5.3%				
Q33	For how many years in total have you EVER taken the oral contraceptive pill?					
	Never	9.1	9.5	6.4	7.6	6.8
	One or less	9.2	9.7	7.7	7.9	7.2
	Two	6.9	7.1	5.7	7.1	6.1
	Three	7.2	7.0	7.1	6.2	7.0
	Four	7.0	7.1	8.3	5.7	6.6
	Five	8.6	8.6	7.7	7.2	9.4
	Six to nine	31.5	30.9	32.2	35.9	33.1
	Ten to fourteen	19.2	18.8	22.6	20.4	22.6
	Fifteen or more	1.2	1.2	2.3	1.9	1.3
	<i>missing:</i>	0.3%				
Q34	Are you currently pregnant?					
	Yes	7.3	6.6	8.5	9.3	10.3
	No	90.8	91.9	88.9	88.1	87.3
	Don't know	1.8	1.6	2.6	2.6	2.4
	<i>missing:</i>	0.4%				
Q35	How many times have you had each of the following:					
	a) Live birth (more than 36 weeks)					
	None	71.8	76.9	60.5	53.9	52.1
	One	15.6	13.5	20.5	22.6	21.6
	Two	9.3	7.2	12.8	18.0	18.2
	Three	2.8	2.0	5.0	4.7	6.6
	Four	0.4	0.3	0.8	0.6	1.3
	Five or more	0.1	0.0	0.3	0.2	0.1
	<i>missing:</i>	2.6%				

Q35		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
b) Live premature birth (36 weeks or less)	None	97.2	97.8	95.9	95.3	94.8	
	One	2.4	2.0	3.3	4.1	4.1	
	Two	0.3	0.2	0.5	0.5	0.8	
	Three	0.1	0.0	0.4	0.1	0.1	
	Four	0.0	0.0	0.0	0.0	0.1	
	Five or more missing:	0.0	0.0	0.0	0.0	0.0	
		9.9%					
c) Stillbirth	None	99.4	99.6	99.7	98.8	98.4	
	One	0.5	0.4	0.3	1.2	1.5	
	Two	0.0	0.0	0.0	0.0	0.1	
	Three	0.0	0.0	0.0	0.0	0.0	
	Four	0.0	0.0	0.0	0.0	0.0	
	Five or more missing:	0.0	0.0	0.0	0.0	0.0	
		10.6%					
d) Miscarriage	None	89.3	90.9	85.7	84.0	81.5	
	One	7.9	6.6	10.9	10.9	14.1	
	Two	2.0	1.8	2.7	3.7	2.6	
	Three	0.5	0.4	0.4	0.9	1.0	
	Four	0.2	0.2	.	0.3	0.4	
	Five or more missing:	0.2	0.2	0.4	0.3	0.4	
		8.0%					
e) Termination (abortion)	None	84.9	84.7	86.5	84.7	84.7	
	One	11.4	11.7	10.6	11.6	11.1	
	Two	2.7	2.6	1.9	2.6	3.4	
	Three	0.7	0.7	0.7	0.9	0.6	
	Four	0.2	0.2	0.0	0.1	0.1	
	Five or more missing:	0.1	0.1	0.2	0.1	0.0	
		7.3%					

	Weighted Total Mean (n=8,853)	Capital city/ Other Metropolitan Mean (n=5,330)	Large rural Mean (n=917)	Small Rural Mean (n=857)	Other Rural/ Remote Mean (n=1,749)
--	--	---	--------------------------------	--------------------------------	--

Q36 If you have ever given birth to a child, please write the date of each birth on the line. (If you had twins, please write the date twice.)

1st child

Mean age
Standard error
missing:

24.1
0.1
24.3
0.1
23.5
0.2
23.6
0.2
23.5
0.1

68.0%

2nd child

Mean age
Standard error
missing:

25.2
0.1
25.4
0.2
24.6
0.2
25.2
0.2
24.7
0.1

83.9%

3rd child

Mean age
Standard error
missing:

25.7
0.1
25.9
0.2
25.1
0.3
25.8
0.3
25.4
0.2

95.4%

4th child

Mean age
Standard error
missing:

26.0
0.2
26.0
0.4
25.5
0.5
26.8
0.8
25.7
0.4

99.1%

5th child

Mean age
Standard error
missing:

26.1
0.5
26.0
1.0
26.0
0.7
26.0
2.1
25.5
1.3

99.8%

6th child

Mean age
Standard error
missing:

26.0
1.1
26.0
. . .
28.0
. . .
27.0
. . .
23.0
. . .

99.9%

	Weighted Total Mean (n=8,853)	Capital city/ Metropolitan (n=5,330) Mean	Large rural (n=917) Mean	Small Rural (n=857) Mean	Other Rural/ Remote (n=1,749) Mean
Number of children					
Mean	0.5	0.4	0.7	0.8	0.9
Standard error	0.0	0.0	0.0	0.0	0.0
missing:	0.0%				
Q37 When did you last have a Pap test?					
I have never had a Pap test		%	%	%	%
Less than 2 years ago	10.0	10.8	6.8	8.5	6.5
2 - 5 years ago	72.2	71.6	76.4	72.0	75.0
More than 5 years ago	15.8	15.7	15.0	17.1	16.5
Not sure	1.2	1.2	1.3	1.8	1.3
missing:	0.8	0.8	0.5	0.7	0.7
Q38 Have you EVER had an abnormal Pap test?					
Yes	24.3	24.1	28.8	24.1	25.1
No	72.7	73.0	68.8	73.9	71.5
Don't know	2.9	2.9	2.4	2.0	3.4
missing:	1.2%				
Q39 Have you and your partner (current or previous) ever had problems with fertility - that is, tried unsuccessfully to get pregnant for 12 months or more?					
No, never tried to get pregnant	64.4	69.6	52.6	46.4	45.6
No, had no problem with fertility	29.5	25.2	38.1	43.1	45.7
Yes, but have not sought help/treatment	2.1	1.8	2.8	4.4	2.8
Yes, and have sought help/treatment	4.0	3.4	6.5	6.2	5.9
missing:	0.8%				

	Weighted Total (n=8,853)	Capital city/ Other Metropolitan (n=5,330)		Large rural (n=917)		Small Rural (n=857)		Other Rural/ Remote (n=1,749)	
		Mean	Mean	Mean	Mean	Mean	Mean	Mean	Mean
Q40									
How tall are you without shoes? (cm)									
Mean height	165.9	165.8	166.1	166.0	165.9	166.0	165.9	165.9	165.9
Standard Error	0.1	0.1	0.3	0.3	0.2	0.3	0.3	0.2	0.2
missing:	7.6%								
Q41									
How much do you weigh without clothes or shoes? (Kg)									
Mean weight	67.3	66.6	69.0	69.0	67.3	70.5	70.6	70.6	70.6
Standard Error	0.2	0.2	0.6	0.6	0.2	0.6	0.4	0.4	0.4
missing:	10.3%								
Body Mass Index (Kg/m²)									
Mean BMI	24.5	24.2	25.1	25.1	24.5	25.6	25.7	25.7	25.7
Standard Error	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.2
missing:	16.0%								
BMI classification									
Underweight	14.9	15.5	14.8	14.8	14.9	10.2	10.7	10.7	10.7
Acceptable weight	51.0	52.7	43.5	43.5	51.0	47.6	44.9	44.9	44.9
Overweight	20.1	19.2	25.8	25.8	20.1	22.1	24.4	24.4	24.4
Obese	13.9	12.6	15.9	15.9	13.9	20.2	19.9	19.9	19.9
missing:	16.0%								
Q42									
How much would you LIKE to weigh NOW?									
Happy as I am	20.7	20.6	22.4	22.4	20.7	18.6	19.4	19.4	19.4
1 – 5 kg more	2.3	2.3	2.5	2.5	2.3	2.0	2.0	2.0	2.0
Over 5 kg more	0.5	0.5	0.7	0.7	0.5	0.6	0.6	0.6	0.6
1 – 5 kg less	37.9	39.6	33.8	33.8	37.9	33.8	31.0	31.0	31.0
6 -10 kg less	19.9	19.5	19.4	19.4	19.9	23.5	23.0	23.0	23.0
Over 10 kg less	18.6	17.6	21.2	21.2	18.6	21.6	24.0	24.0	24.0
missing:	0.6%								

	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
		Metropolitan (n=5,330) %	Other %			
Q43						
How often have you gone on a diet (that is, limited how much you ate) in order to lose weight DURING THE LAST YEAR?						
Never	47.3	47.1	48.4	46.5	48.3	
1 – 4 times	39.7	39.4	39.8	40.4	41.0	
5 – 10 times	4.0	4.2	3.8	4.9	2.9	
More than 10 times	2.4	2.6	2.0	1.9	1.8	
I am always on a diet to lose weight	6.6	6.8	6.0	6.2	6.0	
<i>missing:</i>						0.3%
Q44						
In the PAST MONTH, how dissatisfied have you felt about:						
a) Your weight						
1 Not at all dissatisfied	16.4	16.3	16.8	15.2	16.5	
2	10.4	10.7	11.1	9.0	8.3	
3 Slightly dissatisfied	25.3	24.5	26.7	25.2	26.9	
4	5.7	6.0	4.3	7.0	4.5	
5 Moderately dissatisfied	17.9	18.4	16.9	17.0	18.0	
6	6.9	6.9	6.9	7.1	6.4	
7 Markedly dissatisfied	17.5	17.1	17.4	19.6	19.3	
<i>missing:</i>						0.4%
b) Your shape						
1 Not at all dissatisfied	10.6	10.9	12.1	9.9	10.0	
2	11.0	11.3	10.5	9.1	9.2	
3 Slightly dissatisfied	26.8	25.9	26.9	28.6	28.8	
4	8.0	8.4	8.2	7.5	7.0	
5 Moderately dissatisfied	19.8	20.0	19.2	19.7	19.8	
6	8.1	8.2	7.0	8.0	7.5	
7 Markedly dissatisfied	15.6	15.4	16.0	17.2	17.7	
<i>missing:</i>						0.8%
Q45						
During the PAST 4 WEEKS, have you used medications (eg tablets or medicine) which were:						
a) Prescription medication for your nerves (eg Valium, Serapax etc)						
No	98.3	98.3	98.2	98.5	98.4	
Yes	1.7	1.7	1.8	1.5	1.6	
<i>missing:</i>						2.3%

Q45	b) Prescription medication to help you sleep (eg Temaze, Normison, Mogadon etc)	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
	No	97.4	97.3	97.1	97.6	97.9	
	Yes	2.6	2.7	2.9	2.4	2.1	
	missing:	2.3%					
	c) Prescription medication for depression (eg Zactin, Zoloft, Aropax etc)						
	No	97.4	97.3	97.1	97.6	97.9	
	Yes	2.6	2.7	2.9	2.4	2.1	
	missing:	2.3%					
	d) Other medication prescribed by a doctor (excluding the oral contraceptive pill)						
	No	76.4	76.8	72.6	75.4	76.9	
	Yes	23.6	23.2	27.4	24.6	23.1	
	missing:	2.3%					
	e) Other medication bought without a prescription at the chemist, supermarket or health food shop						
	No	49.1	47.8	51.3	54.3	54.3	
	Yes	50.9	52.2	48.7	45.7	45.7	
	missing:	2.3%					
	f) None of these medications						
	No	62.1	63.0	63.7	58.5	57.7	
	Yes	37.9	37.0	36.3	41.5	42.3	
	missing:	2.3%					
Q46	How often do you currently smoke cigarettes or any tobacco products?						
	Daily	16.2	15.2	19.8	20.4	20.1	
	At least weekly (but not daily)	2.7	2.8	2.6	2.1	2.0	
	Less often than weekly	5.3	5.7	3.6	3.9	3.4	
	Not at all	75.8	76.3	73.9	73.6	74.5	
	missing:	1.3%					

	Weighted Total (n=8,853)	Capital city/ Other		Large rural (n=917)	Small Rural (n=857)	Other Rural/ Remote (n=1,749)
		Metropolitan (n=5,330)	Other			
Q47						
a) If you smoke daily, on average how many cigarettes do you smoke EACH DAY?						
Mean per day	12.8	12.4	12.4	15.2	13.1	13.9
Standard Error	0.2	0.2	0.2	0.8	0.5	0.4
Not daily smoker	81.8%					
missing:	1.3%					
b) If you smoke, but not daily, on average how many cigarettes do you smoke PER WEEK?						
Mean per week	14.3	12.6	12.6	18.8	17.1	21.3
Standard Error	1.0	0.9	0.9	6.2	4.5	4.0
Not applicable	91.4%					
missing:	4.9%					
Q48						
In your lifetime, would you have smoked at least 100 cigarettes (or equivalent)?						
Yes	24.8	24.8	24.8	22.2	26.0	25.4
No	59.4	60.3	60.3	58.3	54.1	55.1
Daily smoker	15.8	14.8	14.8	19.5	19.9	19.5
missing:	0.9%					
Q49						
Have you ever smoked daily?						
Yes, in the past	19.5	19.5	19.5	17.4	20.5	20.0
No	5.4	5.5	5.5	4.6	5.2	5.0
Not smoked 100	59.0	59.9	59.9	58.1	54.0	54.9
Daily smoker	16.1	15.1	15.1	19.8	20.3	20.0
missing:	2.1%					
Q50						
At what age did you finally stop smoking daily?						
Mean age	23.5	23.5	23.5	22.8	23.0	23.5
Standard Error	0.1	0.1	0.1	0.3	0.3	0.2
Not applicable	80.1%					
missing:	1.4%					

		Weighted Total (n=8,853) %	Capital city/ Other Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
Q53	On a day when you drink alcohol, how many standard drinks do you usually have?					
	Do not drink alcohol	7.8	7.0	9.0	8.7	10.9
	1 or 2 drinks per day	51.8	51.8	48.2	46.0	50.3
	3 or 4 drinks per day	27.7	28.8	26.6	27.3	24.1
	5 to 8 drinks per day	10.9	10.7	12.3	15.1	12.3
	9 or more drinks per day	1.8	1.6	3.8	2.8	2.4
	<i>missing:</i>	0.8%				
Q54	How often do you have five or more standard drinks of alcohol on one occasion?					
	Do not drink alcohol	7.8	7.0	9.0	8.8	10.9
	Never	23.1	23.2	20.9	22.1	22.0
	Less than once a month	38.3	38.1	41.7	41.4	37.2
	About once a month	18.5	19.1	18.3	17.8	17.5
	About once a week	10.5	10.7	8.8	8.3	10.9
	More than once a week	1.8	1.9	1.3	1.7	1.6
	<i>missing:</i>	0.8%				
	NHMRC alcohol classification					
	Low risk drinker	62.5	64.7	53.4	52.1	56.9
	Non-drinker	7.8	7.0	9.0	8.7	10.9
	Rarely drinks	26.0	24.5	34.4	36.2	29.2
	Risky drinker	3.2	3.4	2.8	2.5	2.2
	High risk drinker	0.5	0.4	0.4	0.5	0.8
	<i>missing:</i>	0.4%				
	Alcohol drinking pattern					
	Low risk drinker, >=5 drinks <weekly	78.6	79.1	79.5	79.6	75.2
	Non-drinker	7.8	7.0	9.0	8.8	11.0
	Low risk drinker, >=5 drinks weekly	9.9	10.0	8.1	8.6	10.7
	Risky/high risk drinker	3.7	3.9	3.3	3.0	3.1
	<i>missing:</i>	1.0%				

	Weighted Total (n=8,853) %	Capital city/ Other Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
Pattern of drug use					
Never used illicit drugs	37.0	36.0	41.6	40.0	42.5
ONLY ever used Marijuana - not in last 12 months	27.7	26.6	30.1	31.5	33.1
ONLY ever used Marijuana - used in the last 12 months	5.6	5.3	7.4	5.9	5.9
Used multiple/single drug other than Marijuana-					
not last 12 months	12.9	13.6	11.5	10.7	8.9
Used multiple/single drug other than Marijuana in					
last 12 months	16.8	18.5	9.3	11.9	9.6
<i>missing:</i>	3.0%				
Number of drugs ever used	Mean	Mean	Mean	Mean	Mean
Mean	1.4	1.5	1.1	1.1	1.0
Standard error	0.0	0.0	0.0	0.1	0.0
<i>missing:</i>	3.0%				
Number of drugs ever used in last 12 months					
Mean	0.4	0.5	0.2	0.3	0.2
Standard error	0.0	0.0	0.0	0.0	0.0
<i>missing:</i>	3.0%				
Q55 The following question asks about the use of drugs for NON-MEDICINAL purposes.					
NEVER used any of these drugs					
Have used	63.0	64.0	58.4	60.0	57.5
Never used	37.0	36.0	41.6	40.0	42.5
<i>missing:</i>	3.0%				

Weighted Total
(n=8,853)
%

**Capital city/
Other Metropolitan**
(n=5,330)
%

Large rural
(n=917)
%

Small Rural
(n=857)
%

**Other Rural/
Remote**
(n=1,749)
%

Q55 Aa) Have you EVER tried marijuana

Yes
Never used this drug
Never used any drugs
missing:

3.0%

Mean **Mean** **Mean** **Mean** **Mean**

Ba) At about what age did you first try marijuana

Mean age
Standard error
missing:

0.7%

Ca) Have you used marijuana in the LAST 12 months?

Yes
No
Never used this drug
Never used any drugs
missing:

3.0%

Ab) Have you EVER tried amphetamines

Yes
Never used this drug
Never used any drugs
missing:

3.0%

Mean **Mean** **Mean** **Mean** **Mean**

Bb) At about what age did you first try amphetamines

Mean age
Standard error
missing:

1.0%

Q55	C b) Have you used amphetamines in the LAST 12 months?	Capital city/ Other				Mean
		Weighted Total (n=8,853) %	Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
	Yes	7.3	8.2	3.5	4.5	3.6
	No	13.2	14.3	10.0	10.3	8.1
	Never used this drug	42.5	41.5	44.9	45.2	45.8
	Never used any drugs <i>missing:</i>	37.0	36.0	41.6	40.0	42.5
		3.0%				
	Ac) Have you EVER tried LSD					
	Yes	15.1	16.2	10.0	10.8	9.1
	Never used this drug	47.9	47.8	48.4	49.2	48.4
	Never used any drugs <i>missing:</i>	37.0	36.0	41.6	40.0	42.5
		3.0%				
	Bc) At about what age did you first try LSD					
	Mean age	19.0	19.0	19.1	18.7	18.9
	Standard error	0.1	0.1	0.3	0.3	0.2
	<i>missing:</i>					
		1.1%				
	Cc) Have you used LSD in the LAST 12 months?					
	Yes	0.9	1.0	0.3	0.5	0.3
	No	14.2	15.2	9.7	10.3	8.8
	Never used this drug	47.9	47.8	48.4	49.2	48.4
	Never used any drugs <i>missing:</i>	37.0	36.0	41.6	40.0	42.5
		3.0%				
	Ad) Have you EVER tried natural hallucinogens					
	Yes	6.8	7.2	4.7	6.1	3.9
	Never used this drug	56.2	56.8	53.7	53.9	53.6
	Never used any drugs <i>missing:</i>	37.0	36.0	41.6	40.0	42.5
		3.0%				

	Weighted Total (n=8,853) Mean	Capital city/ Other Metropolitan (n=5,330) Mean		Large rural (n=917) Mean		Small Rural (n=857) Mean		Other Rural/ Remote (n=1,749) Mean	
		Mean	%	Mean	%	Mean	%	Mean	%
Q55 Bd) At about what age did you first try natural hallucinogens		19.7	19.8	19.0	18.3	18.8			
Mean age		0.1	0.2	0.5	0.4	0.4			
Standard error									
missing:	1.5%								
Cd) Have you used hallucinogens in the LAST 12 months?									
Yes	0.6	0.7	0.1	0.1	0.3				
No	6.2	6.5	4.6	6.0	3.6				
Never used this drug	56.2	56.8	53.7	53.9	54.8				
Never used any drugs	37.0	36.0	41.6	40.0	41.6				
missing:	3.0%								
Ae) Have you EVER tried tranquilisers									
Yes	4.3	4.6	3.6	2.8	2.7				
Never used this drug	58.7	59.4	54.8	57.2	54.8				
Never used any drugs	37.0	36.0	41.6	40.0	42.5				
missing:	3.0%								
Be) At about what age did you first try tranquilisers									
Mean age	20.7	20.7	20.9	20.4	20.3				
Standard error	0.2	0.2	0.7	0.8	0.6				
missing:	3.9%								
Ce) Have you used tranquilisers in the LAST 12 months?									
Yes	1.3	1.4	1.1	0.8	0.5				
No	3.0	3.2	2.5	2.0	2.2				
Never used this drug	58.7	59.4	54.8	57.2	54.8				
Never used any drugs	37.0	36.0	41.6	40.0	42.5				
missing:	3.0%								

	Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %
		Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
Q55 Af) Have you EVER tried cocaine					
Yes	9.6	10.9	3.3	5.1	3.9
Never used this drug	53.4	53.1	55.1	54.9	53.6
Never used any drugs missing:	37.0	36.0	41.6	40.0	42.5
	3.0%				
Bf) At about what age did you first try cocaine					
Mean age	22.4	22.5	21.3	22.3	21.8
Standard error missing:	0.1	0.1	0.6	0.5	0.4
	1.4%				
Cf) Have you used cocaine in the LAST 12 months?					
Yes	2.8	3.3	0.6	1.6	0.8
No	6.8	7.6	2.7	3.5	3.1
Never used this drug	53.4	53.1	55.1	54.9	53.6
Never used any drugs missing:	37.0	36.0	41.6	40.0	42.5
	3.0%				
Ag) Have you EVER tried ecstasy/designer drugs					
Yes	20.0	22.7	9.9	11.5	9.5
Never used this drug	43.0	41.3	48.5	48.5	48.0
Never used any drugs missing:	37.0	36.0	41.6	40.0	42.5
	3.0%				
Bg) At about what age did you first try ecstasy/designer drugs					
Mean age	21.9	21.9	22.2	22.1	22.2
Standard error missing:	0.1	0.1	0.3	0.3	0.3
	0.7%				

Q55	Cg) Have you used ecstasy/designer drugs in the LAST 12 months?	Capital city/ Other Metropolitan				Other Rural/ Remote		
		Weighted Total (n=8,853) %	Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	Remote (n=1,749) %	Mean	Mean
	Yes	8.6	10.1	3.2	4.0	2.7		
	No	11.4	12.6	6.7	7.5	6.8		
	Never used this drug	43.0	41.3	48.5	48.5	48.0		
	Never used any drugs	37.0	36.0	41.6	40.0	42.5		
	missing:	3.0%						
	Ah) Have you EVER tried inhalants							
	Yes	2.0	2.2	1.8	1.5	1.4		
	Never used this drug	61.0	61.8	56.6	58.5	56.1		
	Never used any drugs	37.0	36.0	41.6	40.0	42.5		
	missing:	3.0%						
	Bh) At about what age did you first try inhalants							
	Mean age	16.6	16.6	16.9	16.3	16.0		
	Standard error	0.3	0.3	0.7	0.6	0.5		
	missing:	3.0%						
	Ch) Have you used inhalants in the LAST 12 months?							
	Yes	0.1	0.1	0.2	0.0	0.1		
	No	1.9	2.1	1.6	1.5	1.3		
	Never used this drug	61.0	61.8	56.6	58.5	56.1		
	Never used any drugs	37.0	36.0	41.6	40.0	42.5		
	missing:	3.0%						
	Ai) Have you EVER tried heroin							
	Yes	1.4	1.5	1.0	1.0	1.3		
	Never used this drug	61.6	62.5	57.4	59.0	56.2		
	Never used any drugs	37.0	36.0	41.6	40.0	42.5		
	missing:	3.0%						

Q55		Weighted Total Mean (n=8,853)	Capital city/ Other		Large rural		Small Rural		Other Rural/ Remote	
			Metropolitan Mean (n=5,330)	%	Mean (n=917)	%	Mean (n=857)	%	Mean (n=1,749)	%
Bi) At about what age did you first try heroin	Mean age	20.4	20.4	21.6	19.9	21.3				
	Standard error	0.3	0.4	1.2	0.9	0.7				
	missing:	3.4%								
Ci) Have you used heroin in the LAST 12 months?	Yes	0.2	0.3	0.1	0.1	0.2				
	No	1.2	1.2	0.9	0.9	1.1				
	Never used this drug	61.6	62.5	57.4	59.0	56.2				
	Never used any drugs missing:	37.0	36.0	41.6	40.0	42.5				
Aj) Have you EVER tried barbiturates	Yes	0.5	0.5	0.3	0.4	0.6				
	Never used this drug	62.5	63.5	58.1	59.6	56.9				
	Never used any drugs	37.0	36.0	41.6	40.0	42.5				
	missing:	3.0%								
Bj) At about what age did you first try barbiturates	Mean age	19.8	19.0	23.0	18.7	22.4				
	Standard error	0.5	0.5	3.5	1.8	1.3				
	missing:	9.5%								
Cj) Have you used barbiturates in the LAST 12 months?	Yes	0.1	0.1	0.1	0.2	0.1				
	No	0.4	0.4	0.2	0.2	0.5				
	Never used this drug	62.5	63.5	58.1	59.6	56.9				
	Never used any drugs missing:	37.0	36.0	41.6	40.0	42.5				

	Weighted Total Mean (n=8,853)	Capital city/ Other		Large rural Mean (n=917)	Small Rural Mean (n=857)	Other Rural/ Remote Mean (n=1,749)
		Metropolitan Mean (n=5,330)	Other Mean			
Q58						
c) Vigorous leisure activity (that makes you breathe harder or puff and pant like aerobics, competitive sport, vigorous cycling, running, swimming)						
Mean	1.1	1.2	1.1	1.0	1.1	1.1
Standard error	0.0	0.0	0.1	0.1	0.1	0.1
missing:	0.6%					
d) Vigorous household or garden chores (that make you breathe harder or puff and pant)						
Mean	2.0	1.7	2.4	2.6	3.0	3.0
Standard error	0.0	0.0	0.1	0.1	0.1	0.1
missing:	0.6%					
Q59						
If you add up all the times you spent in each activity LAST WEEK, how much time did you spend ALTOGETHER doing each type of activity?						
a) Walking briskly (for recreation or exercise, or to get from place to place)						
Mean no. minutes	145.0	144.8	152.5	137.2	165.2	165.2
Standard error	2.6	3.2	9.7	7.4	8.2	8.2
missing:	1.3%					
b) Moderate leisure activity (like social tennis, moderate exercise classes, recreational swimming, dancing)						
Mean no. minutes	48.9	47.1	49.2	47.2	57.2	57.2
Standard error	1.2	1.3	3.6	3.3	4.4	4.4
missing:	1.2%					
c) Vigorous leisure activity (that makes you breathe harder or puff and pant like aerobics, competitive sport, vigorous cycling, running, swimming)						
Mean no. minutes	61.8	63.4	59.5	52.9	55.2	55.2
Standard error	1.4	1.8	4.3	3.5	3.6	3.6
missing:	1.1%					
d) Vigorous household or garden chores (that make you breathe harder or puff and pant)						
Mean no. minutes	133.9	118.7	162.7	169.8	201.0	201.0
Standard error	3.0	3.3	10.7	10.7	10.0	10.0
missing:	1.6%					

	Weighted Total Mean (n=8,853)	Capital city/ Other		Large rural (n=917) Mean	Small Rural (n=857) Mean	Other Rural/ Remote (n=1,749) Mean
		Metropolitan (n=5,330) Mean	Other Mean			
Exercise Score (Metsmins)						
Mean metsmins	1080.6	1082.9	1082.9	1091.1	999.9	1093.1
Standard error	14.0	17.4	17.4	48.3	39.0	37.4
missing:	1.8%					

Q60	How many hours in total do you typically spend sitting down while doing things like visiting friends, driving, reading, watching television, or working at a desk or computer?	a) On a usual WEEK DAY	Mean no. hours	Standard error	missing:	Mean	Mean	Mean	Mean	Mean
			8.1	0.1		8.4	0.1	7.3	7.3	6.9
			0.1			0.1		0.2	0.3	0.2
			1.9%							
			5.9	0.1		5.8	0.1	6.1	6.1	5.8
			0.0			0.1		0.1	0.2	0.1
			2.7%							

Q79	Thinking about your current approach to life, please indicate how much you think each statement describes you:	a) In uncertain times, I usually expect the best	strongly disagree	disagree	neutral	agree	strongly agree	missing:	Mean	Mean	Mean	Mean	Mean
			2.9	20.8	35.0	36.5	4.8		2.8	20.4	34.6	37.0	5.2
			1.1%						3.5	20.7	38.3	32.8	4.7
									2.6	22.4	40.4	31.2	3.4
									9.7	36.5	29.9	22.7	3.4
									12.1	43.8	24.5	22.7	9.7
									42.3	24.5	16.6	22.7	36.3
									25.7	17.5	2.2	22.7	28.7
									17.5	2.4	4.1	22.7	22.0
									2.4	1.3%		3.4	3.2

Q79		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
c) I'm always optimistic about my future	strongly disagree	1.1	1.0	1.1	1.2	1.3	
	disagree	13.1	13.0	14.5	12.9	14.0	
	neutral	27.9	27.1	30.1	31.8	31.2	
	agree	49.6	50.4	47.2	45.3	46.4	
	strongly agree	8.3	8.5	7.1	8.8	7.1	
	missing:	1.4%					
d) I hardly ever expect things to go my way	strongly disagree	14.4	15.2	10.6	10.5	10.8	
	disagree	48.3	49.5	46.2	41.4	43.4	
	neutral	23.3	22.2	25.7	28.8	27.1	
	agree	12.7	11.9	14.5	17.9	17.2	
	strongly agree	1.3	1.2	3.0	1.4	1.6	
	missing:	1.5%					
e) I rarely count on good things happening to me	strongly disagree	16.5	17.2	13.8	13.0	13.1	
	disagree	46.2	47.1	45.1	39.5	42.1	
	neutral	20.7	19.9	22.0	26.5	23.5	
	agree	14.9	14.2	16.9	19.0	18.7	
	strongly agree	1.7	1.6	2.1	2.0	2.5	
	missing:	1.3%					
f) Overall, I expect more good things to happen to me than bad	strongly disagree	1.0	1.1	1.4	1.2	1.2	
	disagree	6.8	6.4	9.0	8.8	8.8	
	neutral	19.6	18.7	20.3	25.2	24.1	
	agree	53.7	54.5	53.4	49.2	49.2	
	strongly agree	18.8	19.3	15.8	15.5	16.7	
	missing:	0.7%					

Q80	Over the LAST 12 MONTHS, how stressed have you felt about the following areas of your life:	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
	a) Own health						
	Not at all stressed	34.5	34.0	35.5	37.7	36.3	
	Somewhat stressed	43.8	44.1	42.8	41.1	43.0	
	Moderately stressed	14.2	14.4	14.1	14.5	13.4	
	Very stressed	5.4	5.4	5.4	4.5	5.8	
	Extremely stressed	2.0	2.1	2.2	2.2	1.6	
	<i>missing:</i>	0.6%					
	b) Health of family members						
	Not applicable	0.7	0.7	0.8	0.8	0.5	
	Not at all stressed	22.2	21.9	22.2	23.2	23.3	
	Somewhat stressed	42.2	42.1	41.0	44.1	42.2	
	Moderately stressed	20.8	20.9	21.7	20.2	20.3	
	Very stressed	9.8	9.9	9.9	8.6	9.5	
	Extremely stressed	4.3	4.4	4.5	3.1	4.2	
	<i>missing:</i>	0.5%					
	c) Work/employment						
	Not applicable	5.1	4.2	7.3	7.4	9.1	
	Not at all stressed	16.2	14.5	19.5	21.5	21.9	
	Somewhat stressed	31.3	31.4	30.5	33.4	31.6	
	Moderately stressed	24.2	24.9	22.5	20.7	20.6	
	Very stressed	16.3	17.5	15.0	12.0	11.8	
	Extremely stressed	6.8	7.4	5.3	4.9	4.9	
	<i>missing:</i>	0.7%					
	d) Living arrangements						
	Not applicable	1.2	1.0	1.9	2.1	2.1	
	Not at all stressed	46.6	45.0	49.7	53.2	52.4	
	Somewhat stressed	26.6	27.0	24.9	23.1	24.5	
	Moderately stressed	13.6	14.2	12.9	11.9	11.3	
	Very stressed	8.5	8.9	7.7	7.1	6.9	
	Extremely stressed	3.6	3.9	3.0	2.7	2.7	
	<i>missing:</i>	0.5%					

Q80	e) Study		Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %
				Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
		Not applicable	52.1	50.9	52.3	53.8	57.4
		Not at all stressed	20.4	19.6	22.2	21.7	23.5
		Somewhat stressed	11.9	12.3	11.8	13.6	9.2
		Moderately stressed	8.1	8.8	7.5	6.1	5.1
		Very stressed	5.4	5.9	4.8	3.8	3.4
		Extremely stressed	2.1	2.5	1.4	0.9	1.3
		<i>missing:</i>					
							0.9%
		Not applicable	0.3	0.4	0.3	0.2	0.3
		Not at all stressed	15.3	15.0	13.7	15.5	15.6
		Somewhat stressed	37.7	38.1	35.2	35.9	36.8
		Moderately stressed	22.8	22.6	24.0	25.5	23.7
		Very stressed	14.9	14.9	17.2	14.4	14.0
		Extremely stressed	9.0	9.1	9.4	8.5	9.6
		<i>missing:</i>					
							0.6%
		Not applicable	1.6	1.4	1.7	2.7	2.8
		Not at all stressed	61.9	61.9	66.0	64.3	62.2
		Somewhat stressed	21.6	21.8	19.4	18.1	21.8
		Moderately stressed	8.8	8.6	8.9	8.8	8.4
		Very stressed	3.9	4.1	2.1	3.4	2.9
		Extremely stressed	2.2	2.1	2.0	2.6	1.9
		<i>missing:</i>					
							0.7%
		Not applicable	14.2	14.9	14.6	14.7	11.1
		Not at all stressed	38.1	37.0	40.6	41.7	41.9
		Somewhat stressed	26.5	26.6	24.2	25.4	27.0
		Moderately stressed	9.4	9.6	7.9	7.7	10.1
		Very stressed	6.6	6.7	6.7	6.0	5.9
		Extremely stressed	5.2	5.3	5.8	4.6	4.0
		<i>missing:</i>					
							0.6%

f) Money

g) Relationship with parents

h) Relationship with partner/spouse

Q80	i) Relationship with other family members	Capital city/ Other				Other Rural/ Remote (n=1,749) %
		Weighted Total (n=8,853) %	Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
	Not applicable	1.4	1.5	1.4	0.9	1.1
	Not at all stressed	55.6	55.2	57.9	56.5	56.4
	Somewhat stressed	29.6	29.7	28.9	29.3	28.9
	Moderately stressed	8.4	8.2	7.5	9.3	9.0
	Very stressed	3.5	3.8	3.0	2.5	2.9
	Extremely stressed	1.6	1.6	1.3	1.5	1.7
	<i>missing:</i>					
						0.5%
	j) Relationship with friends					
	Not applicable	0.9	0.9	1.0	1.2	1.0
	Not at all stressed	60.3	58.6	64.5	65.4	66.1
	Somewhat stressed	30.2	31.3	27.1	25.7	25.3
	Moderately stressed	6.0	6.4	4.6	5.0	5.5
	Very stressed	2.0	2.1	2.1	2.0	1.4
	Extremely stressed	0.7	0.6	0.7	0.7	0.6
	<i>missing:</i>					
						0.5%
	k) Motherhood/children					
	Not applicable	57.3	61.7	46.5	42.3	40.0
	Not at all stressed	12.4	11.6	14.9	15.1	16.3
	Somewhat stressed	17.1	15.0	20.7	24.2	25.4
	Moderately stressed	7.8	7.1	9.9	10.6	10.7
	Very stressed	3.7	3.1	5.5	6.2	5.5
	Extremely stressed	1.6	1.6	2.5	1.6	2.2
	<i>missing:</i>					
						0.6%
	Mean stress score	Mean	Mean	Mean	Mean	Mean
	Mean score	0.9	0.9	0.9	0.9	0.9
	Standard error	0.0	0.0	0.0	0.0	0.0
	<i>missing:</i>					
						0.3%

Q81

The following questions are about **CHANGES** that may have happened in your life.

In what year did you:

a) First move out of home (not including boarding school)

Mean age	20.4	Capital city/ Other Metropolitan (n=5,330) Mean	20.5	Large rural (n=917) Mean	19.5	Small Rural (n=857) Mean	19.5	Other Rural/ Remote (n=1,749) Mean	19.3
Standard error	0.0		0.0	0.1	0.1	0.1	0.1	0.1	
Has not happened yet (%) <i>missing:</i>	7.4%		7.8%	3.5%	4.3%	4.1%	0.5%	4.1%	

b) First stop full-time education

Mean	19.7	Capital city/ Other Metropolitan (n=5,330) Mean	20.0	Large rural (n=917) Mean	19.0	Small Rural (n=857) Mean	18.3	Other Rural/ Remote (n=1,749) Mean	18.6
Standard error	0.0		0.0	0.1	0.1	0.1	0.1	0.1	
Has not happened yet <i>missing:</i>	2.8%		2.8%	3.0%	2.0%	2.8%	0.5%	2.8%	

c) First start full-time work

Mean age	20.7	Capital city/ Other Metropolitan (n=5,330) Mean	20.8	Large rural (n=917) Mean	20.1	Small Rural (n=857) Mean	19.5	Other Rural/ Remote (n=1,749) Mean	19.7
Standard error	0.0		0.0	0.1	0.1	0.1	0.1	0.1	
Has not happened yet <i>missing:</i>	6.8%		6.3%	10.0%	7.2%	9.2%	0.5%	9.2%	

d) First have a live-in relationship with a romantic partner

Mean age	22.1	Capital city/ Other Metropolitan (n=5,330) Mean	22.3	Large rural (n=917) Mean	21.2	Small Rural (n=857) Mean	20.9	Other Rural/ Remote (n=1,749) Mean	21.1
Standard error	0.0		0.0	0.1	0.1	0.1	0.1	0.1	
Has not happened yet <i>missing:</i>	20.9%		23.0%	15.1%	15.7%	13.8%	0.5%	13.8%	

e) First marry

Mean age	24.2	Capital city/ Other Metropolitan (n=5,330) Mean	24.3	Large rural (n=917) Mean	23.8	Small Rural (n=857) Mean	23.6	Other Rural/ Remote (n=1,749) Mean	23.6
Standard error	0.0		0.1	0.1	0.1	0.1	0.1	0.1	
Has not happened yet <i>missing:</i>	55.9%		59.1%	50.1%	48.4%	45.0%	0.5%	45.0%	

Q82	Have you experienced any of the following events IN THE LAST TWELVE MONTHS?	Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
Aa) Major personal illness	No	93.3	93.3	93.4	93.5	92.7
	Yes	6.7	6.7	6.6	6.5	7.3
	missing:	0.1%				
Ab) Major personal injury	No	96.4	96.3	96.6	96.5	96.8
	Yes	3.6	3.7	3.4	3.5	3.2
	missing:	0.1%				
Ac) Major surgery (not including dental work)	No	94.7	94.9	94.7	93.9	93.2
	Yes	5.3	5.1	5.3	6.1	6.8
	missing:	0.1%				
Ad) Birth of your first child	No	94.2	94.9	92.5	93.0	92.4
	Yes	5.8	5.1	7.5	7.0	7.6
	missing:	0.1%				
Ae) Birth of your second or later child	No	95.7	96.7	94.9	92.2	91.5
	Yes	4.3	3.3	5.1	7.8	8.5
	missing:	0.1%				
Af) Having a child with a disability or serious illness	No	99.4	99.6	99.2	99.1	98.7
	Yes	0.6	0.4	0.8	0.9	1.3
	missing:	0.1%				
Ag) Starting a new, close personal relationship	No	86.5	85.3	88.5	89.7	90.4
	Yes	13.5	14.7	11.5	10.3	9.6
	missing:	0.1%				

Q82		Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
Ah) Getting married (or starting to live with someone)	No	87.8	87.2	89.6	91.5	90.0
	Yes	12.2	12.8	10.4	8.5	10.0
	<i>missing:</i>	0.1%				
Ai) Problem or break-up in a close personal relationship	No	82.5	81.2	83.6	87.5	88.4
	Yes	17.5	18.8	16.4	12.5	11.6
	<i>missing:</i>	0.1%				
Aj) Divorce or separation	No	97.0	97.0	96.1	96.6	97.2
	Yes	3.0	3.0	3.9	3.4	2.8
	<i>missing:</i>	0.1%				
Ak) Becoming a sole parent	No	98.6	98.8	97.4	98.1	97.6
	Yes	1.4	1.2	2.6	1.9	2.4
	<i>missing:</i>	0.1%				
Al) Increased hassles with parents	No	90.6	90.5	91.0	91.4	91.7
	Yes	9.4	9.5	9.0	8.6	8.3
	<i>missing:</i>	0.1%				
Am) Serious conflict between members of your family	No	87.0	87.0	87.4	86.2	87.6
	Yes	13.0	13.0	12.6	13.8	12.4
	<i>missing:</i>	0.1%				
An) Parents getting divorced, separated or remarried	No	98.2	98.0	97.8	98.5	98.9
	Yes	1.8	2.0	2.2	1.5	1.1
	<i>missing:</i>	0.1%				

Q82		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
Ao) Death of partner or close family member	No	90.7	90.6	91.2	90.4	89.8	
	Yes	9.3	9.4	8.8	9.6	10.2	
	missing:	0.1%					
Ap) Death of a child	No	99.7	99.7	100.0	99.4	99.7	
	Yes	0.3	0.3	0.0	0.6	0.3	
	missing:	0.1%					
Aq) Stillbirth of a child	No	99.8	99.8	100.0	99.8	99.7	
	Yes	0.2	0.2	0.0	0.2	0.3	
	missing:	0.1%					
Ar) Miscarriage	No	97.6	97.9	96.4	96.4	96.9	
	Yes	2.4	2.1	3.6	3.6	3.1	
	missing:	0.1%					
As) Death of a close friend	No	96.5	96.9	94.5	95.9	95.1	
	Yes	3.5	3.1	5.5	4.1	4.9	
	missing:	0.1%					
At) Leaving home for the first time	No	97.5	97.2	99.1	99.1	99.2	
	Yes	2.5	2.8	0.9	0.9	0.8	
	missing:	0.1%					
Au) Difficulty finding a job	No	89.4	89.2	89.3	89.5	90.7	
	Yes	10.6	10.8	10.7	10.5	9.3	
	missing:	0.1%					

Q82	Av) Return to study		Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %
				Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
		No	87.6	87.4	86.4	86.0	89.4
		Yes	12.4	12.6	13.6	14.0	10.6
		<i>missing:</i>					
							0.1%
	Aw) Beginning/resuming work outside the home						
		No	92.5	93.0	90.7	91.5	90.9
		Yes	7.5	7.0	9.3	8.5	9.1
		<i>missing:</i>					
							0.1%
	Ax) Distressing harassment at work						
		No	94.2	93.6	95.2	95.9	95.8
		Yes	5.8	6.4	4.8	4.1	4.2
		<i>missing:</i>					
							0.1%
	Ay) Loss of job						
		No	95.7	95.6	97.1	96.3	96.0
		Yes	4.3	4.4	2.9	3.7	4.0
		<i>missing:</i>					
							0.1%
	Az) Partner losing a job						
		No	95.5	95.5	95.3	95.1	95.9
		Yes	4.5	4.5	4.7	4.9	4.1
		<i>missing:</i>					
							0.1%
	Aaa) Decreased income						
		No	77.0	77.6	74.8	77.1	75.2
		Yes	23.0	22.4	25.2	22.9	24.8
		<i>missing:</i>					
							0.1%
	Abb) Natural disaster (fire, flood, drought, earthquake etc) or house fire						
		No	97.2	98.2	97.8	97.0	91.4
		Yes	2.8	1.8	2.2	3.0	8.6
		<i>missing:</i>					
							0.1%

Q82		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
Acc) Major loss or damage to personal property	No	97.5	97.3	97.3	97.3	98.5	97.5
	Yes	2.5	2.7	2.7	2.7	1.5	2.5
	<i>missing:</i>	0.1%					
Add) Being robbed	No	94.9	94.5	95.9	96.5	96.8	96.8
	Yes	5.1	5.5	4.1	3.5	3.2	3.2
	<i>missing:</i>	0.1%					
Aee) Involvement in a serious accident	No	98.6	98.4	98.8	98.5	98.6	98.6
	Yes	1.4	1.6	1.2	1.5	1.4	1.4
	<i>missing:</i>	0.1%					
Aff) Being pushed, grabbed, shoved, kicked or hit	No	94.4	94.3	93.8	94.7	94.8	94.8
	Yes	5.6	5.7	6.2	5.3	5.2	5.2
	<i>missing:</i>	0.1%					
Agg) Being forced to take part in unwanted sexual activity	No	99.0	99.2	98.3	98.8	98.8	98.8
	Yes	1.0	0.8	1.7	1.2	1.2	1.2
	<i>missing:</i>	0.1%					
Ahh) Legal troubles or involvement in a court case	No	95.0	95.2	94.2	94.9	94.6	94.6
	Yes	5.0	4.8	5.8	5.1	5.4	5.4
	<i>missing:</i>	0.1%					
Aii) Family member/close friend being arrested/in gaol	No	97.2	97.3	96.9	97.1	96.9	96.9
	Yes	2.8	2.7	3.1	2.9	3.1	3.1
	<i>missing:</i>	0.1%					

Q82	Have you experienced any of the following events MORE THAN TWELVE MONTHS AGO?	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
	Ba) Major personal illness						
	No	85.0	84.9	84.6	84.8	85.9	
	Yes	15.0	15.1	15.4	15.2	14.1	
	missing:	0.1%					
	Bb) Major personal injury						
	No	89.2	89.0	89.0	89.5	90.2	
	Yes	10.8	11.0	11.0	10.5	9.8	
	missing:	0.1%					
	Bc) Major surgery (not including dental work)						
	No	84.3	84.8	82.6	84.8	82.9	
	Yes	15.7	15.2	17.4	15.2	17.1	
	missing:	0.1%					
	Bd) Birth of your first child						
	No	79.0	82.9	70.4	64.7	63.4	
	Yes	21.0	17.1	29.6	35.3	36.6	
	missing:	0.1%					
	Be) Birth of your second or later child						
	No	91.1	93.3	86.1	83.5	81.5	
	Yes	8.9	6.7	13.9	16.5	18.5	
	missing:	0.1%					
	Bf) Having a child with a disability or serious illness						
	No	98.4	98.7	97.4	97.4	96.7	
	Yes	1.6	1.3	2.6	2.6	3.3	
	missing:	0.1%					
	Bg) Starting a new, close personal relationship						
	No	53.5	51.6	57.1	61.3	61.1	
	Yes	46.5	48.4	42.9	38.7	38.9	
	missing:	0.1%					

Q82		Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
Bh) Getting married (or starting to live with someone)	No	58.8	60.0	57.3	57.2	54.0
	Yes	41.2	40.0	42.7	42.8	46.0
	<i>missing:</i>	0.1%				
Bi) Problem or break-up in a close personal relationship	No	72.1	71.0	73.1	74.4	76.6
	Yes	27.9	29.0	26.9	25.6	23.4
	<i>missing:</i>	0.1%				
Bj) Divorce or separation	No	94.4	94.3	92.2	93.8	94.3
	Yes	5.6	5.7	7.8	6.2	5.7
	<i>missing:</i>	0.1%				
Bk) Becoming a sole parent	No	95.2	95.8	91.2	91.1	94.0
	Yes	4.8	4.2	8.8	8.9	6.0
	<i>missing:</i>	0.1%				
Bl) Increased hassles with parents	No	89.0	89.0	91.2	89.1	89.6
	Yes	11.0	11.0	8.8	10.9	10.4
	<i>missing:</i>	0.1%				
Bm) Serious conflict between members of your family	No	86.6	86.4	88.4	87.6	87.0
	Yes	13.4	13.6	11.6	12.4	13.0
	<i>missing:</i>	0.1%				
Bn) Parents getting divorced, separated or remarried	No	86.4	86.2	86.1	86.6	87.6
	Yes	13.6	13.8	13.9	13.4	12.4
	<i>missing:</i>	0.1%				

Q82		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
Bo) Death of partner or close family member	No	79.8	79.8		80.5	78.3	79.2
	Yes	20.2	20.2		19.5	21.7	20.8
	<i>missing:</i>	0.1%					
Bp) Death of a child	No	99.3	99.4		99.2	98.9	98.5
	Yes	0.7	0.6		0.8	1.1	1.5
	<i>missing:</i>	0.1%					
Bq) Stillbirth of a child	No	99.4	99.5		99.3	98.9	98.7
	Yes	0.6	0.5		0.7	1.1	1.3
	<i>missing:</i>	0.1%					
Br) Miscarriage	No	93.7	94.5		92.5	90.3	88.9
	Yes	6.3	5.5		7.5	9.7	11.1
	<i>missing:</i>	0.1%					
Bs) Death of a close friend	No	90.5	90.4		90.5	89.4	89.0
	Yes	9.5	9.6		9.5	10.6	11.0
	<i>missing:</i>	0.1%					
Bt) Leaving home for the first time	No	50.4	49.4		52.5	53.9	53.6
	Yes	49.6	50.6		47.5	46.1	46.4
	<i>missing:</i>	0.1%					
Bu) Difficulty finding a job	No	82.3	81.8		80.7	81.1	84.3
	Yes	17.7	18.2		19.3	18.9	15.7
	<i>missing:</i>	0.1%					

Q82		Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
Bv) Return to study	No	80.5	79.6	82.3	82.5	83.5
	Yes	19.5	20.4	17.7	17.5	16.5
	<i>missing:</i>	0.1%				
Bw) Beginning/resuming work outside the home	No	81.8	82.2	81.0	79.8	80.5
	Yes	18.2	17.8	19.0	20.2	19.5
	<i>missing:</i>	0.1%				
Bx) Distressing harassment at work	No	92.7	92.6	93.0	93.2	92.9
	Yes	7.3	7.4	7.0	6.8	7.1
	<i>missing:</i>	0.1%				
By) Loss of job	No	91.5	91.3	91.9	92.2	92.3
	Yes	8.5	8.7	8.1	7.8	7.7
	<i>missing:</i>	0.1%				
Bz) Partner losing a job	No	93.6	93.6	91.4	93.1	94.4
	Yes	6.4	6.4	8.6	6.9	5.6
	<i>missing:</i>	0.1%				
Baa) Decreased income	No	83.5	83.8	82.9	80.5	82.7
	Yes	16.5	16.2	17.1	19.5	17.3
	<i>missing:</i>	0.1%				
Bbb) Natural disaster (fire, flood, drought, earthquake etc) or house fire	No	97.0	97.3	96.4	96.5	95.1
	Yes	3.0	2.7	3.6	3.5	4.9
	<i>missing:</i>	0.1%				

Q82		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
Bcc) Major loss or damage to personal property	No	95.6	95.1	96.4	96.0	96.7	
	Yes	4.4	4.9	3.6	4.0	3.3	
	<i>missing:</i>	0.1%					
Bdd) Being robbed	No	87.2	86.0	90.5	92.1	91.6	
	Yes	12.8	14.0	9.5	7.9	8.4	
	<i>missing:</i>	0.1%					
Bee) Involvement in a serious accident	No	93.7	93.7	94.1	93.3	93.8	
	Yes	6.3	6.3	5.9	6.7	6.3	
	<i>missing:</i>	0.1%					
Bff) Being pushed, grabbed, shoved, kicked or hit	No	88.9	88.4	89.0	89.7	90.0	
	Yes	11.1	11.6	11.0	10.3	10.0	
	<i>missing:</i>	0.1%					
Bgg) Being forced to take part in unwanted sexual activity	No	91.8	91.4	90.2	92.6	92.5	
	Yes	8.2	8.6	9.8	7.4	7.5	
	<i>missing:</i>	0.1%					
Bhh) Legal troubles or involvement in a court case	No	93.0	93.2	92.9	92.2	92.3	
	Yes	7.0	6.8	7.1	7.8	7.7	
	<i>missing:</i>	0.1%					
Bii) Family member/close friend being arrested/in gaol	No	95.2	95.5	94.4	94.2	95.1	
	Yes	4.8	4.5	5.6	5.8	4.9	
	<i>missing:</i>	0.1%					

Q82	Bij) None of these events		Weighted Total (n=8,853) %	Capital city/ Other			Other Rural/ Remote (n=1,749) %
				Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
	No		96.8	97.1	96.3	95.3	95.8
	Yes		3.2	2.9	3.7	4.7	4.2
	missing:	0.1%					
Q83	How you have been feeling in the PAST MONTH?						
	a) Have you felt keyed up or on edge?						
	Yes		51.7	53.2	50.7	47.3	46.7
	No		48.3	46.8	49.3	52.7	53.3
	missing:	0.6%					
	b) Have you been worrying a lot?						
	Yes		60.3	60.9	61.8	60.4	57.5
	No		39.7	39.1	38.2	39.6	42.5
	missing:	0.4%					
	c) Have you been irritable?						
	Yes		67.5	67.9	67.9	70.4	65.0
	No		32.5	32.1	32.1	29.6	35.0
	missing:	0.5%					
	d) Have you had difficulty relaxing?						
	Yes		56.1	57.3	53.8	54.7	53.3
	No		43.9	42.7	46.2	45.3	46.7
	missing:	0.6%					
	e) Have you been sleeping poorly?						
	Yes		49.8	49.1	54.9	51.1	52.4
	No		50.2	50.9	45.1	48.9	47.6
	missing:	0.8%					
	f) Have you had headaches or neckaches?						
	Yes		69.6	69.8	69.6	72.4	70.2
	No		30.4	30.2	30.4	27.6	29.8
	missing:	1.5%					

	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
		Metropolitan (n=5,330) %	Other %			

Q83 g) Have you had any of the following: trembling, tingling, dizzy spells, sweating, diarrhoea or needing to pass urine more often than usual?

Yes	41.3	41.9	40.7	40.1	39.4
No	58.7	58.1	59.3	59.9	60.6
<i>missing:</i>					
	0.7%				

h) Have you been worried about your health?

Yes	38.3	39.2	38.1	37.2	35.6
No	61.7	60.8	61.9	62.8	64.4
<i>missing:</i>					
	0.6%				

i) Have you had difficulty falling asleep?

Yes	43.4	43.7	46.8	43.0	44.0
No	56.6	56.3	53.2	57.0	56.0
<i>missing:</i>					
	0.4%				

Q84 Below is a list of the ways you might have felt or behaved. Please indicate how often you have felt this way DURING THE LAST WEEK.

a) I was bothered by things that don't usually bother me

Rarely/none	64.8	64.9	62.4	63.2	64.7
Some/little of the time	26.8	26.8	28.9	28.3	25.6
Occasionally	6.8	6.5	6.9	6.6	8.0
Most/all of the time	1.6	1.7	1.8	1.9	1.7
<i>missing:</i>					
	0.7%				

b) I had trouble keeping my mind on what I was doing

Rarely/none	49.6	48.6	49.6	51.9	52.6
Some/little of the time	36.1	36.9	35.1	36.3	33.8
Occasionally	11.4	11.6	12.0	9.6	10.2
Most/all of the time	2.8	2.9	3.4	2.2	3.5
<i>missing:</i>					
	0.7%				

c) I felt depressed

Rarely/none	62.1	61.7	60.4	64.2	62.7
Some/little of the time	26.3	26.5	26.2	25.4	25.2
Occasionally	8.3	8.5	8.8	7.8	8.4
Most/all of the time	3.3	3.3	4.5	2.7	3.6
<i>missing:</i>					
	1.4%				

Q84		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
d) I felt that everything I did was an effort	Rarely/none	55.8	56.0	55.2	53.5	54.1	
	Some/little of the time	30.5	30.2	30.5	34.3	31.6	
	Occasionally	10.4	10.3	11.7	9.4	9.8	
	Most/all of the time <i>missing:</i>	3.3	3.5	2.5	2.8	4.4	
		1.2%					
e) I felt hopeful about the future	Rarely/none	11.3	10.9	11.1	14.2	14.3	
	Some/little of the time	24.4	24.2	26.1	24.6	25.7	
	Occasionally	32.9	33.1	31.1	32.9	31.2	
	Most/all of the time <i>missing:</i>	31.4	31.8	31.7	28.3	28.8	
		1.3%					
f) I felt fearful	Rarely/none	73.8	73.2	75.5	75.1	75.9	
	Some/little of the time	19.2	19.7	16.9	18.8	17.4	
	Occasionally	5.5	5.6	6.2	4.4	5.1	
	Most/all of the time <i>missing:</i>	1.5	1.5	1.4	1.8	1.6	
		1.6%					
g) My sleep was restless	Rarely/none	42.2	42.7	37.3	41.1	39.3	
	Some/little of the time	31.8	31.7	32.8	29.7	31.9	
	Occasionally	17.5	17.3	19.2	19.5	19.4	
	Most/all of the time <i>missing:</i>	8.5	8.3	10.7	9.6	9.4	
		1.3%					
h) I was happy	Rarely/none	4.0	4.2	3.2	3.4	4.7	
	Some/little of the time	17.8	17.9	18.0	18.5	17.4	
	Occasionally	35.3	35.7	35.0	35.8	34.1	
	Most/all of the time <i>missing:</i>	42.9	42.3	43.8	42.4	43.7	
		1.2%					

Q84	i) I felt lonely	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
	Rarely/none	58.6	58.5	55.8	57.1	56.9	
	Some/little of the time	26.6	26.3	28.9	27.0	28.4	
	Occasionally	10.6	10.6	11.2	11.3	10.4	
	Most/all of the time	4.2	4.5	4.2	4.5	4.3	
	<i>missing:</i>	1.2%					
	j) I could not 'get going'						
	Rarely/none	43.0	42.7	42.5	41.6	43.3	
	Some/little of the time	39.7	40.0	39.8	41.9	38.1	
	Occasionally	13.4	13.5	14.1	12.3	14.1	
	Most/all of the time	3.8	3.9	3.5	4.3	4.5	
	<i>missing:</i>	0.9%					
	k) I felt terrific						
	Rarely/none	25.2	25.1	25.6	23.4	26.5	
	Some/little of the time	29.5	30.1	27.2	30.4	28.0	
	Occasionally	31.5	31.5	33.8	33.1	28.8	
	Most/all of the time	13.7	13.3	13.3	13.2	16.7	
	<i>missing:</i>	0.9%					
	CES-D 10 score						
	Mean score	6.9	Mean	Mean	Mean	Mean	
	Standard error	0.1	6.9	7.2	7.0	7.1	
	<i>missing:</i>	1.7%	0.1	0.2	0.2	0.1	

	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
		Metropolitan (n=5,330) %	Other %			
Q85						
In the PAST WEEK, have you been feeling that life isn't worth living?						
Yes	5.4	5.4	5.4	6.8	4.9	6.1
No	94.6	94.6	94.6	93.2	95.1	93.9
missing:	0.4%					
Q86						
In the PAST 6 MONTHS, have you EVER deliberately hurt yourself or done anything that you knew might have harmed or even killed you?						
Yes	2.5	2.6	2.6	2.7	2.3	2.2
No	97.5	97.4	97.4	97.3	97.7	97.8
missing:	0.5%					
Q87						
In the LAST WEEK, how much time in total did you spend doing the following things?						
a) Paid work (full-time, part-time, casual)						
Don't do this activity	20.4	17.4	17.4	25.6	30.1	31.5
1-15 hours	9.4	8.4	8.4	10.6	11.4	12.7
16-24 hours	6.3	5.9	5.9	7.6	7.3	7.8
25-34 hours	8.0	7.8	7.8	9.7	9.8	8.7
35-40 hours	27.8	29.5	29.5	26.1	21.9	20.7
41-48 hours	19.4	21.3	21.3	15.2	13.4	12.7
49 hours or more	8.7	9.6	9.6	5.2	6.1	6.0
missing:	0.8%					
b) Home duties (own/family home)						
Don't do this activity	1.9	2.0	2.0	1.2	1.5	1.3
1-15 hours	67.9	72.4	72.4	61.4	54.7	49.9
16-24 hours	11.2	10.2	10.2	13.4	15.3	14.9
25-34 hours	5.3	4.4	4.4	6.8	6.7	9.3
35-40 hours	3.3	2.5	2.5	5.6	4.7	5.5
41-48 hours	1.7	1.3	1.3	2.6	3.4	3.3
49 hours or more	8.6	7.2	7.2	9.0	13.6	15.6
missing:	1.3%					

Q87		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
c) Work without pay (eg family business)	Don't do this activity						
	1-15 hours	81.9	84.1	81.7	78.7	70.8	
	16-24 hours	15.5	14.0	15.3	17.1	23.5	
	25-34 hours	1.2	0.9	1.5	2.0	2.2	
	35-40 hours	0.4	0.3	0.6	0.6	0.8	
	41-48 hours	0.3	0.2	0.1	0.7	0.6	
49 hours or more missing:	0.1	0.1	0.2	0.2	0.3		
		0.6	0.3	0.7	0.6	1.8	
						3.4%	
d) Studying	Don't do this activity						
	1-15 hours	73.6	72.4	74.1	75.6	79.6	
	16-24 hours	19.1	19.8	18.4	20.0	15.5	
	25-34 hours	3.8	4.0	4.0	2.3	3.0	
	35-40 hours	1.5	1.7	1.3	1.1	0.9	
	41-48 hours	1.0	1.1	1.7	0.6	0.3	
49 hours or more missing:	0.5	0.6	0.2	0.1	0.4		
	0.5	0.6	0.2	0.4	0.3		
						2.0%	
e) Unpaid voluntary work	Don't do this activity						
	1-15 hours	88.7	89.5	87.7	88.9	84.9	
	16-24 hours	10.5	9.7	11.2	10.5	13.9	
	25-34 hours	0.6	0.5	0.9	0.6	0.9	
	35-40 hours	0.1	0.1	0.2	0.0	0.1	
	41-48 hours	0.0	0.0	0.0	0.0	0.1	
49 hours or more missing:	0.0	0.1	0.0	0.0	0.0		
	0.1	0.1	0.0	0.0	0.1		
						2.9%	

Q87	f) Active leisure (eg walking, exercise, sport)	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
	Don't do this activity	9.6		9.0	9.9	11.8	10.5
	1-15 hours	85.1	85.9	83.9	83.6	83.6	82.6
	16-24 hours	4.0	3.9	4.5	3.9	3.9	4.5
	25-34 hours	0.9	0.8	0.8	0.6	0.6	1.4
	35-40 hours	0.1	0.2	0.1	0.1	0.1	0.3
	41-48 hours	0.2	0.1	0.6	0.0	0.0	0.2
	49 hours or more	0.1	0.1	0.2	0.0	0.0	0.5
	missing:						
							1.0%
	g) Passive leisure (eg TV, music, reading, relaxing)						
	Don't do this activity	0.6	0.5	0.3	0.7	0.7	0.7
	1-15 hours	66.6	67.0	62.4	66.7	66.7	67.0
	16-24 hours	22.0	22.3	25.0	20.2	20.2	19.9
	25-34 hours	6.7	6.3	7.0	7.4	7.4	7.8
	35-40 hours	2.5	2.2	3.4	2.8	2.8	2.9
	41-48 hours	0.7	0.6	0.8	1.3	1.3	0.7
	49 hours or more	1.0	0.9	1.1	0.9	0.9	0.9
	missing:						
							0.5%

Q88 Do you normally do any of the following kinds of paid work?

a) Paid shift work

No	86.9	86.1	85.7	87.1	89.1
Yes	13.1	13.9	14.3	12.9	10.9
missing:					
					4.0%

b) Paid work at night

No	91.0	90.4	89.5	90.6	92.5
Yes	9.0	9.6	10.5	9.4	7.5
missing:					
					4.0%

Q88		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
c) Paid work from home	No	96.0	96.0	96.2	96.7	95.4	
	Yes	4.0	4.0	3.8	3.3	4.6	
	<i>missing:</i>	4.0%					
d) Self employment	No	93.3	94.1	91.8	91.7	90.9	
	Yes	6.7	5.9	8.2	8.3	9.1	
	<i>missing:</i>	4.0%					
e) Paid work in more than one job	No	91.0	90.6	92.0	92.3	92.6	
	Yes	9.0	9.4	8.0	7.7	7.4	
	<i>missing:</i>	4.0%					
f) Casual paid work (work in a job which doesn't provide holiday pay or sick leave)	No	81.3	82.1	79.0	80.3	77.5	
	Yes	18.7	17.9	21.0	19.7	22.5	
	<i>missing:</i>	4.0%					
g) Paid work involving none of the above	No	55.0	52.2	62.5	64.8	68.3	
	Yes	45.0	47.8	37.5	35.2	31.7	
	<i>missing:</i>	4.0%					
h) I don't do any paid work	No	82.5	84.9	79.2	75.5	72.7	
	Yes	17.5	15.1	20.8	24.5	27.3	
	<i>missing:</i>	4.0%					

		Weighted Total (n=8,853) %	Capital city/ Other Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
Q89	How secure or insecure do you feel about your paid job or jobs?					
	Don't do paid work	16.9	14.5	20.1	24.2	26.7
	I worry all the time about losing my job	1.7	1.7	1.4	2.0	1.6
	Sometimes I worry about losing my job	12.8	13.4	10.9	11.2	9.9
	I rarely or never worry about losing my job	65.0	66.8	63.6	59.2	56.9
	Don't know <i>missing:</i>	3.7	3.5	4.0	3.4	5.0
						0.7%
Q90	Are you happy with the number of hours of paid work you do?					
	Yes, happy as is	61.9	61.9	61.6	64.5	62.0
	No, would like to do more	15.6	13.6	20.5	20.2	22.9
	No, would like to do less <i>missing:</i>	22.4	24.5	18.0	15.3	15.1
						3.3%
Q91	Do you regularly provide unpaid care or assistance (eg personal care, transport) to any other person because of their long-term illness, disability or frailty?					
	Yes	5.4	5.0	6.1	7.8	7.0
	No <i>missing:</i>	94.6	95.0	93.9	92.2	93.0
						0.6%
Q92	Are you happy with YOUR SHARE of the following tasks and activities?					
	a) Domestic work (shopping, cooking, cleaning, etc)					
	Happy as it is	63.2	64.0	62.8	60.5	60.7
	Like other family members to do more	32.2	31.1	32.5	36.2	36.4
	Prefer another arrangement	4.0	4.3	4.2	3.2	2.5
	Don't do this activity <i>missing:</i>	0.6	0.6	0.5	0.1	0.4
						0.4%
	b) Child care					
	Happy as it is	21.6	17.9	31.0	35.6	33.9
	Like other family members to do more	7.9	6.5	10.1	11.7	13.8
	Prefer another arrangement	1.1	1.1	1.3	1.8	1.3
	Don't do this activity <i>missing:</i>	69.4	74.5	57.5	50.9	51.0
						1.3%

	Weighted Total (n=8,853) %	Capital city/ Other		Other Rural/ Remote (n=1,749) %
		Metropolitan (n=5,330) %	Large rural (n=917) %	
Q92				
c) Caring for another adult (who is elderly/disabled/sick)				
Happy as it is	5.3	4.8	6.4	7.0
Like other family members to do more	1.3	1.3	1.1	1.6
Prefer another arrangement	0.4	0.4	0.4	0.7
Don't do this activity <i>missing:</i>	92.9	93.5	92.0	91.6
	1.5%			
d) Other household work (gardening, home/car maintenance)				
Happy as it is	66.4	65.9	68.2	67.7
Like other family members to do more	17.7	16.5	21.0	24.0
Prefer another arrangement	3.8	3.8	3.4	3.0
Don't do this activity <i>missing:</i>	12.1	13.8	7.3	5.3
	0.5%			
Q93				
Managing time is often difficult. How often do you feel:				
a) That you are rushed, pressured, too busy?				
Every day	21.9	22.2	21.1	20.8
Few times a week	46.0	46.5	45.7	47.7
Once a week	18.3	18.0	17.8	17.5
Once a month	10.8	10.5	10.0	10.9
Never <i>missing:</i>	3.1	2.8	5.5	3.1
	0.6%			
b) That you have time on your hands that you don't know what to do with?				
Every day	1.8	1.7	2.2	2.5
Few times a week	10.2	9.5	12.7	12.5
Once a week	15.9	16.1	15.5	15.5
Once a month	30.6	30.7	31.3	29.6
Never <i>missing:</i>	41.5	42.0	38.3	39.9
	1.2%			

Q94	What is your present marital status?	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
	Never married	36.4	39.2	30.8	29.3	24.9	
	Married	40.2	37.0	44.2	47.1	51.4	
	De Facto	20.0	20.6	19.3	19.0	19.8	
	Separated	2.3	2.0	4.0	3.3	3.1	
	Divorced	1.1	1.2	1.5	1.4	0.7	
	Widowed	0.0	0.0	0.1	0.0	0.1	
	<i>missing:</i>						0.4%
Q95	Are you of Aboriginal or Torres Strait Islander origin?						
	a) No						
	No	1.1	0.9	2.1	1.9	2.0	
	Yes	98.9	99.1	97.9	98.1	98.0	
	b) Yes, Aboriginal						
	No	99.2	99.4	98.4	98.5	98.3	
	Yes	0.8	0.6	1.6	1.5	1.7	
	c) Yes, Torres Strait Islander						
	No	99.9	99.9	99.9	100.0	99.9	
	Yes	0.1	0.1	0.1	0.0	0.1	
Q96	Which of the following best describes the household you live in?						
	I live alone	7.5	7.6	9.2	6.7	7.0	
	Self and partner/spouse	35.5	37.3	31.2	26.7	28.6	
	Self and partner/spouse with child or children	24.7	20.3	31.8	39.6	43.1	
	Self with child or children	3.2	2.6	7.0	6.3	4.4	
	Self and own parent/s (with or without brothers/sisters)	11.6	12.1	6.4	7.7	7.3	
	Self and other adults (no children)	13.5	15.9	9.6	10.0	6.9	
	Other	4.0	4.4	4.8	3.0	2.7	
	<i>missing:</i>						0.4%

Q97	If you have children living with you (your own, your partner's, fostered, etc), how many are:	Capital city/Other					Other Rural/Remote (n=1,749) %
		Weighted Total (n=8,853) %	Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	Rural/Remote (n=1,749) %	
a) Under 12 months	None	90.0	91.7	87.6	85.3	83.6	
	One	9.9	8.2	11.9	14.6	16.1	
	Two	0.2	0.1	0.5	0.1	0.2	
	Three	0.0	0.0	0.0	0.0	0.0	
	Four or more missing:	0.0	0.0	0.0	0.0	0.0	
		3.1%					
b) 12 months - 5 years	None	78.6	82.7	71.6	63.8	62.8	
	One	15.0	12.6	18.6	24.1	24.9	
	Two	5.7	4.3	8.2	10.8	10.6	
	Three	0.6	0.4	1.6	1.3	1.5	
	Four or more missing:	0.0	0.0	0.0	0.0	0.1	
		3.3%					
c) 6 - 12 years	None	91.7	93.3	85.9	85.5	83.9	
	One	5.9	5.0	9.0	11.0	10.3	
	Two	2.1	1.5	4.2	3.3	4.7	
	Three	0.3	0.2	0.7	0.2	0.9	
	Four or more missing:	0.0	0.0	0.2	0.0	0.2	
		3.6%					
d) 13 - 16 years	None	98.9	98.9	99.3	98.7	98.5	
	One	0.9	0.9	0.6	1.1	1.1	
	Two	0.2	0.1	0.1	0.2	0.2	
	Three	0.0	0.0	0.0	0.0	0.0	
	Four or more missing:	0.0	0.0	0.0	0.0	0.1	
		4.1%					

Q98	Most parents need someone to care for their children when they cannot. How satisfied are you with your child care arrangements?	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
Q98	No children living with me	62.9	67.6		51.6	46.8	46.1
	Very satisfied	10.8	8.9		14.7	19.8	17.0
	Satisfied	12.0	9.9		17.7	17.6	19.6
	Dissatisfied	2.7	2.5		3.3	2.8	3.5
	Very dissatisfied	0.9	0.7		1.0	1.8	2.2
	Not applicable	10.8	10.5		11.7	11.2	11.5
	<i>missing:</i>	3.2%					
Q99	How often did you use child care IN THE LAST WEEK?						
	A Formal Care						
	No children living with me	78.1	81.7		65.5	62.1	64.2
	Less than 5 hrs	3.3	2.8		5.1	4.6	6.2
	5-10 hrs	4.2	3.0		6.0	9.6	8.4
	11-20 hrs	5.0	4.3		9.1	8.0	6.4
	21-30 hrs	2.4	2.0		3.9	4.3	3.3
	More than 30 hrs	2.2	2.0		3.3	3.5	2.3
	Do not use childcare	5.0	4.1		7.1	8.0	9.4
	<i>missing:</i>	23.0%					
	B Informal Care						
	No children living with me	72.7	77.7		62.9	55.3	54.1
	Less than 5 hrs	12.4	9.7		16.3	22.7	22.2
5-10 hrs	5.2	4.2		7.0	8.4	8.8	
11-20 hrs	2.7	2.4		3.4	3.5	4.2	
21-30 hrs	1.2	1.1		2.2	1.4	1.5	
More than 30 hrs	1.1	1.0		1.4	1.6	1.4	
Do not use childcare	4.6	3.9		6.8	7.1	7.9	
<i>missing:</i>	16.8%						

Q100	People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kind of support available to you if you need it?	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
	a) Someone to help you if you are confined to bed						
	None of the time	8.4	8.3	11.4	8.6	11.0	
	Little of the time	13.2	13.0	13.6	13.8	16.6	
	Some of the time	14.2	14.3	13.3	13.4	14.6	
	Most of the time	32.0	32.1	28.7	32.0	29.8	
	All of the time	32.3	32.4	33.1	32.2	28.0	
	<i>missing:</i>	0.9%					
	b) Someone to take you to the doctor if you need it						
	None of the time	4.9	4.8	6.5	4.9	6.6	
	Little of the time	11.0	11.1	13.3	11.0	12.9	
	Some of the time	10.8	11.0	10.0	9.8	11.2	
	Most of the time	32.3	32.8	29.2	31.3	31.2	
	All of the time	41.0	40.3	41.0	43.0	38.2	
	<i>missing:</i>	0.6%					
	c) Someone to share your most private worries and fears with						
	None of the time	3.7	3.5	4.2	4.1	5.3	
	Little of the time	9.7	8.8	12.8	14.5	12.8	
	Some of the time	11.8	11.8	13.1	12.4	12.2	
	Most of the time	27.2	27.9	23.2	23.9	26.7	
	All of the time	47.6	47.9	46.8	45.1	43.1	
	<i>missing:</i>	0.4%					
	d) Someone to turn to for suggestions about how to deal with a personal problem						
	None of the time	2.1	2.0	2.6	2.1	3.4	
	Little of the time	8.8	8.4	10.8	12.7	11.1	
	Some of the time	12.1	11.6	13.4	12.7	14.8	
	Most of the time	29.0	29.3	26.8	28.3	28.6	
	All of the time	48.0	48.7	46.4	44.2	42.1	
	<i>missing:</i>	0.4%					

	Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
		Metropolitan (n=5,330) %	Other (n=5,330) %			
Q100 e) Someone to do something enjoyable with						
None of the time	1.1	0.9	1.3	1.5	2.0	
Little of the time	6.0	5.5	7.9	8.8	9.1	
Some of the time	14.0	13.5	16.8	15.8	16.9	
Most of the time	36.1	36.6	32.6	33.9	33.7	
All of the time	42.8	43.5	41.3	40.1	38.3	
<i>missing:</i>	0.4%					
f) Someone to love and make you feel wanted						
None of the time	3.8	3.9	5.2	3.7	3.6	
Little of the time	7.0	7.3	8.7	6.5	7.5	
Some of the time	9.8	9.4	9.0	11.2	11.3	
Most of the time	22.5	22.9	21.9	21.8	22.0	
All of the time	57.0	56.6	55.3	56.7	55.6	
<i>missing:</i>	0.3%					

Q101 IN THE LAST THREE YEARS, have you experienced:

	Weighted Total (n=8,853) %	Capital city/ Other Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
a) Physical abuse (eg pushed, grabbed, kicked, hit, shoved, slapped, shaken, restrained)					
No	87.5	87.2	86.3	88.3	88.1
Yes	12.5	12.8	13.7	11.7	11.9
<i>missing:</i>	0.0%				
b) Severe physical violence (eg beaten up, thrown, choked, burnt, threatened or attacked with a fist, knife or gun)					
No	97.4	97.6	96.6	97.1	97.4
Yes	2.6	2.4	3.4	2.9	2.6
<i>missing:</i>	0.0%				
c) Emotional abuse (eg called names, threats to harm or kill, humiliated, bullied, criticised, locked up/isolated, refused access to work, medical care or money, told that your children or pets would be harmed)					
No	78.4	78.1	76.0	78.1	79.1
Yes	21.6	21.9	24.0	21.9	20.9
<i>missing:</i>	0.0%				

		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
			Metropolitan (n=5,330) %	Other %			
Q101	d) Sexual abuse (eg rape or attempted rape, sexual assault, fear of sexual assault, forced to engage in unwanted sexual practices)	No	97.6	97.7	96.5	97.8	97.4
		Yes	2.4	2.3	3.5	2.2	2.6
		missing:	0.0%				
	e) Harassment (eg stalking, loitering, interfering with property, offensive mail or telephone calls)	No	89.2	89.0	88.1	90.0	90.2
		Yes	10.8	11.0	11.9	10.0	9.8
		missing:	0.0%				
Q102	These questions are about getting on with other people						
		a) Has anyone close to you tried to hurt you or harm you recently?					
		No	96.6	96.5	96.6	96.8	96.7
	Yes	3.4	3.5	3.4	3.2	3.3	
	missing:	2.4%					
	b) Are you sad or lonely often?	No	81.9	81.7	79.3	80.8	81.4
		Yes	18.1	18.3	20.7	19.2	18.6
		missing:	2.4%				
	c) Do you feel that nobody wants you around?	No	93.8	94.2	92.0	90.8	92.4
		Yes	6.2	5.8	8.0	9.2	7.6
		missing:	2.4%				
	d) Does anyone in your family drink a lot of alcohol?	No	83.4	83.5	83.7	81.1	82.9
		Yes	16.6	16.5	16.3	18.9	17.1
		missing:	2.4%				
	e) Are you afraid of anyone in your family?	No	96.7	96.9	96.4	96.5	97.0
		Yes	3.3	3.1	3.6	3.5	3.0
		missing:	2.4%				

Q102	f) Do you have enough privacy at home?		Weighted Total (n=8,853) %	Capital city/ Other		Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
				Metropolitan (n=5,330) %	Other %			
	No		58.9	59.5	56.5	57.8	58.5	
	Yes		41.1	40.5	43.5	42.2	41.5	
	missing:	2.4%						
	g) Have you ever been in a violent relationship with a partner/spouse?							
	No		89.1	89.7	86.6	86.4	87.9	
	Yes		10.9	10.3	13.4	13.6	12.1	
	missing:	2.4%						
	h) Has anyone close to you called you names or put you down or made you feel bad recently?							
	No		81.2	81.2	79.7	81.6	80.3	
	Yes		18.8	18.8	20.3	18.4	19.7	
	missing:	2.4%						
	i) None of the above							
	No		65.7	65.0	67.9	67.3	67.2	
	Yes		34.3	35.0	32.1	32.7	32.8	
	missing:	2.4%						
Q104	What is the HIGHEST qualification you have completed?							
	No formal qualifications		1.0	0.7	2.1	1.8	2.1	
	Year 10 or equivalent		7.8	6.2	12.7	16.3	14.0	
	Year 12 or equivalent		17.5	16.1	21.7	25.6	26.7	
	Trade/apprenticeship		2.7	2.2	3.6	5.1	5.0	
	Certificate/diploma		22.1	21.6	24.4	27.2	23.1	
	University degree		37.1	40.0	28.2	18.3	23.2	
	Higher university degree		11.9	13.2	7.4	5.6	5.9	
	missing:	2.3%						

	Weighted Total (n=8,853) %	Capital city/ Other Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	Other Rural/ Remote (n=1,749) %
Q105 We would like to know YOUR main occupation NOW					
Manager or Administrator	6.7	7.2	4.0	5.8	5.7
Professional	33.6	35.7	28.5	19.6	20.0
Associate professional	7.4	8.3	4.2	6.1	5.2
Tradesperson or related worker	2.8	2.7	3.0	4.5	3.8
Advanced clerical or service worker	12.2	12.7	11.9	11.9	11.0
Intermediate clerical, sales or service worker	12.5	12.6	15.7	15.5	12.3
Intermediate production or transport worker	0.4	0.4	0.7	0.5	0.8
Elementary clerical, sales or service worker	4.0	3.5	6.2	6.1	5.7
Labourer or related worker	2.6	1.7	4.4	5.1	6.5
No paid job	17.7	15.1	21.4	24.9	29.1
<i>missing:</i>					
	1.2%				
Q106 Are you currently unemployed and actively seeking work?					
No	93.0	93.6	90.9	89.7	89.9
Yes, unemployed for less than 6 mths	3.2	3.1	2.9	3.8	3.3
Yes, unemployed for 6 mths or more	3.9	3.3	6.2	6.5	6.7
<i>missing:</i>					
	2.6%				
Q108 Income					
a) What is the average gross (before tax) income that YOU receive each week, including pensions, allowances and financial support from parents?					
No income	5.2	4.9	4.2	6.9	7.6
\$1-\$119 pw	6.7	5.5	7.8	9.7	12.2
\$120-\$299 pw	10.3	8.4	15.9	15.0	17.2
\$300-\$499 pw	13.9	12.4	20.3	20.4	17.6
\$500-\$699 pw	19.4	20.0	20.6	20.6	18.9
\$700-\$999 pw	26.2	29.1	19.6	16.3	14.3
\$1000-\$1499 pw	11.8	13.4	6.7	5.8	5.1
\$1500+ pw	2.4	2.6	1.1	0.7	1.1
Don't know	1.3	1.2	1.5	1.7	2.2
Don't want to answer	2.8	2.6	2.3	2.9	3.6
<i>missing:</i>					
	2.5%				

		Capital city/ Other				Other Rural/ Remote (n=1,749) %
		Weighted Total (n=8,853) %	Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
Q112	When you are 35, would you like to be:					
	Married	85.9	85.7	85.4	86.5	87.5
	In a stable relationship but not married	13.1	13.5	13.1	12.6	11.5
Q113	Single (not in a stable relationship)	0.9	0.9	1.6	1.0	1.0
	<i>missing:</i>	1.4%				
Q114	When you are 35, would you like to have:					
	No children	8.2	8.6	8.5	6.0	6.6
	1 child	15.5	17.0	13.0	13.0	9.9
	2 children	55.1	56.1	51.1	54.6	51.5
Q115	3 or more children	21.1	18.3	27.4	26.4	32.1
	<i>missing:</i>	1.3%				
	When you are 35, would you like to have more educational qualifications than you have now?					
Q115	Yes	51.2	51.9	50.8	52.2	47.7
	No	19.5	19.2	21.9	20.0	19.0
	Not sure	29.4	28.9	27.4	27.8	33.2
	<i>missing:</i>	0.2%				
Q115	In general, how satisfied are you with what you have achieved in each of the following areas of your life?					
	a) Work					
	Very satisfied	24.6	24.6	23.1	25.9	22.5
	Satisfied	59.4	59.8	59.1	57.3	59.1
	Dissatisfied	13.3	13.1	13.3	14.2	15.2
	Very dissatisfied	2.6	2.5	4.4	2.7	3.2
	<i>missing:</i>	0.6%				
	b) Career					
	Very satisfied	20.5	20.5	21.0	21.1	17.9
	Satisfied	53.0	53.6	51.2	50.5	51.0
	Dissatisfied	22.6	22.3	22.0	23.3	26.3
	Very dissatisfied	3.9	3.6	5.9	5.1	4.8
<i>missing:</i>	1.0%					

Q115	c) Study		Capital city/ Other				Other Rural/ Remote (n=1,749) %
			Weighted Total (n=8,853) %	Metropolitan (n=5,330) %	Large rural (n=917) %	Small Rural (n=857) %	
		Very satisfied	19.0	19.6	17.6	15.4	13.8
		Satisfied	56.9	57.2	57.3	55.7	54.9
		Dissatisfied	21.7	21.0	21.5	25.7	27.5
		Very dissatisfied	2.3	2.2	3.7	3.1	3.7
		<i>missing:</i>	2.1%				
		d) Family relationships					
		Very satisfied	41.4	41.2	43.4	45.1	42.1
		Satisfied	50.6	50.7	49.9	47.4	50.2
		Dissatisfied	7.2	7.3	6.1	6.8	6.7
		Very dissatisfied	0.8	0.8	0.7	0.7	0.9
		<i>missing:</i>	0.5%				
		e) Partner/closest personal relationship					
		Very satisfied	47.4	46.1	50.3	49.8	50.1
		Satisfied	31.0	31.1	28.2	31.6	32.8
		Dissatisfied	15.9	16.6	15.3	14.3	13.1
		Very dissatisfied	5.6	6.2	6.2	4.3	4.0
		<i>missing:</i>	0.9%				
		f) Friendships					
		Very satisfied	33.1	32.7	33.7	32.7	33.3
		Satisfied	55.7	55.9	53.9	56.3	56.4
		Dissatisfied	10.2	10.4	11.5	10.2	9.6
		Very dissatisfied	0.9	1.0	1.0	0.8	0.6
		<i>missing:</i>	0.5%				
		g) Social activities					
		Very satisfied	19.0	19.0	18.7	18.5	17.4
		Satisfied	60.2	60.1	59.6	58.3	60.2
		Dissatisfied	19.1	19.2	20.1	21.3	20.9
		Very dissatisfied	1.7	1.7	1.5	1.9	1.6
		<i>missing:</i>	0.5%				

