

women's
health
australia

the australian longitudinal
study on women's health

data book
for survey 3 of the mid - age cohort
2001 (50 - 55 years)

march 2004

This work is copyright. Permission to use or reproduce material in this book for the purpose of free distribution is not required, provided that proper acknowledgement of the source is given. For other uses, apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process without written permission from the Project Manager, The Research Centre for Gender and Health, University of Newcastle, NSW, Australia 2308.

Acknowledgements

This study is funded by a grant from the Australian Department of Health and Ageing.

The research team would like to thank all participants who contributed to this project.

This document was prepared by Jean Ball and Penny Knight.

Notes

11202 surveys were returned and 11031 are summarised here. 171 surveys were not able to be classified with respect to area of residence in phase 3.

Data for the whole sample are presented in the "weighted total" column and split by area of residence in the other 4 columns: "Capital city/other metropolitan"; "Large rural"; "Small rural"; and "Other rural/remote". The "weighted total" column is weighted according to the area classification to account for deliberate over-sampling of women from Rural and Remote areas.

The WHA website has general information about the project

(<http://www.newcastle.edu.au/centre/wha/>); the investigators and staff; publications and presentations; information for participants; and surveys. If you have any queries, please contact us at

Women's Health Australia
The University of Newcastle
University Drive
Callaghan NSW 2308
Phone: 02 4923 6872
Fax: 02 4923 6888
Email: whasec@newcastle.edu.au

		Weighted Total (n=11,031)	Capital City/ Other Metropolitan (n=4,185)	Large rural (n=1,515)	Small Rural (n=1,573)	Other Rural/ Remote (n=3,758)
SF36 MENTAL HEALTH INDEX	Mean	73.4	73.1	74.0	74.4	74.5
	Standard Error	0.2	0.3	0.5	0.5	0.3
	<i>missing:</i>	0.7%				
SF36 ROLE-EMOTIONAL	Mean	80.8	80.8	79.2	80.3	81.6
	Standard Error	0.3	0.5	0.9	0.9	0.5
	<i>missing:</i>	0.7%				
SF36 SOCIAL FUNCTIONING	Mean	82.4	82.4	81.9	82.4	82.7
	Standard Error	0.2	0.4	0.6	0.6	0.4
	<i>missing:</i>	0.2%				
SF36 VITALITY	Mean	57.4	57.4	57.3	57.8	57.6
	Standard Error	0.2	0.3	0.6	0.6	0.4
	<i>missing:</i>	0.6%				
SF36 GENERAL HEALTH PERCEPTIONS	Mean	71.4	71.3	71.6	71.7	71.4
	Standard Error	0.2	0.3	0.5	0.5	0.3
	<i>missing:</i>	2.9%				
SF36 PAIN INDEX	Mean	69.8	70.3	69.2	68.6	68.5
	Standard Error	0.2	0.4	0.6	0.6	0.4
	<i>missing:</i>	0.2%				
SF36 ROLE-PHYSICAL	Mean	76.3	76.8	75.1	75.7	75.1
	Standard Error	0.3	0.6	0.9	0.9	0.6
	<i>missing:</i>	0.7%				
SF36 PHYSICAL FUNCTIONING	Mean	82.1	82.1	82.9	81.6	81.7
	Standard Error	0.2	0.3	0.5	0.5	0.3
	<i>missing:</i>	1.0%				

		Weighted Total (n=11,031)	Capital city/ Other Metropolitan (n=4,185)	Large rural (n=1,515)	Small Rural (n=1,573)	Other Rural/ Remote (n=3,758)
PHYSICAL COMPONENT SCALE - WHA MID	Mean	48.5	48.6	48.5	48.1	47.9
	Standard Error <i>missing:</i>	0.1	0.2	0.3	0.3	0.2
			4.3%			
MENTAL COMPONENT SCALE – WHA MID	Mean	51.3	51.2	51.2	51.6	51.9
	Standard Error <i>missing:</i>	0.1	0.2	0.3	0.2	0.2
			4.3%			
		%	%	%	%	%
STATE						
	NSW	29.7	29.0	27.3	35.8	26.5
	Vic	24.6	24.7	20.9	26.8	22.9
	Qld	19.3	17.9	41.8	15.7	21.8
	SA	9.5	10.2	2.2	7.6	10.9
	WA	10.5	11.5	0.0	9.7	10.2
	Tas	3.1	2.3	7.9	4.5	4.6
	NT	1.0	1.0	0.0	0.0	3.1
	ACT	2.4	3.4	0.0	0.0	0.0

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q1	In general, would you say your health is					
	Excellent	11.2	11.8	10.1	9.4	9.6
	Very good	36.9	36.8	36.9	38.9	35.6
	Good	38.4	38.2	39.9	38.4	39.8
	Fair	12.1	11.8	11.5	11.4	13.6
	Poor	1.5	1.5	1.7	2.0	1.4
	<i>missing:</i>		0.7%			
Q2	Compared to one year ago, how would you rate your health in general now?					
	Much better	6.7	7.0	7.3	6.4	6.5
	Somewhat better	14.1	14.3	13.8	13.7	13.3
	About the same	66.0	65.5	66.0	67.0	66.5
	Somewhat worse	12.2	12.2	11.7	11.1	12.7
	Much worse	1.1	0.9	1.1	1.8	1.0
	<i>missing:</i>		0.7%			
Q3	The following questions are about activities you might do during a typical day. Does YOUR HEALTH NOW LIMIT YOU in these activities? If so, how much?					
	a) Vigorous activities					
	Limited a lot	31.9	32.0	31.0	33.6	33.6
	Limited a little	47.7	47.3	49.5	46.5	48.6
	Not limited	20.4	20.7	19.5	20.0	17.9
	<i>missing:</i>		2.0%			
	b) Moderate activities					
	Limited a lot	5.7	5.8	5.6	5.9	5.1
	Limited a little	21.7	22.1	20.7	21.8	21.4
	Not limited	72.7	72.1	73.7	72.4	73.5
	<i>missing:</i>		0.9%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q3	c) Lifting or carrying groceries					
	Limited a lot	4.2	4.3	3.9	4.4	3.5
	Limited a little	19.4	20.1	16.7	18.0	17.4
	Not limited	76.4	75.6	79.3	77.6	79.0
	<i>missing:</i>	1.3%				
	d) Climbing SEVERAL flights of stairs					
	Limited a lot	9.8	9.9	8.7	11.1	10.5
Limited a little	35.3	35.4	34.3	33.7	35.4	
Not limited	54.9	54.8	57.0	55.3	54.1	
<i>missing:</i>	1.7%					
e) Climbing ONE flight of stairs						
Limited a lot	3.0	2.9	2.6	3.4	3.0	
Limited a little	12.0	11.9	10.1	13.1	13.1	
Not limited	85.1	85.2	87.4	83.5	84.0	
<i>missing:</i>	1.6%					
f) Bending, kneeling or stooping						
Limited a lot	8.3	8.1	7.5	9.3	8.8	
Limited a little	33.9	33.8	33.5	34.6	34.9	
Not limited	57.8	58.2	59.0	56.1	56.3	
<i>missing:</i>	1.5%					
g) Walking MORE THAN ONE kilometre						
Limited a lot	6.7	6.5	6.3	8.0	7.6	
Limited a little	18.0	17.7	17.6	16.9	19.1	
Not limited	75.3	75.9	76.2	75.1	73.3	
<i>missing:</i>	1.3%					

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q3	h) Walking HALF a kilometre					
	Limited a lot	3.8	3.7	3.5	4.3	3.8
	Limited a little	7.8	7.3	7.9	8.1	9.7
	Not limited	88.4	89.0	88.6	87.6	86.5
	<i>missing:</i>					1.3%
	i) Walking 100 metres					
	Limited a lot	1.9	1.9	1.7	2.1	1.7
	Limited a little	4.8	4.5	4.3	5.1	5.4
	Not limited	93.3	93.6	94.1	92.8	92.9
	<i>missing:</i>					1.3%
	j) Bathing or dressing yourself					
	Limited a lot	1.6	1.6	1.3	1.6	1.3
	Limited a little	3.7	3.5	3.1	4.0	4.1
	Not limited	94.7	94.9	95.6	94.4	94.7
	<i>missing:</i>					1.0%
Q4	During the PAST FOUR WEEKS, have you had any of the following problems with your work or other regular daily activities AS A RESULT OF YOUR PHYSICAL HEALTH?					
	a) Cut down on the amount of time you spent on work or other activities					
	Yes	17.2	17.0	17.7	17.5	17.2
	No	82.8	83.0	82.3	82.5	82.8
	<i>missing:</i>					0.5%
	b) Accomplished less than you would like					
	Yes	30.4	29.7	32.4	30.7	32.5
	No	69.6	70.3	67.6	69.3	67.5
	<i>missing:</i>					0.9%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q4	c) Were limited in the kind of work or other activities					
	Yes	21.7	21.3	22.4	22.6	23.2
	No	78.3	78.7	77.6	77.4	76.8
	<i>missing:</i>		0.9%			
	d) Had difficulty performing the work or other activities					
	Yes	25.4	24.8	26.9	26.2	26.8
	No	74.6	75.2	73.1	73.8	73.2
	<i>missing:</i>		0.9%			
Q5	During the PAST FOUR WEEKS, have you had any of the following problems with your work or other regular daily activities AS A RESULT OF ANY EMOTIONAL PROBLEMS?					
	a) Cut down on the amount of time you spent on work or other activities					
	Yes	15.0	14.9	16.5	16.4	14.6
	No	85.0	85.1	83.5	83.6	85.5
	<i>missing:</i>		0.5%			
	b) Accomplished less than you would like					
	Yes	25.2	24.9	27.1	25.4	24.7
	No	74.9	75.1	73.0	74.6	75.4
	<i>missing:</i>		0.8%			
	c) Didn't do work or other activities as carefully as usual					
	Yes	17.4	17.7	18.6	17.3	15.9
	No	82.6	82.3	81.4	82.7	84.1
	<i>missing:</i>		0.8%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q6	During the PAST FOUR WEEKS, to what extent have your PHYSICAL HEALTH OR EMOTIONAL PROBLEMS interfered with your normal social activities with family, friends, neighbours or groups?					
	Not at all	59.5	59.0	59.8	59.9	60.7
	Slightly	22.0	22.9	20.6	21.9	21.0
	Moderately	9.7	9.5	10.7	9.7	9.5
	Quite a bit	7.0	6.8	7.3	6.8	7.1
	Extremely	1.8	1.9	1.6	1.8	1.7
	<i>missing:</i>		0.4%			
Q7	How much BODILY pain have you had during the PAST FOUR WEEKS?					
	No bodily pain	20.4	20.9	18.6	19.4	18.3
	Very mild	31.7	31.9	32.7	30.1	31.8
	Mild	20.5	20.4	21.9	20.8	20.3
	Moderate	19.3	19.0	18.4	21.8	21.0
	Severe	7.1	7.0	7.0	6.2	7.6
	Very severe	1.0	0.8	1.5	1.7	1.1
	<i>missing:</i>		0.4%			
Q8	During the PAST FOUR WEEKS, how much did PAIN interfere with your normal work?					
	Not at all	51.1	51.7	50.0	49.6	49.5
	A little bit	28.5	28.4	29.3	29.7	29.1
	Moderately	12.3	12.4	12.3	12.2	12.4
	Quite a bit	6.9	6.5	7.5	6.6	7.6
	Extremely	1.2	1.0	1.0	1.9	1.4
	<i>missing:</i>		0.4%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q9	How much of the time during the PAST FOUR WEEKS:					
	a) Did you feel full of life					
	All of the time	3.0	3.0	2.5	3.7	3.2
	Most of the time	35.2	34.9	36.1	34.7	35.9
	A bit of the time	21.4	21.5	21.2	22.2	21.8
	Some of the time	22.1	22.2	20.4	22.0	21.9
	Little of the time	12.0	12.3	13.0	12.3	11.1
	None of the time	6.2	6.2	6.8	5.2	6.2
	missing:					1.0%
	b) Have you been a very nervous person					
	All of the time	1.5	1.5	1.2	1.5	1.5
	Most of the time	2.5	2.5	2.7	2.3	2.4
	A bit of the time	4.4	4.6	4.3	4.7	3.7
	Some of the time	13.5	13.7	12.0	14.4	12.9
	Little of the time	31.3	31.5	33.1	29.3	31.2
	None of the time	46.8	46.3	46.7	47.8	48.4
	missing:					0.9%
	c) Have you felt so down in the dumps that nothing could cheer you up					
	All of the time	0.8	0.7	0.5	0.6	0.9
	Most of the time	1.7	1.6	2.4	1.6	1.8
	A bit of the time	3.6	3.8	3.4	2.9	2.6
	Some of the time	9.5	9.5	9.4	9.2	9.1
	Little of the time	21.7	22.0	20.6	21.2	21.3
	None of the time	62.9	62.4	63.7	64.4	64.3
	missing:					1.0%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q9	d) Have you felt calm and peaceful					
	All of the time	3.7	3.2	4.9	5.0	4.9
	Most of the time	34.7	33.7	36.4	37.7	37.3
	A bit of the time	19.4	20.0	19.0	16.7	18.9
	Some of the time	22.7	23.2	20.6	22.5	21.1
	Little of the time	13.5	13.7	13.9	13.3	11.9
	None of the time	6.1	6.3	5.3	4.9	5.9
	<i>missing:</i>		1.4%			
	e) Did you have a lot of energy					
	All of the time	2.6	2.7	2.2	2.5	2.4
	Most of the time	27.9	27.3	29.0	29.3	29.5
	A bit of the time	23.0	23.3	23.0	22.9	21.3
	Some of the time	24.1	24.5	23.6	23.9	23.8
	Little of the time	14.3	14.0	14.1	14.0	14.6
	None of the time	8.2	8.3	8.2	7.4	8.4
	<i>missing:</i>		1.5%			
	f) Have you felt down					
	All of the time	1.1	1.1	0.9	0.8	1.1
	Most of the time	3.2	3.3	3.2	3.1	2.7
	A bit of the time	6.1	6.2	6.9	6.1	5.9
	Some of the time	19.6	19.5	19.8	19.2	19.3
	Little of the time	43.3	43.9	41.0	42.7	42.0
	None of the time	26.6	26.0	28.2	28.2	28.9
	<i>missing:</i>		1.3%			
	g) Did you feel worn out					
	All of the time	2.7	2.4	2.6	3.2	3.1
	Most of the time	6.6	6.4	7.4	6.9	6.4
	A bit of the time	12.3	12.5	13.3	11.5	12.3
	Some of the time	26.9	27.0	25.6	28.0	27.6
	Little of the time	38.3	38.7	36.8	37.2	37.7
	None of the time	13.3	13.1	14.5	13.3	12.9
	<i>missing:</i>		1.4%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q9	h) Have you been a happy person					
	All of the time	8.9	8.5	9.2	10.0	9.5
	Most of the time	49.1	48.9	50.7	50.5	51.0
	A bit of the time	16.0	16.1	15.6	15.5	16.5
	Some of the time	17.2	17.3	16.8	17.1	15.7
	Little of the time	7.0	7.4	6.4	5.7	5.5
	None of the time	1.8	1.8	1.5	1.2	1.9
	<i>missing:</i>		1.0%			
	i) Did you feel tired					
	All of the time	5.2	5.0	5.4	6.0	5.4
	Most of the time	10.2	10.4	11.3	9.5	9.7
	A bit of the time	16.7	17.4	16.1	15.8	15.8
	Some of the time	33.3	33.4	31.5	32.2	33.5
	Little of the time	31.4	31.0	32.3	33.3	32.0
	None of the time	3.2	2.9	3.4	3.2	3.6
	<i>missing:</i>		0.7%			
Q10	During the PAST FOUR WEEKS, how much of the time have your PHYSICAL HEALTH OR EMOTIONAL PROBLEMS interfered with your social activities?					
	All of the time	1.7	1.7	1.7	1.7	1.4
	Most of the time	4.6	4.4	5.5	4.7	4.5
	Some of the time	15.1	14.9	15.7	15.1	15.5
	Little of the time	20.3	20.8	20.0	20.8	19.6
	None of the time	58.4	58.2	57.3	57.7	58.9
	<i>missing:</i>		0.5%			
Q11	How TRUE or FALSE is EACH of the following statements for you?					
	a) I seem to get sick a little easier than other people					
	Definitely true	1.6	1.6	2.2	1.7	1.2
	Mostly true	5.2	5.4	4.2	5.2	4.5
	Don't know	7.2	6.7	7.1	8.0	8.1
	Mostly false	19.6	20.0	18.6	18.9	18.5
	Definitely false	66.5	66.2	67.9	66.1	67.8
	<i>missing:</i>		2.7%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q11	b) I am as healthy as anybody I know					
	Definitely true	31.9	32.0	32.8	31.8	30.2
	Mostly true	43.8	43.1	42.9	45.0	45.6
	Don't know	10.9	11.5	11.5	9.8	10.9
	Mostly false	8.1	8.0	8.0	8.4	8.0
	Definitely false	5.3	5.4	4.8	4.9	5.2
	<i>missing:</i>					2.2%
	c) I expect my health to get worse					
	Definitely true	4.1	4.0	4.4	3.8	4.3
	Mostly true	12.7	13.2	11.9	11.4	11.7
	Don't know	33.6	33.8	32.6	32.2	32.7
	Mostly false	18.6	18.5	18.8	18.9	18.5
	Definitely false	31.0	30.5	32.4	33.8	32.8
	<i>missing:</i>					2.9%
	d) My health is excellent					
	Definitely true	18.8	19.2	19.4	18.8	17.8
	Mostly true	54.2	53.8	52.9	54.4	55.9
	Don't know	5.9	5.8	5.6	6.1	5.9
	Mostly false	10.9	10.9	11.9	10.7	10.1
	Definitely false	10.1	10.3	10.2	10.1	10.2
	<i>missing:</i>					2.3%
Q12	How many times have you consulted the following people for YOUR OWN HEALTH in the LAST TWELVE MONTHS?					
	a) A family doctor or another General Practitioner (GP)					
	None	6.8	6.1	7.5	9.3	8.3
	Once or twice	34.6	33.5	36.2	36.4	37.3
	3 or 4 times	28.5	28.8	29.4	26.5	27.4
	5 or 6 times	15.3	16.2	12.3	14.3	14.1
	7 to 12 times	9.6	9.7	10.1	9.3	8.9
	13 to 24 times	3.9	4.1	3.4	3.3	2.8
	25 or more times	1.5	1.6	1.1	1.2	1.2
	<i>missing:</i>					0.3%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q12	b) A hospital doctor					
	None	84.8	85.2	84.6	83.9	83.7
	Once or twice	11.8	11.4	12.1	13.0	13.3
	3 or 4 times	1.9	1.7	2.1	2.0	1.8
	5 or 6 times	0.7	0.7	0.6	0.4	0.7
	7 to 12 times	0.5	0.6	0.5	0.5	0.3
	13 to 24 times	0.2	0.3	0.1	0.1	0.2
	25 or more times	0.2	0.2	0.1	0.1	0.1
<i>missing:</i>		0.4%				
c) A specialist doctor	None	53.4	51.5	57.9	57.4	60.2
	Once or twice	30.5	31.5	28.1	29.7	28.2
	3 or 4 times	9.3	9.7	8.2	8.1	7.1
	5 or 6 times	3.8	4.0	3.3	2.6	2.7
	7 to 12 times	1.9	2.1	2.0	1.7	1.2
	13 to 24 times	0.6	0.7	0.5	0.5	0.4
	25 or more times	0.4	0.5	0.1	0.1	0.2
	<i>missing:</i>		0.4%			
Q13	Have you consulted the following people for YOUR OWN HEALTH in the LAST TWELVE MONTHS?					
a) Dentist	No	38.3	35.4	44.0	46.7	46.8
	Yes	61.7	64.6	56.0	53.3	53.2
	<i>missing:</i>		0.4%			
b) Physiotherapist	No	81.6	80.5	83.3	82.6	82.7
	Yes	18.4	19.5	16.7	17.4	17.4
	<i>missing:</i>		0.4%			
c) Counsellor/Psychologist/Social worker	No	92.4	91.7	93.8	93.8	93.8
	Yes	7.6	8.3	6.2	6.2	6.2
	<i>missing:</i>		0.4%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %	
Q13	d) Pharmacist	No	44.2	44.2	42.8	43.7	44.1
		Yes	55.9	55.8	57.2	56.3	55.9
		<i>missing:</i>					0.4%
	e) Optician	No	53.8	52.8	54.5	54.7	57.0
		Yes	46.2	47.2	45.5	45.3	43.0
		<i>missing:</i>					0.4%
	f) Dietitian	No	96.1	96.1	95.5	96.3	96.1
		Yes	3.9	3.9	4.5	3.7	3.9
		<i>missing:</i>					0.4%
	g) Naturopath/Herbalist	No	89.4	89.4	87.7	87.9	89.3
	Yes	10.6	10.7	12.3	12.1	10.7	
	<i>missing:</i>					0.4%	
h) Acupuncturist	No	95.5	95.3	96.4	96.0	96.2	
	Yes	4.5	4.8	3.6	4.0	3.8	
	<i>missing:</i>					0.4%	
i) Podiatrist	No	89.0	88.2	90.6	91.2	91.8	
	Yes	11.0	11.9	9.4	8.8	8.2	
	<i>missing:</i>					0.4%	
j) Chiropractor/Osteopath	No	84.0	85.2	84.5	79.5	79.7	
	Yes	16.0	14.8	15.5	20.5	20.3	
	<i>missing:</i>					0.4%	

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q13	k) Other allied or alternative health practitioner					
	No	90.8	91.3	89.3	89.2	89.7
	Yes	9.2	8.7	10.7	10.8	10.3
	<i>missing:</i>					0.4%
	l) None of these people					
	At least one of these	92.0	92.5	91.5	91.5	90.6
	None of these	8.0	7.5	8.6	8.5	9.4
	<i>missing:</i>					0.4%
Q14	When you go to a General Practitioner:					
	a) Do you go to the same place?					
	Always	72.5	70.6	78.7	79.3	74.4
	Most of time	24.5	25.9	19.5	19.0	23.3
	Sometimes	2.3	2.7	1.4	1.4	1.8
	Rarely/never	0.7	0.9	0.4	0.4	0.6
	<i>missing:</i>					0.9%
	b) Do you usually see the same doctor?					
	Always	47.2	46.9	55.0	49.9	44.3
	Most of time	44.4	44.4	38.8	43.0	45.4
	Sometimes	6.6	6.5	4.8	5.9	8.4
	Rarely/never	1.9	2.2	1.5	1.2	2.0
	<i>missing:</i>					1.5%
Q15	How would you rate the cost to you of your LAST visit to a General Practitioner?					
	No cost	38.6	44.6	23.4	23.0	23.9
	Good	20.3	18.8	23.1	24.4	25.2
	Fair	32.4	28.8	42.2	42.8	39.9
	Poor	6.4	5.6	8.8	8.1	8.5
	Don't know	2.3	2.3	2.5	1.8	2.6
	<i>missing:</i>					0.8%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q17	Do you have a Health Care Card?					
	Yes	17.8	16.5	21.3	22.0	22.2
	No	82.2	83.5	78.7	78.0	77.8
	<i>missing:</i>					0.7%
Q18	Do you have Veterans' Affairs coverage for health services?					
	Yes	0.6	0.6	0.7	0.8	0.7
	No	99.4	99.4	99.3	99.2	99.3
	<i>missing:</i>					0.5%
Q19	Do you have private health insurance for:					
	a) Hospital cover					
	Yes	71.1	73.7	67.2	62.8	63.1
	No	28.9	26.3	32.8	37.2	36.9
	<i>missing:</i>					0.4%
	b) Ancillary services					
	Yes	59.0	61.5	52.7	55.6	50.3
	No	41.0	38.5	47.3	44.4	49.7
	<i>missing:</i>					1.1%
Q20	Thinking about your own health care, how would you rate the following:					
	a) Access to medical specialists if you need them					
	Excellent	28.7	33.5	25.0	16.1	15.2
	Very good	33.7	35.3	33.6	31.1	27.7
	Good	21.0	19.0	23.1	26.3	25.4
	Fair	8.0	5.4	10.0	15.1	16.1
	Poor	3.8	2.0	4.0	7.2	10.4
	Don't know	4.7	4.9	4.2	4.2	5.3
	<i>missing:</i>					0.5%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q20	b) Access to a hospital if you need it					
	Excellent	33.3	34.1	35.8	33.1	30.5
	Very good	32.4	32.9	33.5	31.2	30.1
	Good	21.1	19.5	20.9	23.3	25.2
	Fair	6.3	5.4	5.8	8.1	9.4
	Poor	1.8	1.5	1.3	2.1	2.5
	Don't know	5.1	6.5	2.7	2.2	2.3
	<i>missing:</i>					0.5%
	c) Access to medical care in an emergency					
	Excellent	26.4	27.2	28.5	23.9	22.4
	Very good	30.3	30.6	36.7	30.1	28.8
	Good	21.4	20.3	22.2	24.4	23.8
	Fair	9.1	7.9	6.3	11.2	14.0
	Poor	3.1	2.4	2.0	3.5	5.2
	Don't know	9.6	11.6	4.3	6.8	5.8
	<i>missing:</i>					1.0%
	d) Access to after-hours medical care					
	Excellent	15.1	15.9	18.4	11.7	12.7
	Very good	21.3	21.4	24.2	20.9	20.5
	Good	22.9	22.6	25.2	24.7	21.9
	Fair	17.0	15.9	14.8	18.9	19.5
	Poor	9.3	7.7	7.3	11.6	14.4
	Don't know	14.4	16.5	10.2	12.2	10.9
	<i>missing:</i>					1.4%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q20	e) Access to a GP who bulk bills					
	Excellent	25.3	29.3	16.1	15.6	15.7
	Very good	17.4	19.9	12.3	11.1	11.9
	Good	14.0	14.9	11.1	8.6	11.9
	Fair	7.6	7.4	8.1	7.9	7.7
	Poor	18.8	13.0	28.0	31.5	34.3
	Don't know	16.9	15.5	24.4	25.5	18.6
	<i>missing:</i>					1.3%
	f) Access to a female GP					
	Excellent	27.1	30.4	23.9	19.9	17.8
	Very good	22.4	23.1	22.7	19.0	19.7
	Good	19.7	19.1	22.6	21.0	19.8
	Fair	11.1	9.7	12.3	15.6	14.5
	Poor	8.2	5.7	6.9	12.9	19.0
	Don't know	11.6	12.2	11.7	11.5	9.2
	<i>missing:</i>					1.1%
	g) Hours when a GP is available					
	Excellent	12.2	13.2	13.1	9.1	9.8
	Very good	28.2	29.8	28.1	24.8	23.2
	Good	33.3	33.1	30.1	33.5	31.8
	Fair	17.3	15.9	19.3	21.0	21.9
	Poor	5.7	4.6	5.7	7.8	9.3
	Don't know	3.4	3.4	3.7	3.8	4.1
	<i>missing:</i>					1.0%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q20	h) Number of GPs you have to choose from					
	Excellent	19.9	21.5	22.9	17.2	12.5
	Very good	28.5	30.5	29.1	25.1	21.9
	Good	29.6	29.9	25.9	32.3	27.8
	Fair	12.2	10.4	12.1	15.7	19.3
	Poor	5.5	3.0	6.2	6.9	15.4
	Don't know	4.3	4.8	3.9	2.9	3.2
	<i>missing:</i>					1.1%
	i) Ease of seeing the GP of your choice					
	Excellent	19.7	21.6	20.0	14.6	13.0
	Very good	27.8	29.8	28.4	23.0	21.9
	Good	27.6	27.0	27.4	29.9	27.9
	Fair	15.9	14.4	15.4	19.5	21.3
	Poor	7.2	5.2	7.3	11.6	14.2
	Don't know	1.7	2.0	1.5	1.4	1.8
	<i>missing:</i>					1.1%
	j) How long you wait to get a GP appointment					
	Excellent	14.6	16.0	12.9	8.2	9.6
	Very good	28.7	30.5	29.9	24.9	22.6
	Good	29.6	29.4	30.0	29.6	29.8
	Fair	18.6	17.0	18.6	23.4	24.5
	Poor	7.3	5.6	7.7	12.7	12.4
	Don't know	1.3	1.5	1.0	1.2	1.1
	<i>missing:</i>					0.9%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q20	k) The outcomes of your medical care					
	Excellent	19.1	20.4	18.4	15.3	14.1
	Very good	34.4	35.1	36.4	33.3	31.2
	Good	30.9	29.8	29.7	35.2	33.8
	Fair	11.1	10.4	11.4	10.8	15.2
	Poor	2.3	2.1	2.7	3.1	3.1
	Don't know	2.1	2.1	1.5	2.3	2.6
	<i>missing:</i>					1.0%
	l) Ease of obtaining a mammogram					
	Excellent	43.5	45.7	51.8	36.0	32.0
	Very good	29.4	30.4	27.5	31.1	26.4
	Good	16.8	15.2	13.3	20.8	23.0
	Fair	3.8	2.5	2.3	5.5	9.0
	Poor	1.5	0.8	0.5	1.8	4.6
	Don't know	5.1	5.4	4.7	4.8	5.0
	<i>missing:</i>					0.8%
	m) Ease of obtaining a Pap test					
	Excellent	42.5	44.2	47.9	36.2	33.7
	Very good	30.1	30.6	28.7	31.2	30.1
	Good	17.3	15.6	14.8	20.7	23.6
	Fair	2.8	2.1	2.0	3.8	5.6
	Poor	0.7	0.5	0.5	1.0	1.1
	Don't know	6.6	7.0	6.1	7.1	5.8
	<i>missing:</i>					1.8%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q20	n) Availability of medical information or advice by phone					
	Excellent	11.9	12.3	12.1	8.9	9.6
	Very good	17.5	17.8	18.3	17.2	16.9
	Good	17.4	17.1	17.2	19.6	17.6
	Fair	11.1	10.1	11.9	12.8	15.2
	Poor	8.8	7.7	7.9	10.8	13.0
	Don't know	33.3	35.1	32.6	30.7	27.8
	<i>missing:</i>					1.0%
	o) Services available for getting doctors' prescriptions filled					
	Excellent	38.7	40.3	41.5	36.9	31.7
	Very good	30.6	31.3	31.7	30.9	29.1
	Good	20.5	19.1	19.2	20.5	24.9
	Fair	4.2	3.3	3.0	5.2	7.7
	Poor	1.5	1.1	1.2	1.6	3.3
	Don't know	4.5	4.9	3.5	4.9	3.3
	<i>missing:</i>					0.7%
	p) Access to a counselling service if you need it					
	Excellent	10.6	11.4	11.1	8.2	7.5
	Very good	14.4	14.7	16.4	14.9	13.1
	Good	15.2	14.6	17.2	16.1	16.4
	Fair	6.0	4.9	6.9	8.2	9.7
	Poor	3.6	2.5	3.3	4.2	7.6
	Don't know	50.3	51.9	45.1	48.5	45.7
	<i>missing:</i>					1.2%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q20	q) Access to a Women's Health Centre or a Family Planning Centre					
	Excellent	10.5	11.0	12.8	9.8	6.9
	Very good	13.7	13.8	17.7	15.4	11.2
	Good	15.2	15.2	15.0	16.0	15.3
	Fair	5.5	4.3	4.4	7.8	10.4
	Poor	4.2	2.2	3.1	5.9	11.8
	Don't know	50.9	53.5	47.1	45.1	44.5
	<i>missing:</i>					1.1%
Q21	In the PAST WEEK, have you been feeling that life isn't worth living?					
	Yes	7.6	7.6	7.8	7.6	7.6
	No	92.4	92.4	92.2	92.4	92.4
	<i>missing:</i>					0.2%
Q22	In the PAST 6 MONTHS, have you EVER deliberately hurt yourself or done anything that you knew might have harmed or even killed you?					
	Yes	0.9	0.9	0.7	0.6	0.8
	No	99.1	99.1	99.3	99.4	99.3
	<i>missing:</i>					0.2%
Q23	When did you last have:					
	a) a Pap test					
	In last 2 years	67.9	68.6	66.7	63.2	65.7
	2 to 5 years	14.0	13.8	14.1	15.8	14.7
	More than 5 yrs	14.2	13.8	15.3	17.1	15.9
	Never	1.4	1.5	0.7	1.5	1.4
	Don't know	2.5	2.5	3.2	2.5	2.3
	<i>missing:</i>					1.3%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q23	b) A mammogram					
	In last 2 years	77.5	77.2	77.2	78.8	77.6
	2 to 5 years	9.5	10.0	8.7	9.2	9.1
	More than 5 yrs	3.5	3.6	3.4	3.0	3.3
	Never	9.2	8.9	10.1	8.9	9.5
	Don't know	0.4	0.4	0.7	0.1	0.4
	<i>missing:</i>					0.5%
Q24	Have you EVER had an abnormal result from:					
	a) A Pap test					
	Yes	24.2	24.7	23.3	23.2	21.0
	No	74.4	73.9	75.9	75.5	77.7
	Don't know	1.4	1.4	0.8	1.4	1.4
	<i>missing:</i>					2.0%
	b) A mammogram					
	Yes	18.8	19.4	17.2	19.6	17.7
	No	77.2	76.6	78.1	77.4	78.4
	Don't know	4.0	4.0	4.7	3.0	3.9
	<i>missing:</i>					3.5%
Q25	In the PAST THREE YEARS, have you:					
	a) Had your breasts examined by a doctor?					
	No	26.8	25.2	27.8	33.0	32.9
	Yes	73.3	74.8	72.3	67.1	67.1
	<i>missing:</i>					0.2%
	b) Carried out regular monthly breast self examination?					
	No	47.2	48.1	45.2	43.8	42.9
	Yes	52.9	51.9	54.8	56.2	57.1
	<i>missing:</i>					0.2%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q25	c) Had your blood pressure checked by a doctor?					
	No	8.9	8.6	8.3	10.3	9.3
	Yes	91.1	91.4	91.7	89.7	90.7
	<i>missing:</i>					0.2%
	d) Had your cholesterol checked by a doctor?					
	No	37.0	35.5	41.3	40.0	41.3
	Yes	63.0	64.5	58.7	60.0	58.7
	<i>missing:</i>					0.2%
	e) None of the above					
	At least one of these	96.9	97.1	96.5	96.4	96.6
	None of these	3.1	2.9	3.5	3.6	3.4
	<i>missing:</i>					0.2%
Q26	Are you currently taking:					
	a) The oral contraceptive pill					
	No	97.4	97.4	96.8	97.8	97.3
	Yes	2.6	2.7	3.2	2.2	2.7
	b) Hormone Replacement Therapy (HRT)					
	No	67.1	66.9	67.9	66.7	67.2
	Yes	32.9	33.1	32.1	33.3	32.8
Q27	Have you:					
	a) Had a hysterectomy?					
	Yes	27.6	26.9	29.8	31.8	29.1
	No	72.4	73.1	70.2	68.2	70.9
	<i>missing:</i>					3.4%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q27	b) Had a period or menstrual bleeding in the last 12 months?					
	Yes	40.0	39.9	40.1	37.5	39.2
	No	60.0	60.1	59.9	62.5	60.8
	<i>missing:</i>					1.7%
	c) Had a period or menstrual bleeding in the last 3 months?					
	Yes	31.3	31.2	32.8	28.2	31.2
	No	8.0	8.1	7.0	8.5	7.2
	No period for 12 months	60.7	60.7	60.3	63.3	61.6
	<i>missing:</i>					2.9%
Q28	Compared with 12 months ago, are your periods:					
	Less frequent	16.6	16.4	16.5	16.0	17.4
	Same	15.1	15.0	15.0	14.0	14.6
	More frequent	1.3	1.4	1.7	0.7	1.5
	Changeable	7.4	7.6	7.2	6.9	6.6
	No period for 12 months	59.6	59.6	59.6	62.5	60.1
	<i>missing:</i>					2.9%
		Weighted Total (n=11,031)	Capital city/ Other Metropolitan (n=4,185)	Large rural (n=1,515)	Small Rural (n=1,573)	Other Rural/ Remote (n=3,758)
Q29	If you have reached menopause, at what age did your periods completely stop?					
	Mean	47.6	47.6	47.3	47.3	47.3
	Standard Error	0.1	0.1	0.3	0.2	0.2
		%	%	%	%	%
Menopause status	Hysterectomy, used HRT	13.9	13.5	15.1	16.0	14.6
	Hysterectomy, no HRT	13.0	12.7	13.7	14.9	13.5
	HRT, no hysterectomy	19.0	19.6	17.0	17.3	18.2
	Post-menopausal	22.9	23.3	21.9	22.6	22.8
	Peri-menopausal	19.3	19.3	19.6	17.8	19.2
	Pre-menopausal	10.8	10.5	11.7	10.4	10.7
	Unclassified	1.2	1.2	1.1	1.0	1.0

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q30	Have you ever had any of the following problems with fertility:					
	a) You tried unsuccessfully to get pregnant?					
	No	86.5	86.4	85.4	87.5	87.4
	Yes	13.5	13.6	14.6	12.5	12.6
	<i>missing:</i>					7.1%
	b) You were diagnosed as infertile by a doctor?					
	No	97.1	97.0	97.4	97.1	97.8
	Yes	2.9	3.0	2.6	2.9	2.2
	<i>missing:</i>					7.1%
	c) Your partner was diagnosed as infertile by a doctor?					
	No	98.5	98.4	97.9	98.7	98.7
	Yes	1.5	1.7	2.1	1.3	1.3
	<i>missing:</i>					7.1%
	d) You had treatment for infertility?					
	No	94.3	94.0	95.1	95.2	95.7
	Yes	5.7	6.0	4.9	4.8	4.3
	<i>missing:</i>					7.1%
	e) Your partner had treatment for infertility?					
	No	98.8	98.6	98.9	99.3	99.3
	Yes	1.2	1.4	1.1	0.7	0.7
	<i>missing:</i>					7.1%
	f) None of these					
	At least one of these	14.9	15.1	15.3	14.1	13.8
	None of these	85.1	84.9	84.7	85.9	86.2
	<i>missing:</i>					7.1%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q31	Which of these most closely describes your sexual orientation?					
	Exclusively heterosexual	94.0	94.0	95.5	94.6	93.3
	Mainly heterosexual	1.2	1.3	0.7	1.1	1.1
	Bisexual	0.2	0.2	0.2	0.1	0.2
	Mainly homosexual (lesbian)	0.2	0.2	0.1	0.0	0.1
	Exclusively homosexual (lesbian)	1.0	1.0	0.6	0.7	1.1
	Don't know	0.6	0.6	0.4	0.8	0.5
	Don't want to answer	3.0	2.7	2.5	2.8	3.7
	<i>missing:</i>					3.3%
Q33A	During the PAST FOUR WEEKS, have you taken any medications recommended or prescribed by a doctor					
	a) For nerves/anxiety/worries					
	No	92.3	92.0	92.1	93.2	93.3
	Yes	7.7	8.0	7.9	6.8	6.7
	<i>missing:</i>					0.7%
	b) For stress					
	No	95.2	95.1	94.5	96.0	95.4
	Yes	4.8	4.9	5.5	4.0	4.6
	<i>missing:</i>					0.7%
	c) To help you sleep					
	No	91.1	90.4	90.2	92.3	92.7
	Yes	8.9	9.6	9.8	7.7	7.3
	<i>missing:</i>					0.7%
	d) For tiredness/fatigue					
	No	98.1	98.0	98.7	98.9	98.5
	Yes	1.9	2.0	1.3	1.2	1.5
	<i>missing:</i>					0.7%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q33A	e) For depression					
	No	92.8	92.6	91.1	93.5	93.3
	Yes	7.3	7.4	8.9	6.5	6.7
	<i>missing:</i>					0.7%
	f) For menopausal symptoms					
	No	80.0	79.5	79.7	81.6	81.1
	Yes	20.0	20.5	20.3	18.4	18.9
	<i>missing:</i>					0.7%
g) For pain						
No	78.1	77.7	77.9	80.0	78.8	
Yes	21.9	22.3	22.1	20.0	21.2	
<i>missing:</i>					0.7%	
h) For arthritis						
No	87.9	88.1	87.5	87.6	86.5	
Yes	12.2	11.9	12.5	12.4	13.5	
<i>missing:</i>					0.7%	
i) For any chronic illness or condition						
No	82.9	83.3	82.0	81.1	82.2	
Yes	17.1	16.8	18.0	18.9	17.8	
<i>missing:</i>					0.7%	
j) For digestive/bowel problems						
No	92.7	92.6	91.7	93.7	93.0	
Yes	7.3	7.4	8.3	6.3	7.1	
<i>missing:</i>					0.7%	

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q33A	k) For skin problems					
	No	93.9	93.6	94.9	94.1	95.3
	Yes	6.1	6.4	5.1	6.0	4.7
	<i>missing:</i>					0.7%
Q33B	During the PAST FOUR WEEKS, have you taken any other medication					
	a) For nerves/anxiety/worries					
	No	96.1	96.1	96.3	95.8	96.4
	Yes	3.9	3.9	3.7	4.2	3.6
	<i>missing:</i>					0.7%
	b) For stress					
	No	96.6	96.6	97.0	96.0	96.8
	Yes	3.4	3.4	3.0	4.0	3.2
	<i>missing:</i>					0.7%
	c) To help you sleep					
	No	92.7	92.8	93.7	93.1	92.3
	Yes	7.3	7.2	6.3	6.9	7.7
	<i>missing:</i>					0.7%
	d) For tiredness/fatigue					
	No	96.0	96.2	95.5	95.3	95.3
	Yes	4.0	3.8	4.5	4.7	4.7
	<i>missing:</i>					0.7%
	e) For depression					
	No	98.5	98.5	98.4	98.2	98.6
	Yes	1.5	1.5	1.6	1.8	1.4
	<i>missing:</i>					0.7%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q33B	f) For menopausal symptoms					
	No	92.1	92.1	93.9	91.0	92.1
	Yes	7.9	7.9	6.1	9.0	7.9
	<i>missing:</i>					0.7%
	g) For pain					
	No	63.3	63.5	62.9	60.7	62.8
	Yes	36.7	36.5	37.1	39.3	37.2
<i>missing:</i>					0.7%	
h) For arthritis						
No	94.1	94.4	94.3	93.5	93.7	
Yes	5.9	5.6	5.7	6.5	6.4	
<i>missing:</i>					0.7%	
i) For any chronic illness or condition						
No	98.8	98.8	99.2	98.6	98.9	
Yes	1.2	1.2	0.8	1.4	1.1	
<i>missing:</i>					0.7%	
j) For digestive/bowel problems						
No	92.5	92.6	93.1	91.8	92.6	
Yes	7.5	7.4	6.9	8.2	7.5	
<i>missing:</i>					0.7%	
k) For skin problems						
No	97.0	97.1	96.7	96.6	97.0	
Yes	3.0	2.9	3.3	3.4	3.0	
<i>missing:</i>					0.7%	

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q33	I) None of these (columns A and B)					
	At least one of these	81.2	81.7	80.9	80.1	80.0
	None of these	18.8	18.3	19.1	19.9	20.0
	<i>missing:</i>					0.7%
Q34	During the PAST FOUR WEEKS, how many different types of vitamin, mineral or herbal products or supplements have you taken?					
	None	44.4	43.6	45.6	44.2	46.5
	One	21.0	21.4	20.4	19.8	20.7
	Two or three	22.3	22.5	22.4	23.6	21.6
	Four or more	12.3	12.6	11.6	12.4	11.2
	<i>missing:</i>					0.5%
Q35	In the PAST THREE YEARS, have you been diagnosed or treated for:					
	a) Arthritis/rheumatism					
	No	77.7	77.9	77.1	77.4	76.3
	Yes	22.3	22.1	22.9	22.6	23.7
	<i>missing:</i>					1.1%
	b) Insulin dependent diabetes					
	No	99.5	99.5	99.5	99.7	99.4
	Yes	0.5	0.5	0.5	0.3	0.6
	<i>missing:</i>					1.1%
	c) Non-insulin dependent diabetes					
	No	97.2	97.2	97.4	97.2	96.9
	Yes	2.8	2.8	2.6	2.8	3.2
	<i>missing:</i>					1.1%
	d) Impaired glucose tolerance					
	No	99.3	99.3	98.7	99.2	99.3
	Yes	0.7	0.7	1.3	0.8	0.7
	<i>missing:</i>					1.1%

			Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q35	e) Heart disease						
	No		98.1	98.2	97.9	98.0	98.0
	Yes		1.9	1.8	2.1	2.1	2.0
	<i>missing:</i>	1.1%					
	f) Hypertension						
	No		83.1	84.0	81.9	81.1	79.8
	Yes		16.9	16.0	18.1	18.9	20.2
	<i>missing:</i>	1.1%					
g) Stroke							
No		99.7	99.6	99.6	99.7	99.8	
Yes		0.3	0.4	0.4	0.3	0.2	
<i>missing:</i>	1.1%						
h) Thrombosis							
No		98.8	98.8	98.9	98.2	98.9	
Yes		1.2	1.2	1.1	1.8	1.1	
<i>missing:</i>	1.1%						
i) Low iron level							
No		90.5	90.1	92.1	90.3	92.6	
Yes		9.5	9.9	7.9	9.7	7.4	
<i>missing:</i>	1.1%						
j) Asthma							
No		90.1	90.0	88.0	90.4	90.4	
Yes		10.0	10.1	12.0	9.6	9.6	
<i>missing:</i>	1.1%						

			Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q35	k) Bronchitis/emphysema	No	95.2	95.2	94.8	94.5	95.7
		Yes	4.8	4.8	5.2	5.5	4.3
		<i>missing:</i>					1.1%
	l) Osteoporosis	No	96.2	95.8	97.1	97.0	97.4
		Yes	3.8	4.2	2.9	3.0	2.6
		<i>missing:</i>					1.1%
	m) Breast cancer	No	98.4	98.3	98.3	98.8	98.7
		Yes	1.6	1.7	1.7	1.2	1.3
		<i>missing:</i>					1.1%
	n) Cervical cancer	No	99.7	99.7	99.8	99.6	99.6
	Yes	0.3	0.3	0.2	0.4	0.4	
	<i>missing:</i>					1.1%	
o) Bowel cancer	No	99.7	99.7	99.7	99.7	99.8	
	Yes	0.3	0.3	0.3	0.3	0.2	
	<i>missing:</i>					1.1%	
p) Other cancer	No	98.4	98.4	98.3	98.6	98.6	
	Yes	1.6	1.6	1.7	1.4	1.5	
	<i>missing:</i>					1.1%	

				Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q35	q) Depression	No		88.5	88.4	87.4	88.3	89.7
		Yes		11.5	11.6	12.6	11.7	10.3
		<i>missing:</i>	1.1%					
	r) Anxiety/nervous disorder	No		93.2	93.2	91.6	93.6	94.1
		Yes		6.8	6.8	8.4	6.4	5.9
		<i>missing:</i>	1.1%					
	s) Other psychiatric disorder	No		99.4	99.4	99.2	99.6	99.4
		Yes		0.6	0.7	0.8	0.4	0.6
		<i>missing:</i>	1.1%					
	t) Chronic Fatigue Syndrome	No		98.8	98.7	98.7	99.2	98.7
		Yes		1.2	1.3	1.3	0.8	1.3
		<i>missing:</i>	1.1%					
	u) Sexually transmitted infection	No		99.4	99.3	99.1	99.6	99.5
		Yes		0.6	0.7	0.9	0.5	0.5
		<i>missing:</i>	1.1%					
	v) HIV or AIDS	No		100.0	100.0	100.0	100.0	100.0
		<i>missing:</i>	1.1%					

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q35	w) Hepatitis B or C					
	No		99.8	99.8	99.9	99.9
	Yes		0.2	0.2	0.1	0.1
	<i>missing:</i>	1.1%				
	x) Other major illness					
	No		96.2	96.3	96.4	96.0
	Yes		3.8	3.7	3.6	4.0
	<i>missing:</i>	1.1%				
	y) None of these conditions					
	At least one of these		57.8	57.9	60.1	58.4
None of these		42.2	42.1	39.9	41.6	
<i>missing:</i>	1.1%					
Q36	In the PAST THREE YEARS, have you had any of the following operations?					
	a) Hysterectomy					
	No		95.7	95.5	95.7	96.0
	Yes		4.3	4.5	4.3	4.0
	<i>missing:</i>	4.6%				
	b) Both ovaries removed					
	No		98.1	98.2	97.8	98.2
	Yes		1.9	1.8	2.2	1.8
	<i>missing:</i>	4.6%				
	c) Repair of prolapsed vagina, bladder or bowel					
No		97.5	97.7	97.9	97.3	
Yes		2.5	2.4	2.1	2.7	
<i>missing:</i>	4.6%					

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q36	d) Endometrial ablation					
	No	98.4	98.5	98.3	97.7	98.7
	Yes	1.6	1.6	1.7	2.3	1.3
	<i>missing:</i>					4.6%
	e) Tubal ligation					
	No	99.7	99.7	99.6	99.9	99.7
	Yes	0.4	0.4	0.4	0.1	0.3
<i>missing:</i>					4.6%	
f) Mastectomy						
No	99.5	99.4	99.3	99.5	99.6	
Yes	0.5	0.6	0.7	0.5	0.4	
<i>missing:</i>					4.6%	
g) Lumpectomy						
No	98.2	98.3	98.3	97.9	98.2	
Yes	1.8	1.8	1.7	2.1	1.8	
<i>missing:</i>					4.6%	
h) Breast biopsy						
No	95.4	95.1	96.5	95.4	95.8	
Yes	4.6	4.9	3.5	4.6	4.2	
<i>missing:</i>					4.6%	
i) Cholecystectomy						
No	98.1	98.1	97.4	97.9	98.3	
Yes	1.9	1.9	2.6	2.1	1.7	
<i>missing:</i>					4.6%	

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q36	j) Any cosmetic surgery					
	No	98.5	98.3	98.9	98.5	98.9
	Yes	1.5	1.7	1.1	1.5	1.2
	<i>missing:</i>					4.6%
	k) Gastroscopy/colonoscopy					
	No	87.4	87.3	87.6	87.1	88.6
	Yes	12.6	12.7	12.4	13.0	11.4
	<i>missing:</i>					4.6%
	l) None of these					
	At least one of these	24.8	25.1	24.1	25.4	22.7
	None of these	75.2	74.9	75.9	74.6	77.3
	<i>missing:</i>					4.6%
Q37	Aa) In the LAST 12 MONTHS, have you had allergies, hay fever, sinusitis?					
	Never	45.1	44.7	44.2	46.9	46.0
	Rarely	13.5	13.2	13.9	13.0	13.4
	Sometimes	27.3	28.0	27.2	27.3	25.9
	Often	14.1	14.1	14.8	12.9	14.7
	<i>missing:</i>					2.1%
	Ba) Did you seek help for allergies, hay fever, sinusitis?					
	Did not seek help	34.6	35.0	33.3	33.7	33.9
	Sought help	20.4	20.4	22.5	19.7	20.4
	Did not have symptom	45.0	44.6	44.2	46.6	45.7
	<i>missing:</i>					2.0%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Ca) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	17.8	17.6	20.1	17.3	18.1
	Not satisfied	2.6	2.8	2.4	2.4	2.3
	Did not seek help	34.6	35.0	33.3	33.7	33.9
	Did not have symptom	45.0	44.6	44.2	46.6	45.7
	<i>missing:</i>	2.0%				
	Ab) In the LAST 12 MONTHS, have you had breathing difficulty?					
	Never	79.3	79.2	79.1	79.7	79.7
	Rarely	8.2	8.2	7.8	8.5	8.4
	Sometimes	10.0	10.1	10.9	8.5	9.7
	Often	2.5	2.6	2.2	3.3	2.3
	<i>missing:</i>	4.2%				
	Bb) Did you seek help for breathing difficulty?					
	Did not seek help	12.2	11.9	11.3	12.2	12.8
	Sought help	8.6	9.0	9.6	8.5	7.7
	Did not have symptom	79.2	79.1	79.1	79.4	79.5
	<i>missing:</i>	4.2%				
	Cb) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	7.8	8.0	9.0	7.4	7.1
	Not satisfied	0.9	1.0	0.6	1.1	0.7
	Did not seek help	12.2	11.9	11.3	12.2	12.8
	Did not have symptom	79.2	79.1	79.1	79.4	79.5
	<i>missing:</i>	4.2%				
	Ac) In the LAST 12 MONTHS, have you had indigestion/heartburn?					
	Never	60.5	61.0	59.0	60.2	59.6
	Rarely	15.0	15.1	17.4	14.0	14.3
	Sometimes	17.7	17.4	17.6	18.3	18.9
	Often	6.8	6.5	6.0	7.6	7.2
	<i>missing:</i>	3.6%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Bc) Did you seek help for indigestion/heartburn?					
	Did not seek help	30.7	30.4	32.4	30.7	30.9
	Sought help	8.9	8.7	8.6	9.3	9.6
	Did not have symptom	60.4	60.9	59.0	60.0	59.5
	<i>missing:</i>	3.5%				
	Cc) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	7.8	7.5	7.8	8.0	8.4
	Not satisfied	1.2	1.1	0.8	1.3	1.2
	Did not seek help	30.7	30.4	32.4	30.7	30.9
	Did not have symptom	60.4	60.9	59.0	60.0	59.5
	<i>missing:</i>	3.5%				
	Ad) In the LAST 12 MONTHS, have you had chest pain?					
	Never	84.5	85.1	84.2	83.1	83.2
	Rarely	8.1	8.0	8.2	9.3	9.1
	Sometimes	6.5	6.2	6.6	6.6	6.7
	Often	0.8	0.7	1.0	1.0	1.0
	<i>missing:</i>	6.0%				
	Bd) Did you seek help for chest pain?					
	Did not seek help	9.9	9.3	9.9	10.6	11.1
	Sought help	5.7	5.6	6.1	6.3	5.8
	Did not have symptom	84.4	85.0	84.0	83.1	83.1
	<i>missing:</i>	5.9%				
	Cd) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	5.0	4.9	5.8	5.6	5.1
	Not satisfied	0.7	0.8	0.3	0.7	0.7
	Did not seek help	9.9	9.3	9.9	10.6	11.1
	Did not have symptom	84.4	85.0	84.0	83.1	83.1
	<i>missing:</i>	5.9%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Ae) In the LAST 12 MONTHS, have you had headaches/migraines?					
	Never	30.9	31.3	29.5	28.3	31.8
	Rarely	22.7	22.3	25.2	24.2	22.9
	Sometimes	35.2	35.0	35.8	34.8	34.5
	Often	11.2	11.5	9.5	12.8	10.8
	<i>missing:</i>	2.6%				
	Be) Did you seek help for headaches/migraines?					
	Did not seek help	57.0	56.3	58.6	59.3	56.6
	Sought help	12.1	12.4	12.0	12.5	11.6
	Did not have symptom	30.9	31.2	29.5	28.2	31.8
	<i>missing:</i>	2.6%				
	Ce) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	10.1	10.3	11.0	11.1	9.6
	Not satisfied	2.0	2.2	1.0	1.4	2.0
	Did not seek help	57.0	56.3	58.6	59.3	56.6
	Did not have symptom	30.9	31.2	29.5	28.2	31.8
	<i>missing:</i>	2.6%				
	Af) In the LAST 12 MONTHS, have you had severe tiredness?					
	Never	48.6	49.2	46.5	47.1	48.9
	Rarely	16.3	16.1	18.2	15.4	16.5
	Sometimes	23.7	23.1	23.8	26.3	24.6
	Often	11.4	11.6	11.6	11.2	10.0
	<i>missing:</i>	4.3%				
	Bf) Did you seek help for severe tiredness?					
	Did not seek help	42.5	41.6	45.0	43.6	43.6
	Sought help	9.0	9.3	8.6	9.6	7.6
	Did not have symptom	48.5	49.2	46.4	46.9	48.8
	<i>missing:</i>	4.2%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Cf) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	6.7	6.9	6.6	6.8	5.4
	Not satisfied	2.3	2.3	1.9	2.7	2.2
	Did not seek help	42.5	41.6	45.0	43.6	43.6
	Did not have symptom	48.5	49.2	46.4	46.9	48.8
	<i>missing:</i>	4.2%				
	Ag) In the LAST 12 MONTHS, have you had stiff or painful joints?					
	Never	38.6	39.8	37.2	36.4	37.4
	Rarely	14.3	14.5	13.9	12.9	14.1
	Sometimes	29.6	28.6	30.9	32.6	30.2
	Often	17.5	17.1	18.1	18.1	18.4
	<i>missing:</i>	3.3%				
	Bg) Did you seek help for stiff or painful joints?					
	Did not seek help	43.3	42.4	43.2	45.6	44.4
	Sought help	18.2	18.0	19.7	18.2	18.4
	Did not have symptom	38.6	39.7	37.1	36.2	37.2
	<i>missing:</i>	3.2%				
	Cg) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	15.3	15.1	16.6	15.6	15.1
	Not satisfied	2.8	2.9	3.1	2.6	3.3
	Did not seek help	43.3	42.4	43.2	45.6	44.4
	Did not have symptom	38.6	39.7	37.1	36.2	37.2
	<i>missing:</i>	3.2%				
	Ah) In the LAST 12 MONTHS, have you had back pain?					
	Never	36.9	37.5	35.5	35.7	35.7
	Rarely	16.2	16.3	17.2	14.2	16.3
	Sometimes	30.9	30.6	31.1	32.8	30.9
	Often	16.0	15.6	16.2	17.2	17.2
	<i>missing:</i>	2.8%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Bh) Did you seek help for back pain?					
	Did not seek help	43.6	43.3	44.4	43.2	44.4
	Sought help	19.5	19.3	20.2	21.2	20.0
	Did not have symptom	36.8	37.4	35.4	35.6	35.6
	<i>missing:</i>	2.7%				
	Ch) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	16.9	16.6	17.6	18.3	17.0
	Not satisfied	2.6	2.7	2.6	2.9	3.0
	Did not seek help	43.6	43.3	44.4	43.2	44.4
	Did not have symptom	36.8	37.4	35.4	35.6	35.6
	<i>missing:</i>	2.7%				
	Ai) In the LAST 12 MONTHS, have you had urine that burns or stings?					
	Never	84.7	85.3	84.6	83.6	83.5
	Rarely	9.4	9.2	9.2	8.8	9.7
	Sometimes	5.2	4.9	5.5	6.6	5.7
	Often	0.7	0.6	0.6	1.0	1.1
	<i>missing:</i>	5.0%				
	Bi) Did you seek help for urine that burns or stings?					
	Did not seek help	10.0	9.5	9.8	11.1	11.1
	Sought help	5.4	5.3	5.8	5.4	5.4
	Did not have symptom	84.6	85.2	84.4	83.5	83.5
	<i>missing:</i>	5.0%				
	Ci) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	5.0	4.9	5.3	5.1	4.9
	Not satisfied	0.4	0.4	0.5	0.3	0.5
	Did not seek help	10.0	9.5	9.8	11.1	11.1
	Did not have symptom	84.6	85.2	84.4	83.5	83.5
	<i>missing:</i>	5.0%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Aj) In the LAST 12 MONTHS, have you had leaking urine?					
	Never	66.0	66.4	65.3	65.8	65.6
	Rarely	13.7	13.9	13.7	12.9	12.9
	Sometimes	14.9	14.8	15.5	14.6	15.4
	Often	5.4	5.0	5.5	6.7	6.0
	<i>missing:</i>	3.8%				
	Bj) Did you seek help for leaking urine?					
	Did not seek help	30.2	30.0	30.6	30.0	30.8
	Sought help	3.9	3.7	4.1	4.4	3.6
	Did not have symptom	65.9	66.3	65.2	65.6	65.6
	<i>missing:</i>	3.8%				
	Cj) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	2.9	2.8	3.1	3.4	2.6
	Not satisfied	1.0	0.9	1.0	1.1	1.1
	Did not seek help	30.2	30.0	30.6	30.0	30.8
	Did not have symptom	65.9	66.3	65.2	65.6	65.6
	<i>missing:</i>	3.8%				
	Ak) In the LAST 12 MONTHS, have you passed urine more than twice during the night?					
	Never	66.5	67.4	67.3	65.3	65.0
	Rarely	14.6	14.2	14.2	14.5	15.3
	Sometimes	12.2	12.0	10.9	13.2	12.7
	Often	6.7	6.4	7.6	7.1	7.0
	<i>missing:</i>	3.6%				
	Bk) Did you seek help for passing urine more than twice during the night?					
	Did not seek help	31.6	31.1	30.1	31.7	32.7
	Sought help	2.0	1.5	2.8	3.0	2.3
	Did not have symptom	66.5	67.4	67.2	65.3	65.0
	<i>missing:</i>	3.6%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Ck) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	1.5	1.2	2.1	2.2	1.8
	Not satisfied	0.5	0.4	0.7	0.9	0.5
	Did not seek help	31.6	31.1	30.1	31.7	32.7
	Did not have symptom	66.5	67.4	67.2	65.3	65.0
	<i>missing:</i>					3.6%
	AI) In the LAST 12 MONTHS, have you had haemorrhoids?					
	Never	75.9	75.8	79.0	73.7	76.4
	Rarely	10.6	10.6	9.8	11.5	9.9
	Sometimes	10.4	10.4	8.7	11.7	10.8
	Often	3.1	3.1	2.6	3.1	3.0
	<i>missing:</i>					4.4%
	BI) Did you seek help for haemorrhoids?					
	Did not seek help	20.6	20.6	18.3	22.6	20.3
	Sought help	3.5	3.6	2.7	3.8	3.4
	Did not have symptom	75.9	75.8	79.0	73.6	76.3
	<i>missing:</i>					4.4%
	CI) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	3.2	3.3	2.3	3.5	2.9
	Not satisfied	0.4	0.3	0.4	0.3	0.5
	Did not seek help	20.6	20.6	18.3	22.6	20.3
	Did not have symptom	75.9	75.8	79.0	73.6	76.3
	<i>missing:</i>					4.4%
	Am) In the LAST 12 MONTHS, have you had other bowel problems?					
	Never	77.9	78.0	78.9	77.4	78.5
	Rarely	8.9	8.9	8.4	7.7	9.0
	Sometimes	9.6	9.7	8.2	10.7	9.1
	Often	3.7	3.4	4.6	4.2	3.5
	<i>missing:</i>					4.6%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Bm) Did you seek help for other bowel problems?					
	Did not seek help	15.7	15.5	15.0	16.1	16.2
	Sought help	6.5	6.4	6.2	6.5	5.4
	Did not have symptom	77.9	78.0	78.9	77.4	78.4
	<i>missing:</i>	4.6%				
	Cm) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	5.5	5.5	5.1	5.5	4.7
	Not satisfied	1.0	1.0	1.0	1.0	0.7
	Did not seek help	15.7	15.5	15.0	16.1	16.2
	Did not have symptom	77.9	78.0	78.9	77.4	78.4
	<i>missing:</i>	4.6%				
	An) In the LAST 12 MONTHS, have you had vaginal discharge or irritation?					
	Never	78.7	78.7	79.8	78.3	80.2
	Rarely	12.6	12.4	12.1	13.6	12.0
	Sometimes	7.4	7.5	7.1	6.7	6.7
	Often	1.4	1.5	1.0	1.4	1.1
	<i>missing:</i>	4.4%				
	Bn) Did you seek help for vaginal discharge or irritation?					
	Did not seek help	16.6	16.6	15.9	16.3	15.8
	Sought help	4.7	4.8	4.3	5.4	4.0
	Did not have symptom	78.7	78.6	79.8	78.3	80.2
	<i>missing:</i>	4.4%				
	Cn) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	3.9	3.9	3.6	4.7	3.4
	Not satisfied	0.9	0.9	0.7	0.7	0.6
	Did not seek help	16.6	16.6	15.9	16.3	15.8
	Did not have symptom	78.7	78.6	79.8	78.3	80.2
	<i>missing:</i>	4.4%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Ao) In the LAST 12 MONTHS, have you had premenstrual tension?					
	Never	80.6	81.2	79.4	80.1	80.0
	Rarely	7.2	7.2	6.8	7.0	7.0
	Sometimes	9.2	8.6	10.8	9.8	10.1
	Often	3.0	3.0	3.0	3.2	2.9
	<i>missing:</i>	5.0%				
	Bo) Did you seek help for premenstrual tension?					
	Did not seek help	18.1	17.5	18.9	18.7	18.6
	Sought help	1.4	1.4	1.7	1.2	1.4
	Did not have symptom	80.5	81.1	79.4	80.1	80.0
	<i>missing:</i>	5.0%				
	Co) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	1.1	1.2	1.4	0.7	1.0
	Not satisfied	0.2	0.2	0.4	0.5	0.4
	Did not seek help	18.1	17.5	18.9	18.7	18.6
	Did not have symptom	80.5	81.1	79.4	80.1	80.0
	<i>missing:</i>	5.0%				
	Ap) In the LAST 12 MONTHS, have you had irregular monthly periods?					
	Never	77.9	78.4	77.9	79.0	77.4
	Rarely	4.4	4.3	4.7	4.1	4.4
	Sometimes	9.4	8.9	10.3	9.6	10.6
	Often	8.3	8.4	7.2	7.3	7.7
	<i>missing:</i>	5.1%				
	Bp) Did you seek help for irregular monthly periods?					
	Did not seek help	17.9	17.3	18.1	16.8	19.1
	Sought help	4.3	4.4	4.0	4.4	3.6
	Did not have symptom	77.8	78.3	77.9	78.9	77.3
	<i>missing:</i>	5.1%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Cp) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	3.8	4.0	3.5	3.9	3.2
	Not satisfied	0.4	0.4	0.6	0.5	0.4
	Did not seek help	17.9	17.3	18.1	16.8	19.1
	Did not have symptom	77.8	78.3	77.9	78.9	77.3
	<i>missing:</i>	5.1%				
	Aq) In the LAST 12 MONTHS, have you had heavy periods?					
	Never	81.5	81.9	80.6	81.4	82.2
	Rarely	5.6	5.5	6.0	5.4	5.3
	Sometimes	8.5	8.5	8.5	8.5	8.0
	Often	4.4	4.2	4.9	4.7	4.6
	<i>missing:</i>	5.5%				
	Bq) Did you seek help for heavy periods?					
	Did not seek help	15.0	14.6	15.3	15.5	14.4
	Sought help	3.5	3.5	4.1	3.2	3.5
	Did not have symptom	81.5	81.9	80.6	81.4	82.2
	<i>missing:</i>	5.5%				
	Cq) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	3.0	3.1	3.4	2.7	2.8
	Not satisfied	0.5	0.4	0.7	0.5	0.6
	Did not seek help	15.0	14.6	15.3	15.5	14.4
	Did not have symptom	81.5	81.9	80.6	81.4	82.2
	<i>missing:</i>	5.5%				
	Ar) In the LAST 12 MONTHS, have you had severe period pain?					
	Never	86.5	87.1	85.6	84.6	86.7
	Rarely	6.7	6.3	6.9	7.9	6.2
	Sometimes	4.9	4.7	5.7	5.4	5.4
	Often	1.8	1.9	1.8	2.1	1.8
	<i>missing:</i>	5.7%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Br) Did you seek help for severe period pain?					
	Did not seek help	12.0	11.4	12.8	14.0	11.9
	Sought help	1.5	1.5	1.7	1.5	1.5
	Did not have symptom	86.5	87.1	85.6	84.6	86.7
	<i>missing:</i>					5.7%
	Cr) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	1.2	1.2	1.3	1.1	1.2
	Not satisfied	0.3	0.3	0.4	0.4	0.3
	Did not seek help	12.0	11.4	12.8	14.0	11.9
	Did not have symptom	86.5	87.1	85.6	84.6	86.7
	<i>missing:</i>					5.7%
	As) In the LAST 12 MONTHS, have you had hot flushes?					
	Never	43.2	43.7	45.2	39.7	42.2
	Rarely	12.4	12.3	12.6	11.9	12.9
	Sometimes	26.1	25.9	25.7	27.7	25.4
	Often	18.4	18.1	16.6	20.8	19.5
	<i>missing:</i>					2.8%
	Bs) Did you seek help for hot flushes?					
	Did not seek help	41.8	41.2	40.2	44.5	43.6
	Sought help	15.3	15.4	14.7	16.0	14.3
	Did not have symptom	43.0	43.4	45.2	39.5	42.1
	<i>missing:</i>					2.8%
	Cs) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	13.2	13.4	12.9	13.3	11.9
	Not satisfied	2.0	2.0	1.8	2.7	2.4
	Did not seek help	41.8	41.2	40.2	44.5	43.6
	Did not have symptom	43.0	43.4	45.2	39.5	42.1
	<i>missing:</i>					2.8%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	At) In the LAST 12 MONTHS, have you had night sweats?					
	Never	54.8	55.1	58.4	51.7	55.5
	Rarely	11.9	11.9	10.7	10.8	12.1
	Sometimes	20.7	20.8	19.1	22.0	18.3
	Often	12.7	12.3	11.8	15.6	14.0
	<i>missing:</i>	3.4%				
	Bt) Did you seek help for night sweats?					
	Did not seek help	34.3	33.9	31.8	37.1	34.6
	Sought help	11.1	11.2	9.8	11.3	10.0
	Did not have symptom	54.6	54.9	58.4	51.6	55.4
	<i>missing:</i>	3.4%				
	Ct) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	9.5	9.7	8.3	9.2	8.2
	Not satisfied	1.5	1.4	1.5	2.1	1.9
	Did not seek help	34.3	33.9	31.8	37.1	34.6
	Did not have symptom	54.6	54.9	58.4	51.6	55.4
	<i>missing:</i>	3.4%				
	Au) In the LAST 12 MONTHS, have you had eyesight problems?					
	Never	46.2	46.7	46.4	46.2	46.3
	Rarely	13.8	13.9	13.7	14.2	13.5
	Sometimes	28.4	28.0	27.9	28.2	28.5
	Often	11.5	11.4	12.0	11.5	11.7
	<i>missing:</i>	3.9%				
	Bu) Did you seek help for eyesight problems?					
	Did not seek help	33.9	33.3	34.1	34.5	34.6
	Sought help	20.1	20.2	19.9	19.4	19.4
	Did not have symptom	46.0	46.4	46.0	46.1	46.0
	<i>missing:</i>	3.8%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Cu) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	18.5	18.7	18.0	17.1	17.7
	Not satisfied	1.6	1.5	1.9	2.2	1.7
	Did not seek help	33.9	33.3	34.1	34.5	34.6
	Did not have symptom	46.0	46.4	46.0	46.1	46.0
	<i>missing:</i>	3.8%				
	Av) In the LAST 12 MONTHS, have you had hearing problems?					
	Never	77.9	78.6	77.2	77.0	77.6
	Rarely	8.8	8.5	9.0	9.5	8.9
	Sometimes	9.6	9.3	10.0	10.1	9.6
	Often	3.6	3.5	3.8	3.4	3.9
	<i>missing:</i>	4.5%				
	Bv) Did you seek help for hearing problems?					
	Did not seek help	19.1	18.3	19.7	21.0	19.6
	Sought help	3.1	3.2	3.3	2.1	2.9
	Did not have symptom	77.8	78.6	77.0	77.0	77.6
	<i>missing:</i>	4.5%				
	Cv) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	2.5	2.6	2.9	1.8	2.2
	Not satisfied	0.5	0.6	0.4	0.3	0.7
	Did not seek help	19.1	18.3	19.7	21.0	19.6
	Did not have symptom	77.8	78.6	77.0	77.0	77.6
	<i>missing:</i>	4.5%				
	Aw) In the LAST 12 MONTHS, have you had difficulty sleeping?					
	Never	39.7	40.6	37.6	38.2	38.9
	Rarely	15.5	15.6	14.3	13.8	14.0
	Sometimes	28.3	27.6	31.3	30.0	30.1
	Often	16.5	16.3	16.8	18.0	17.1
	<i>missing:</i>	2.7%				

	Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Bw) Did you seek help for difficulty sleeping?					
Did not seek help	50.9	49.6	52.2	53.1	53.1
Sought help	9.5	9.9	10.2	8.7	8.1
Did not have symptom	39.7	40.5	37.6	38.2	38.8
<i>missing:</i>	2.6%				
Cw) If you did seek help, were you not satisfied with that help?					
Satisfied with help	7.9	8.3	8.6	6.8	6.6
Not satisfied	1.6	1.6	1.6	2.0	1.5
Did not seek help	50.9	49.6	52.2	53.1	53.1
Did not have symptom	39.7	40.5	37.6	38.2	38.8
<i>missing:</i>	2.6%				
Ax) In the LAST 12 MONTHS, have you had depression?					
Never	63.0	63.1	61.1	63.0	63.1
Rarely	14.7	14.6	15.3	14.0	15.4
Sometimes	16.2	16.3	16.5	17.1	15.6
Often	6.1	6.0	7.2	5.9	5.9
<i>missing:</i>	3.3%				
Bx) Did you seek help for depression?					
Did not seek help	28.2	27.7	29.1	28.3	29.6
Sought help	9.0	9.4	10.0	8.9	7.4
Did not have symptom	62.8	63.0	60.9	62.8	63.0
<i>missing:</i>	3.3%				
Cx) If you did seek help, were you not satisfied with that help?					
Satisfied with help	7.8	8.3	8.9	7.5	6.2
Not satisfied	1.2	1.1	1.1	1.5	1.2
Did not seek help	28.2	27.7	29.1	28.3	29.6
Did not have symptom	62.8	63.0	60.9	62.8	63.0
<i>missing:</i>	3.3%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Ay) In the LAST 12 MONTHS, have you had poor memory?					
	Never	46.3	46.7	45.9	45.5	45.9
	Rarely	19.1	19.2	18.8	19.3	18.4
	Sometimes	26.6	26.2	26.6	27.5	27.3
	Often	8.0	7.9	8.6	7.7	8.3
	<i>missing:</i>					3.0%
	By) Did you seek help for poor memory?					
	Did not seek help	50.5	49.9	50.5	51.5	51.6
	Sought help	3.3	3.4	3.6	3.0	2.5
	Did not have symptom	46.3	46.7	45.9	45.5	45.9
	<i>missing:</i>					3.0%
	Cy) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	2.4	2.5	2.7	2.2	1.7
	Not satisfied	0.9	1.0	0.9	0.8	0.8
	Did not seek help	50.5	49.9	50.5	51.5	51.6
	Did not have symptom	46.3	46.7	45.9	45.5	45.9
	<i>missing:</i>					3.0%
	Az) In the LAST 12 MONTHS, have you had episodes of intense anxiety?					
	Never	78.1	78.2	77.4	78.5	79.1
	Rarely	11.3	10.9	12.0	11.7	11.4
	Sometimes	8.2	8.6	7.8	7.4	7.3
	Often	2.4	2.3	2.9	2.5	2.1
	<i>missing:</i>					3.3%
	Bz) Did you seek help for episodes of intense anxiety?					
	Did not seek help	17.2	16.8	18.4	17.8	17.3
	Sought help	4.8	5.2	4.4	3.9	3.7
	Did not have symptom	78.0	78.1	77.2	78.3	79.1
	<i>missing:</i>					3.3%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q37	Cz) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	4.2	4.6	3.8	3.2	3.1
	Not satisfied	0.6	0.6	0.6	0.7	0.6
	Did not seek help	17.2	16.8	18.4	17.8	17.3
	Did not have symptom	78.0	78.1	77.2	78.3	79.1
	<i>missing:</i>	3.3%				
	Aaa) In the LAST 12 MONTHS, have you had palpitations?					
	Never	65.4	66.2	62.6	64.6	64.7
	Rarely	16.0	15.5	16.7	17.6	16.2
	Sometimes	15.3	15.3	16.8	13.8	15.3
	Often	3.3	3.0	3.9	4.0	3.8
	<i>missing:</i>	3.2%				
	Baa) Did you seek help for palpitations?					
	Did not seek help	28.6	27.8	30.6	29.5	29.4
	Sought help	6.2	6.1	6.8	6.0	6.0
	Did not have symptom	65.3	66.1	62.6	64.6	64.7
	<i>missing:</i>	3.2%				
	Caa) If you did seek help, were you not satisfied with that help?					
	Satisfied with help	5.4	5.4	6.2	4.9	4.8
	Not satisfied	0.8	0.7	0.7	1.1	1.2
	Did not seek help	28.6	27.8	30.6	29.5	29.4
	Did not have symptom	65.3	66.1	62.6	64.6	64.7
	<i>missing:</i>	3.2%				
Q38	Are your parents still living?					
	a) Mother					
	Still living	58.2	58.5	57.3	59.4	57.1
	Deceased	41.5	41.2	42.6	40.3	42.7
	Don't know	0.3	0.3	0.1	0.3	0.2
	<i>missing:</i>	1.1%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q38	b) Father					
	Still living	29.7	30.4	28.4	30.0	29.5
	Deceased	69.0	68.4	70.6	68.6	69.2
	Don't know	1.3	1.2	1.0	1.4	1.3
	<i>missing:</i>		1.8%			
Q39	Over the LAST TWELVE MONTHS, how stressed have you felt about the following areas of your life:					
	a) Own health					
	Not stressed	50.1	49.7	51.6	51.6	50.8
	Somewhat stressed	32.9	32.7	31.2	33.2	33.5
	Moderately stressed	11.6	12.1	12.6	10.2	10.8
	Very stressed	3.8	3.8	3.3	3.6	3.4
	Extremely stressed	1.7	1.8	1.2	1.4	1.4
	<i>missing:</i>		3.2%			
	b) Health of other family members					
	Not applicable	4.2	4.3	3.8	3.9	4.2
	Not stressed	31.9	31.7	33.7	31.3	33.3
	Somewhat stressed	35.2	34.9	35.4	36.4	35.9
	Moderately stressed	14.9	15.3	14.0	14.9	14.1
	Very stressed	9.3	9.3	8.6	9.2	8.0
	Extremely stressed	4.5	4.5	4.5	4.3	4.6
	<i>missing:</i>		1.5%			
	c) Work/Employment					
	Not applicable	20.1	19.4	19.7	21.6	21.3
	Not stressed	27.2	26.5	25.8	27.6	31.7
	Somewhat stressed	28.5	28.6	29.8	27.6	26.2
	Moderately stressed	12.5	13.1	12.7	11.8	11.3
	Very stressed	8.3	8.9	9.0	7.7	6.7
	Extremely stressed	3.5	3.5	3.0	3.7	2.8
	<i>missing:</i>		1.5%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q39	d) Living arrangements					
	Not stressed	75.3	73.4	77.2	79.9	78.9
	Somewhat stressed	14.8	15.9	13.6	11.1	13.1
	Moderately stressed	5.5	5.9	5.6	4.6	4.4
	Very stressed	3.1	3.4	2.5	3.0	2.4
	Extremely stressed	1.4	1.5	1.1	1.4	1.3
	<i>missing:</i>					6.5%
	e) Study					
	Not applicable	65.1	65.3	64.2	64.6	63.5
	Not stressed	28.5	27.9	29.5	28.8	30.3
	Somewhat stressed	4.0	4.3	4.2	4.4	4.3
	Moderately stressed	1.6	1.6	1.1	1.6	1.4
	Very stressed	0.6	0.7	0.8	0.6	0.3
	Extremely stressed	0.2	0.2	0.2	0.1	0.2
	<i>missing:</i>					2.1%
	f) Money					
	Not stressed	43.0	42.2	43.2	45.5	41.9
	Somewhat stressed	35.7	36.2	34.7	32.5	35.6
	Moderately stressed	11.2	11.5	11.8	10.6	11.7
	Very stressed	6.4	6.4	6.7	7.4	6.7
	Extremely stressed	3.8	3.6	3.6	4.2	4.1
	<i>missing:</i>					3.8%
	g) Relationship with parents					
	Not applicable	34.3	34.2	35.8	33.3	34.5
	Not stressed	46.0	45.1	45.6	48.0	49.4
	Somewhat stressed	13.0	13.5	11.9	12.3	10.9
	Moderately stressed	3.8	4.2	3.4	3.3	2.9
	Very stressed	2.0	2.1	2.1	1.8	1.5
	Extremely stressed	1.0	0.9	1.3	1.2	0.8
	<i>missing:</i>					1.2%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q39	h) Relationship with partner/spouse					
	Not applicable	15.3	16.1	16.6	15.0	12.5
	Not stressed	51.1	49.6	52.0	53.7	56.0
	Somewhat stressed	21.8	22.2	20.8	20.5	21.0
	Moderately stressed	5.7	5.8	4.9	5.0	5.1
	Very stressed	3.6	3.8	3.2	3.8	2.8
	Extremely stressed	2.6	2.5	2.5	2.1	2.6
	<i>missing:</i>					1.1%
	i) Relationship with children					
	Not applicable	10.9	11.6	9.1	8.7	9.3
	Not stressed	49.3	47.2	51.5	54.2	56.1
	Somewhat stressed	27.0	27.8	28.0	26.9	24.2
	Moderately stressed	7.6	8.3	6.4	6.1	6.0
	Very stressed	3.5	3.5	3.2	3.1	3.1
	Extremely stressed	1.7	1.7	1.8	1.0	1.3
	<i>missing:</i>					0.8%
	j) Relationship with other family members					
	Not applicable	9.4	9.4	8.9	9.1	8.7
	Not stressed	62.6	61.8	65.9	63.3	65.7
	Somewhat stressed	20.6	21.3	18.4	20.8	18.3
	Moderately stressed	4.2	4.3	3.5	4.2	4.6
	Very stressed	2.1	2.2	1.9	1.7	1.6
	Extremely stressed	1.1	1.1	1.3	0.8	1.1
	<i>missing:</i>					0.9%
	Mean Stress					
	Mean	0.6	0.6	0.6	0.6	0.6
	Standard Error	0.0	0.0	0.0	0.0	0.0
	<i>missing:</i>					0.5%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q40	When you feel stressed, do you use any of the following methods to reduce stress?					
	a) Walking, exercise, sport					
	None of the time	26.3	25.7	25.4	25.6	28.8
	Little of the time	23.7	23.6	23.6	23.9	24.2
	Some of the time	30.1	30.2	30.0	30.9	29.5
	Most of the time	13.7	13.8	15.4	14.5	12.6
	All of the time	6.2	6.7	5.7	5.2	4.9
	<i>missing:</i>					2.5%
	b) TV, listening to music, reading					
	None of the time	12.0	11.6	11.7	11.6	13.7
	Little of the time	20.5	20.3	19.5	20.8	21.9
	Some of the time	41.8	42.0	42.1	42.3	39.9
	Most of the time	20.8	21.4	21.6	20.3	19.5
	All of the time	4.9	4.8	5.1	5.0	5.1
	<i>missing:</i>					2.0%
	c) Socialising, talking to a good friend					
	None of the time	18.2	17.5	17.7	17.7	21.5
	Little of the time	25.5	24.8	27.8	28.4	28.5
	Some of the time	36.2	36.5	35.6	35.0	34.3
	Most of the time	15.9	16.9	15.0	14.3	13.1
	All of the time	4.1	4.3	3.8	4.6	2.7
	<i>missing:</i>					2.7%
	d) Writing, drawing or creative activity					
	None of the time	64.0	63.9	62.6	64.5	63.6
	Little of the time	15.6	15.7	16.7	15.3	14.6
	Some of the time	13.8	13.7	13.9	12.9	14.7
	Most of the time	5.1	5.1	5.1	5.8	5.2
	All of the time	1.6	1.5	1.7	1.5	1.9
	<i>missing:</i>					3.4%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q40	e) Wanting to be alone					
	None of the time	23.5	23.3	21.3	23.9	25.6
	Little of the time	34.7	34.6	34.6	33.6	34.0
	Some of the time	28.8	29.1	31.7	29.5	27.6
	Most of the time	10.1	10.0	9.8	10.9	10.1
	All of the time	2.9	3.0	2.6	2.1	2.7
	<i>missing:</i>	2.1%				
f) Throwing things, slamming doors	None of the time	80.4	79.8	82.9	82.8	82.0
	Little of the time	14.3	14.7	13.8	13.1	13.1
	Some of the time	4.7	4.9	3.1	3.4	4.3
	Most of the time	0.4	0.4	0.1	0.5	0.5
	All of the time	0.2	0.2	0.1	0.2	0.1
	<i>missing:</i>	2.2%				
g) Smoking, using drugs or alcohol	None of the time	73.5	72.7	74.8	75.7	76.7
	Little of the time	12.7	13.1	12.2	11.6	11.4
	Some of the time	8.4	8.6	7.2	8.0	7.3
	Most of the time	3.1	3.3	3.6	2.7	2.5
	All of the time	2.4	2.3	2.2	2.0	2.0
	<i>missing:</i>	2.0%				
h) Eating more	None of the time	43.3	43.0	44.5	43.2	44.1
	Little of the time	28.2	28.5	28.5	26.4	28.0
	Some of the time	20.1	20.2	19.1	21.2	20.2
	Most of the time	6.3	6.2	5.4	7.8	5.8
	All of the time	2.1	2.1	2.4	1.4	2.0
	<i>missing:</i>	2.1%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q40	i) Eating less					
	None of the time	73.9	73.6	72.8	73.6	75.4
	Little of the time	16.6	17.1	17.5	16.5	15.0
	Some of the time	7.0	6.8	7.7	7.7	7.2
	Most of the time	1.8	1.9	1.6	1.7	1.6
	All of the time	0.7	0.7	0.5	0.4	0.7
	<i>missing:</i>	4.0%				
	j) Yoga, meditation etc					
	None of the time	79.3	78.6	78.5	80.0	81.0
	Little of the time	9.9	10.3	9.8	9.0	8.8
	Some of the time	7.1	7.2	7.5	7.7	7.3
	Most of the time	2.6	2.7	2.6	2.4	2.1
	All of the time	1.2	1.2	1.6	0.9	0.9
	<i>missing:</i>	1.9%				
	Smoking status					
	Non-smoker	53.8	53.6	52.7	54.5	54.4
	Ex-smoker	32.1	32.4	32.3	32.2	31.2
	smoker <10 p/d	4.7	4.9	4.9	3.8	4.6
	smoker 10-19 p/d	4.3	4.3	4.3	4.2	4.1
	smoker >= 20 p/d	5.1	4.8	5.8	5.2	5.7
	<i>missing:</i>	0.5%				
		Weighted Total (n=11,031)	Capital city/ Other Metropolitan (n=4,185)	Large rural (n=1,515)	Small Rural (n=1,573)	Other Rural/ Remote (n=3,758)
Q42	On average how many cigarettes do you smoke each WEEK?					
	Mean	116.5	114.1	115.1	119.4	119.4
	Standard Error	2.1	3.4	4.9	5.9	3.5
Q43	At what age did you finally stop smoking daily?					
	Mean	35.9	35.6	36.3	35.2	36.5
	Standard Error	0.2	0.3	0.5	0.5	0.3

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q44	Please indicate how often you have felt this way DURING THE LAST WEEK.					
	a) I was bothered by things that don't usually bother me					
	Rarely/none	72.5	72.1	68.9	74.7	73.5
	Some/little of the time	20.7	21.0	24.7	19.0	20.3
	Occasionally	5.0	5.0	5.1	4.7	4.6
	Most/all of the time	1.9	1.9	1.4	1.7	1.5
	<i>missing:</i>					2.9%
	b) I had trouble keeping my mind on what I was doing					
	Rarely/none	60.9	60.7	60.7	61.4	60.9
	Some/little of the time	29.2	29.6	28.9	29.3	29.9
	Occasionally	7.3	7.4	7.8	7.5	6.5
	Most/all of the time	2.5	2.3	2.6	1.8	2.7
	<i>missing:</i>					2.5%
	c) I felt depressed					
	Rarely/none	69.2	68.6	68.9	71.7	70.5
	Some/little of the time	21.2	21.8	19.5	20.2	21.3
	Occasionally	6.4	6.4	8.1	5.6	5.3
	Most/all of the time	3.3	3.3	3.6	2.6	2.9
	<i>missing:</i>					2.7%
	d) I felt that everything I did was an effort					
	Rarely/none	60.1	60.2	57.0	62.4	60.3
	Some/little of the time	27.6	27.6	29.6	26.0	27.6
	Occasionally	7.8	7.9	8.2	7.3	8.0
	Most/all of the time	4.6	4.3	5.3	4.3	4.2
	<i>missing:</i>					2.7%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q44	e) I felt hopeful about the future					
	Rarely/none	17.1	16.8	16.8	17.4	18.5
	Some/little of the time	19.9	19.9	21.7	20.0	19.3
	Occasionally	20.6	20.7	19.7	21.2	20.0
	Most/all of the time	42.4	42.7	41.8	41.3	42.1
	<i>missing:</i>	4.1%				
	f) I felt fearful					
	Rarely/none	78.4	77.7	78.6	81.6	80.6
	Some/little of the time	15.5	16.1	16.0	13.5	13.8
	Occasionally	4.4	4.4	4.3	3.3	4.2
	Most/all of the time	1.8	1.8	1.2	1.6	1.5
	<i>missing:</i>	3.9%				
	g) My sleep was restless					
	Rarely/none	34.8	35.3	31.7	33.8	32.7
	Some/little of the time	37.2	36.8	40.3	37.3	38.4
	Occasionally	17.3	17.4	16.6	16.5	18.3
Most/all of the time	10.7	10.5	11.4	12.5	10.7	
<i>missing:</i>	2.5%					
h) I was happy						
Rarely/none	6.4	6.6	6.5	5.2	6.0	
Some/little of the time	17.1	17.5	17.0	16.2	14.9	
Occasionally	23.2	23.7	21.6	21.5	23.1	
Most/all of the time	53.3	52.3	55.0	57.0	56.0	
<i>missing:</i>	2.8%					
i) I felt lonely						
Rarely/none	71.4	71.1	69.6	72.1	72.3	
Some/little of the time	18.4	18.6	19.5	18.8	18.2	
Occasionally	6.9	7.1	7.6	5.7	6.2	
Most/all of the time	3.3	3.2	3.3	3.4	3.4	
<i>missing:</i>	3.0%					

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q44	j) I could not 'get going'					
	Rarely/none	51.7	52.1	50.4	52.6	50.1
	Some/little of the time	34.1	34.1	34.9	33.7	35.0
	Occasionally	9.6	9.3	10.8	8.9	10.9
	Most/all of the time	4.6	4.6	3.9	4.9	4.0
	<i>missing:</i>	2.9%				
	k) I felt terrific					
	Rarely/none	25.0	25.5	24.4	22.9	23.0
	Some/little of the time	22.4	22.8	21.3	20.5	22.2
	Occasionally	25.0	24.8	24.9	25.7	24.7
	Most/all of the time	27.7	26.9	29.5	30.9	30.1
	<i>missing:</i>	2.9%				
CESD-10	Mean	6.1	6.2	6.3	5.9	6.0
	Standard Error	0.1	0.1	0.1	0.1	0.1
	<i>missing:</i>	4.4%				
		%	%	%	%	%
Q45	Which of the following events have you experienced in the last 12 months.					
	Aa) Major personal illness					
	No	92.4	92.3	92.3	92.5	92.9
	Yes	7.6	7.8	7.7	7.5	7.1
	<i>missing:</i>	0.4%				
	Ab) Major personal injury					
	No	97.2	97.2	97.2	97.5	97.2
	Yes	2.8	2.8	2.8	2.5	2.8
	<i>missing:</i>	0.4%				
	Ac) Major personal achievement					
	No	84.3	84.0	84.8	85.0	84.6
	Yes	15.7	16.1	15.2	15.0	15.4
	<i>missing:</i>	0.4%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q45	Ad) Major surgery					
	No	94.6	94.7	94.3	95.0	94.5
	Yes	5.4	5.4	5.8	5.0	5.5
	<i>missing:</i>					0.4%
	Ae) Going through menopause					
	No	67.5	67.1	69.4	67.3	68.7
	Yes	32.5	33.0	30.6	32.7	31.3
<i>missing:</i>					0.4%	
Af) Major decline in health of spouse or partner						
No	92.7	92.9	93.1	93.2	91.0	
Yes	7.3	7.1	6.9	6.8	9.0	
<i>missing:</i>					0.4%	
Ag) Major decline in health of other close family member or close friend						
No	71.0	70.4	72.4	69.7	72.7	
Yes	29.1	29.6	27.6	30.3	27.3	
<i>missing:</i>					0.4%	
Ah) Starting a new, close personal relationship						
No	97.0	96.6	96.9	97.9	97.9	
Yes	3.0	3.4	3.1	2.1	2.1	
<i>missing:</i>					0.4%	
Ai) Infidelity of spouse or partner						
No	98.5	98.4	98.8	99.0	98.6	
Yes	1.5	1.6	1.2	1.0	1.4	
<i>missing:</i>					0.4%	

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q45	Aj) Break up of a close personal relationship					
	No	95.9	95.5	96.0	97.1	97.0
	Yes	4.1	4.5	4.0	2.9	3.0
	<i>missing:</i>					0.4%
	Ak) Divorce					
	No	98.8	98.8	98.7	99.6	99.2
	Yes	1.2	1.2	1.3	0.5	0.8
	<i>missing:</i>					0.4%
	Al) Major conflict with teenage or older children					
	No	87.3	86.8	86.8	89.2	90.0
Yes	12.7	13.2	13.2	10.8	10.1	
<i>missing:</i>					0.4%	
Am) Child or other family member leaving home						
No	85.3	84.7	85.8	86.2	87.1	
Yes	14.7	15.3	14.2	13.8	12.9	
<i>missing:</i>					0.4%	
An) Death of spouse or partner						
No	99.5	99.5	99.1	99.4	99.4	
Yes	0.5	0.5	0.9	0.6	0.6	
<i>missing:</i>					0.4%	
Ao) Death of child						
No	99.6	99.7	99.5	99.6	99.5	
Yes	0.4	0.3	0.5	0.5	0.5	
<i>missing:</i>					0.4%	

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q45	Ap) Death of other close family member					
	No	87.2	86.8	88.2	86.9	88.1
	Yes	12.8	13.2	11.8	13.1	11.9
	<i>missing:</i>		0.4%			
	Aq) Death of close friend					
	No	91.3	91.2	91.9	91.2	90.8
	Yes	8.8	8.8	8.1	8.8	9.2
	<i>missing:</i>		0.4%			
	Ar) Changing your type of work/hours/conditions/responsibilities at work					
	No	74.3	73.0	75.5	76.2	76.9
	Yes	25.7	27.0	24.5	23.8	23.1
	<i>missing:</i>		0.4%			
	As) Retirement					
	No	97.0	97.2	96.4	96.6	97.0
	Yes	3.0	2.8	3.6	3.4	3.0
	<i>missing:</i>		0.4%			
	At) Your spouse or partner retiring from work					
	No	95.9	95.9	96.6	96.2	96.1
	Yes	4.1	4.1	3.4	3.8	3.9
	<i>missing:</i>		0.4%			
	Au) You or your spouse/partner being made redundant					
	No	95.6	95.2	96.4	96.2	97.1
	Yes	4.4	4.8	3.6	3.8	2.9
	<i>missing:</i>		0.4%			

			Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q45	Av) Decreased income						
	No		81.8	82.6	80.6	77.8	80.1
	Yes		18.2	17.5	19.4	22.2	19.9
	<i>missing:</i>	0.4%					
	Aw) Moving house						
	No		90.7	89.2	90.2	90.3	91.5
	Yes		9.3	10.8	9.8	9.7	8.5
	<i>missing:</i>	0.4%					
	Ax) Natural disaster or house fire						
	No		98.4	99.0	98.4	98.1	95.6
	Yes		1.6	1.0	1.6	1.9	4.4
	<i>missing:</i>	0.4%					
	Ay) Major loss or damage to personal property						
	No		98.1	98.1	98.5	98.2	98.4
	Yes		1.9	1.9	1.5	1.9	1.6
	<i>missing:</i>	0.4%					
	Az) Being robbed						
	No		95.7	94.9	96.5	97.2	97.5
	Yes		4.4	5.1	3.5	2.8	2.5
	<i>missing:</i>	0.4%					
	Aaa) Involvement in a serious accident						
No		99.3	99.2	99.5	99.5	99.2	
Yes		0.7	0.8	0.5	0.5	0.8	
<i>missing:</i>	0.4%						

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q45	Abb) Being pushed, grabbed, shoved, kicked or hit					
	No	98.0	97.9	98.1	98.1	98.4
	Yes	2.0	2.1	1.9	1.9	1.6
	<i>missing:</i>					0.4%
	Acc) Being forced to take part in unwanted sexual activity					
	No	99.6	99.6	99.2	99.4	99.4
	Yes	0.5	0.4	0.8	0.6	0.6
	<i>missing:</i>					0.4%
	Add) Legal troubles or involved in a court case					
	No	95.1	95.2	94.0	95.0	95.0
	Yes	4.9	4.9	6.0	5.0	5.0
	<i>missing:</i>					0.4%
	Aee) Family member/close friend being arrested/in gaol					
	No	98.3	98.4	97.8	98.0	98.1
	Yes	1.7	1.6	2.2	2.0	2.0
	<i>missing:</i>					0.4%
Q45	Which of the following events have you experienced more than 12 months ago.					
	Ba) Major personal illness					
	No	75.7	75.2	73.7	76.5	77.2
	Yes	24.3	24.8	26.3	23.5	22.9
	<i>missing:</i>					0.4%
	Bb) Major personal injury					
	No	89.0	88.9	90.0	88.4	89.9
	Yes	11.0	11.1	10.0	11.6	10.2
	<i>missing:</i>					0.4%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q45	Bc) Major personal achievement					
	No	83.0	82.6	83.8	84.6	84.3
	Yes	17.0	17.5	16.2	15.4	15.7
	<i>missing:</i>					0.4%
	Bd) Major surgery					
	No	72.5	72.0	72.6	72.1	74.2
	Yes	27.6	28.0	27.5	27.9	25.8
	<i>missing:</i>					0.4%
	Be) Going through menopause					
	No	67.7	67.3	68.4	67.6	67.5
Yes	32.3	32.7	31.6	32.4	32.6	
<i>missing:</i>					0.4%	
Bf) Major decline in health of spouse or partner						
No	91.2	91.4	91.0	89.1	91.4	
Yes	8.8	8.6	9.0	10.9	8.6	
<i>missing:</i>					0.4%	
Bg) Major decline in health of other close family member or close friend						
No	80.8	80.7	81.0	80.8	81.6	
Yes	19.3	19.3	19.1	19.2	18.4	
<i>missing:</i>					0.4%	
Bh) Starting a new, close personal relationship						
No	89.8	89.8	89.8	90.3	90.8	
Yes	10.2	10.2	10.2	9.7	9.2	
<i>missing:</i>					0.4%	

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q45	Bi) Infidelity of spouse or partner					
	No	91.2	90.5	92.6	92.5	92.2
	Yes	8.8	9.5	7.4	7.5	7.8
	<i>missing:</i>					0.4%
	Bj) Break up of a close personal relationship					
	No	89.1	88.3	90.2	90.3	91.5
	Yes	10.9	11.7	9.8	9.7	8.5
<i>missing:</i>					0.4%	
Bk) Divorce						
No	88.7	88.1	88.6	88.7	91.0	
Yes	11.3	11.9	11.4	11.3	9.0	
<i>missing:</i>					0.4%	
Bl) Major conflict with teenage or older children						
No	90.4	90.4	90.5	89.4	90.9	
Yes	9.6	9.7	9.5	10.6	9.1	
<i>missing:</i>					0.4%	
Bm) Child or other family member leaving home						
No	78.4	79.5	76.3	74.5	76.1	
Yes	21.6	20.5	23.7	25.5	23.9	
<i>missing:</i>					0.4%	
Bn) Death of spouse or partner						
No	96.8	96.8	96.4	96.3	96.9	
Yes	3.2	3.2	3.6	3.7	3.1	
<i>missing:</i>					0.4%	

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q45	Bo) Death of child					
	No	96.8	97.0	96.2	95.8	95.8
	Yes	3.2	3.0	3.8	4.2	4.2
	<i>missing:</i>					0.4%
	Bp) Death of other close family member					
	No	72.4	73.3	72.5	70.8	70.8
	Yes	27.6	26.7	27.5	29.3	29.2
	<i>missing:</i>					0.4%
	Bq) Death of close friend					
	No	88.0	88.3	86.3	86.7	88.1
Yes	12.0	11.7	13.7	13.3	11.9	
<i>missing:</i>					0.4%	
Br) Changing your type of work/hours/conditions/responsibilities at work						
No	85.1	85.1	84.1	85.5	85.5	
Yes	14.9	15.0	15.9	14.5	14.5	
<i>missing:</i>					0.4%	
Bs) Retirement						
No	95.7	95.8	95.9	94.9	95.9	
Yes	4.4	4.3	4.1	5.1	4.1	
<i>missing:</i>					0.4%	
Bt) Your spouse or partner retiring from work						
No	93.4	93.9	92.8	90.9	93.1	
Yes	6.7	6.1	7.2	9.1	6.9	
<i>missing:</i>					0.4%	

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q45	Bu) You or your spouse/partner being made redundant					
	No	92.1	91.6	93.3	93.8	94.2
	Yes	7.9	8.4	6.7	6.3	5.8
	<i>missing:</i>					0.4%
	Bv) Decreased income					
	No	84.5	84.5	84.3	85.1	84.8
	Yes	15.5	15.6	15.7	14.9	15.2
	<i>missing:</i>					0.4%
	Bw) Moving house					
	No	80.5	79.8	80.6	80.2	81.0
	Yes	19.5	20.2	19.4	19.8	19.0
	<i>missing:</i>					0.4%
	Bx) Natural disaster or house fire					
	No	96.9	97.1	96.1	96.6	95.1
	Yes	3.1	2.9	3.9	3.4	4.9
	<i>missing:</i>					0.4%
	By) Major loss or damage to personal property					
	No	96.6	96.5	96.5	96.3	97.1
	Yes	3.4	3.6	3.5	3.7	2.9
	<i>missing:</i>					0.4%
	Bz) Being robbed					
	No	89.9	88.9	91.6	91.3	94.5
	Yes	10.1	11.1	8.4	8.7	5.5
	<i>missing:</i>					0.4%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q45	Baa) Involvement in a serious accident					
	No	96.0	95.9	96.4	96.2	96.4
	Yes	4.0	4.1	3.6	3.8	3.6
	<i>missing:</i>					0.4%
	Bbb) Being pushed, grabbed, shoved, kicked or hit					
	No	95.0	95.2	95.4	94.1	94.8
	Yes	5.0	4.8	4.6	5.9	5.2
	<i>missing:</i>					0.4%
	Bcc) Being forced to take part in unwanted sexual activity					
	No	96.4	96.3	96.1	96.8	96.5
	Yes	3.6	3.7	3.9	3.3	3.5
	<i>missing:</i>					0.4%
	Bdd) Legal troubles or involved in a court case					
	No	92.4	92.3	92.9	92.7	93.1
	Yes	7.6	7.8	7.1	7.3	7.0
	<i>missing:</i>					0.4%
	Bee) Family member/close friend being arrested/in gaol					
	No	96.4	96.5	94.6	96.1	97.0
	Yes	3.7	3.6	5.4	3.9	3.0
	<i>missing:</i>					0.4%
	ff) None of the above (columns A and B)					
	At least one of these	96.3	96.5	95.9	96.9	95.4
	None of these	3.7	3.5	4.1	3.1	4.6
	<i>missing:</i>					0.4%

		Weighted Total (n=11,031)	Capital city/ Other Metropolitan (n=4,185)	Large rural (n=1,515)	Small Rural (n=1,573)	Other Rural/ Remote (n=3,758)
Sum Life Events	Mean	2.4	2.5	2.4	2.4	2.3
	Standard Error	0.0	0.0	0.1	0.0	0.0
Height in cms	Mean	162.8	162.8	162.8	162.8	163.1
	Standard Error	0.1	0.1	0.2	0.2	0.1
	<i>missing:</i>	5.5%				
Weight in kgs	Mean	70.6	70.1	71.0	71.1	72.5
	Standard Error	0.1	0.2	0.4	0.4	0.3
	<i>missing:</i>	5.9%				
Body Mass Index	Mean	26.6	26.5	26.7	26.8	27.2
	Standard Error	0.1	0.1	0.1	0.1	0.1
	<i>missing:</i>	8.6%				
BMI classification		%	%	%	%	%
	Underweight	5.3	5.7	4.8	4.3	4.2
	Acceptable wt	41.0	41.7	39.9	39.8	37.4
	Overweight	31.3	31.1	31.5	32.6	32.0
	Obese	22.4	21.6	23.7	23.3	26.4
	<i>missing:</i>	8.6%				
Q47 In the LAST THREE YEARS, how many times have you	a) lost 5 kg or more on purpose					
	None	64.7	65.2	64.6	64.9	65.3
	1-2 times	29.5	29.0	31.1	29.7	29.0
	3-4 times	4.2	4.3	3.4	4.3	4.3
	5+ times	1.5	1.6	0.9	1.2	1.4
	<i>missing:</i>	3.0%				
	b) lost 5kg or more for any other reason					
	None	85.3	85.6	83.8	85.3	84.6
	1-2 times	13.2	13.0	14.3	13.1	13.6
	3-4 times	1.1	1.0	1.5	1.4	1.5
5+ times	0.4	0.4	0.5	0.3	0.4	
<i>missing:</i>	4.5%					

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q47	c) gained 5kg or more (previously lost on purpose)					
	None	69.8	70.5	68.4	69.3	69.1
	1-2 times	24.5	23.9	26.3	24.8	25.0
	3-4 times	4.1	3.9	4.0	4.3	4.5
	5 or more times	1.7	1.7	1.3	1.7	1.5
	<i>missing:</i>		5.5%			
Q49	Over the LAST 12 MONTHS, on average, how often did you drink the following?					
	a) Cola drinks (not diet)					
	Never	44.3	43.5	45.8	42.5	46.2
	< once a month	30.9	31.6	30.4	31.7	29.5
	1-3 times a month	11.0	10.8	10.9	12.1	10.3
	1 time a week	4.3	4.5	3.2	3.5	4.2
	2 times a week	2.9	2.9	3.0	2.8	3.2
	3-4 times a week	2.8	2.6	3.3	3.0	3.0
	5-6 times a week	1.2	1.4	0.8	1.7	0.9
	1 time a day	1.2	1.2	1.2	1.4	1.4
	2 times a day	0.7	0.7	0.6	0.9	0.7
	3+ times a day	0.8	0.8	0.7	0.5	0.8
	<i>missing:</i>		1.3%			
	b) Diet cola drinks					
	Never	53.7	53.8	55.0	54.0	55.1
	< once a month	17.2	17.5	17.1	15.2	16.6
	1-3 times a month	8.4	8.5	7.8	8.6	7.7
	1 time a week	3.5	3.5	3.4	4.2	3.3
	2 times a week	4.0	3.7	4.5	5.1	4.0
	3-4 times a week	4.2	4.1	3.4	3.5	5.2
	5-6 times a week	2.6	2.7	2.4	2.6	2.0
	1 time a day	2.7	2.7	1.9	3.2	2.2
	2 times a day	2.1	2.0	2.5	2.1	2.3
	3+ times a day	1.7	1.8	2.1	1.6	1.8
	<i>missing:</i>		1.2%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q49	c) Other carbonated					
	Never	26.5	26.3	23.3	28.5	27.1
	< once a month	33.1	33.7	34.0	31.9	32.8
	1-3 times a month	17.8	17.5	18.3	18.7	18.7
	1 time a week	7.2	7.1	7.9	6.9	7.3
	2 times a week	5.6	5.8	6.1	5.3	5.1
	3-4 times a week	4.8	4.8	5.8	4.5	4.2
	5-6 times a week	1.8	1.8	1.3	1.4	1.5
	1 time a day	1.8	1.6	1.7	1.6	2.2
	2 times a day	0.9	0.9	1.1	0.7	0.8
	3+ times a day	0.6	0.6	0.5	0.5	0.4
	<i>missing:</i>		1.6%			
	d) Cordials, fruit or sport drinks					
	Never	33.1	33.9	29.7	31.8	30.6
	< once a month	21.7	21.7	22.5	22.2	22.0
	1-3 times a month	12.8	13.2	13.2	12.5	13.5
	1 time a week	6.7	6.6	7.3	5.6	6.9
	2 times a week	6.3	6.3	6.7	7.1	6.1
	3-4 times a week	6.3	6.1	7.5	7.7	7.0
	5-6 times a week	3.7	3.6	3.6	4.0	4.1
	1 time a day	5.1	4.8	5.5	5.3	5.4
	2 times a day	2.5	2.4	2.6	2.2	2.8
	3+ times a day	1.7	1.6	1.3	1.5	1.8
	<i>missing:</i>		1.9%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %	
Q49 e) Milk or Soya milk	Never	19.7	19.4	20.3	20.0	19.9	
	< once a month	11.3	10.8	12.8	12.2	12.3	
	1-3 times a month	7.5	6.9	8.0	10.0	9.0	
	1 time a week	5.3	5.3	5.8	5.0	5.7	
	2 times a week	5.1	5.0	4.0	5.1	6.1	
	3-4 times a week	7.2	7.0	7.4	6.1	7.8	
	5-6 times a week	4.7	4.9	4.6	4.7	5.0	
	1 time a day	20.3	21.3	17.2	18.4	17.8	
	2 times a day	10.0	10.0	11.7	9.5	8.8	
	3+ times a day	9.1	9.4	8.3	8.9	7.5	
	<i>missing:</i>		1.7%				
	f) Fruit or vegetable juices	Never	15.0	15.0	14.2	13.5	16.8
		< once a month	12.3	12.2	11.3	12.8	12.4
1-3 times a month		12.1	12.1	12.1	12.4	12.1	
1 time a week		8.2	8.4	7.6	7.9	8.5	
2 times a week		10.2	10.4	9.9	10.3	9.2	
3-4 times a week		10.5	10.3	10.9	10.8	11.3	
5-6 times a week		6.6	6.6	7.0	5.7	6.6	
1 time a day		18.6	18.7	20.7	19.5	17.3	
2 times a day		4.4	4.3	4.6	4.8	4.0	
3+ times a day		2.0	2.0	1.7	2.3	1.8	
<i>missing:</i>		1.8%					

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q49	g) Tea					
	Never	15.6	15.7	14.2	15.6	15.2
	< once a month	4.8	4.7	5.4	4.5	4.9
	1-3 times a month	3.5	3.6	2.7	4.0	3.3
	1 time a week	2.1	2.1	2.4	2.0	2.1
	2 times a week	2.5	2.5	2.4	2.6	2.4
	3-4 times a week	3.4	3.5	3.9	2.8	3.2
	5-6 times a week	2.7	2.8	3.0	2.6	2.6
	1 time a day	12.6	12.6	14.5	12.3	11.6
	2 times a day	19.4	19.4	19.1	18.9	20.7
	3+ times a day	33.5	33.2	32.5	34.9	34.1
	<i>missing:</i>		2.7%			
		h) Herbal tea				
Never	53.7	52.4	54.7	54.7	58.0	
< once a month	10.6	10.6	11.7	11.4	9.7	
1-3 times a month	6.9	7.0	7.8	6.4	6.0	
1 time a week	3.4	3.3	3.5	2.7	3.3	
2 times a week	3.9	4.3	3.4	3.9	2.9	
3-4 times a week	3.4	3.4	3.8	3.2	2.9	
5-6 times a week	1.7	1.6	2.3	1.4	1.8	
1 time a day	7.8	8.1	6.5	7.9	6.7	
2 times a day	5.1	5.6	3.7	3.4	4.7	
3+ times a day	3.6	3.7	2.7	5.0	4.0	
<i>missing:</i>		9.1%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %			
Q49	i) Coffee	Never	15.1	14.7	14.8	17.7	16.5		
		< once a month	4.6	4.4	4.4	4.3	5.2		
		1-3 times a month	4.3	4.5	4.1	3.9	4.5		
		1 time a week	2.9	3.1	3.1	3.1	2.9		
		2 times a week	3.8	3.8	3.2	3.6	3.4		
		3-4 times a week	4.1	4.1	3.7	4.1	3.8		
		5-6 times a week	2.8	3.0	2.5	2.8	2.5		
		1 time a day	16.3	17.1	14.6	13.4	15.1		
		2 times a day	20.9	20.8	23.2	20.8	20.5		
		3+ times a day	25.3	24.5	26.4	26.4	25.7		
		<i>missing:</i>		1.4%					
			j) Water	Never	1.8	1.7	2.1	2.2	2.1
				< once a month	1.2	1.3	1.4	1.0	0.9
1-3 times a month	1.1			1.0	0.7	1.2	1.4		
1 time a week	1.3			1.3	1.3	0.6	1.2		
2 times a week	1.6			1.7	1.1	1.7	1.7		
3-4 times a week	2.9			2.8	3.3	2.9	2.8		
5-6 times a week	2.4			2.6	1.9	2.8	2.2		
1 time a day	8.5			8.3	8.5	9.2	8.1		
2 times a day	14.7			14.8	14.0	15.0	14.5		
3+ times a day	64.4			64.5	65.9	63.5	65.3		
<i>missing:</i>				0.5%					
Exercise status (mets mins)									
	Mean			901.5	893.7	911.3	894.3	928.7	
	Standard Error	12.7	20.3	33.6	31.7	23.7			
	<i>missing:</i>		4.6%						

Exercise group		Weighted Total	Capital city/ Other Metropolitan	Large rural	Small Rural	Other Rural/ Remote
		(n=11,031) %	(n=4,185) %	(n=1,515) %	(n=1,573) %	(n=3,758) %
	Nil/sedentary	17.4	16.9	18.5	18.2	19.1
	Low	37.3	37.7	37.1	37.6	36.2
	Moderate	21.0	21.5	19.0	20.4	19.6
	High	24.3	23.9	25.4	23.8	25.1
	<i>missing:</i>		4.6%			
Q70 How many hours EACH DAY do you typically spend sitting down while doing things like visiting friends, driving, reading, watching television or working at a desk or computer?		Weighted Total	Capital city/ Other Metropolitan	Large rural	Small Rural	Other Rural/ Remote
		(n=11,031) %	(n=4,185) %	(n=1,515) %	(n=1,573) %	(n=3,758) %
a) on a usual WEEK DAY						
	Mean	6.9	7.2	6.5	6.4	6.4
	Standard Error	0.1	0.1	0.2	0.2	0.1
	<i>missing:</i>		4.3%			
b) on a usual WEEKEND DAY						
	Mean	5.5	5.6	5.5	5.5	5.3
	Standard Error	0.0	0.1	0.1	0.1	0.1
	<i>missing:</i>		5.3%			
Q71 In the LAST WEEK, how much time in total did you spend doing the following things?				%	%	%
				%	%	%
a) Full-time paid work						
	Don't do this activity	60.4	57.9	62.4	64.6	68.8
	1-15 hours	1.4	1.4	1.1	1.3	1.4
	16-24 hours	1.1	1.0	1.3	1.5	1.1
	25-34 hours	3.5	3.6	3.6	3.7	3.2
	35-40 hours	19.4	20.9	18.6	16.4	14.2
	41-48 hours	8.9	9.7	8.9	7.8	6.7
	49 hours or more	5.3	5.6	4.2	4.9	4.5
	<i>missing:</i>		4.2%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q71	b) Permanent part-time paid work					
	Don't do this activity	77.3	77.4	78.4	77.3	77.1
	1-15 hours	5.5	5.3	3.9	5.8	6.6
	16-24 hours	7.3	7.5	6.6	7.8	6.6
	25-34 hours	7.2	7.2	7.6	6.6	7.0
	35-40 hours	2.1	2.1	2.6	1.9	1.8
	41-48 hours	0.3	0.3	0.5	0.1	0.6
	49 hours or more	0.3	0.2	0.5	0.5	0.4
	<i>missing:</i>		5.3%			
	c) Casual paid work					
	Don't do this activity	86.5	86.8	85.4	85.6	85.1
	1-15 hours	7.6	7.2	8.5	8.2	9.1
	16-24 hours	3.2	3.4	2.9	3.4	2.8
	25-34 hours	1.7	1.6	2.2	1.8	1.5
	35-40 hours	0.8	0.9	0.6	0.8	0.9
	41-48 hours	0.1	0.1	0.2	0.3	0.3
	49 hours or more	0.1	0.1	0.1	0.1	0.3
	<i>missing:</i>		6.3%			
	d) Home duties					
	Don't do this activity	2.9	2.8	2.8	3.5	3.1
	1-15 hours	48.6	51.1	47.2	44.7	40.1
	16-24 hours	20.9	20.8	20.7	22.2	21.8
	25-34 hours	12.2	11.4	13.5	13.3	14.1
	35-40 hours	6.2	5.7	6.1	6.2	8.1
	41-48 hours	2.3	1.9	3.4	2.5	3.4
	49 hours or more	7.0	6.3	6.3	7.4	9.4
	<i>missing:</i>		3.7%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q71	e) Work without pay					
	Don't do this activity	78.5	82.5	76.1	73.2	62.3
	1-15 hours	14.7	13.1	16.1	18.0	20.6
	16-24 hours	2.2	1.7	3.0	2.2	5.0
	25-34 hours	1.3	0.9	1.3	1.6	3.2
	35-40 hours	0.8	0.5	1.0	1.2	2.3
	41-48 hours	0.8	0.5	0.7	0.7	1.9
	49 hours or more	1.7	0.8	1.8	3.2	4.8
	<i>missing:</i>					6.1%
	f) Looking for work					
	Don't do this activity	96.3	96.0	95.6	97.0	97.4
	1-15 hours	3.3	3.6	4.2	2.9	2.4
	16-24 hours	0.2	0.2	0.2	0.1	0.1
	25-34 hours	0.1	0.1	0.1	0.0	0.0
	35-40 hours	0.1	0.2	0.0	0.0	0.0
	49 hours or more	0.0	0.0	0.0	0.0	0.0
	<i>missing:</i>					4.1%
	g) Unpaid voluntary work					
	Don't do this activity	78.3	81.1	74.0	74.6	69.4
	1-15 hours	19.8	17.2	23.7	23.2	28.3
	16-24 hours	1.3	1.2	1.5	1.4	1.2
	25-34 hours	0.3	0.2	0.5	0.3	0.8
	35-40 hours	0.2	0.2	0.2	0.1	0.2
	41-48 hours	0.1	0.1	0.0	0.1	0.0
	49 hours or more	0.1	0.1	0.1	0.2	0.2
	<i>missing:</i>					3.4%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q71	h) Active leisure					
	Don't do this activity	21.0	20.4	21.0	20.8	23.4
	1-15 hours	75.4	76.2	75.0	74.9	73.0
	16-24 hours	2.7	2.6	2.8	3.3	2.8
	25-34 hours	0.5	0.6	0.7	0.7	0.4
	35-40 hours	0.2	0.2	0.2	0.2	0.1
	41-48 hours	0.0	0.0	0.0	0.0	0.1
	49 hours or more	0.1	0.1	0.2	0.1	0.2
	<i>missing:</i>	2.1%				
	i) Passive leisure					
Don't do this activity	2.5	2.3	3.0	2.6	3.5	
1-15 hours	67.6	68.3	66.1	65.5	67.2	
16-24 hours	18.6	18.3	16.8	20.1	18.4	
25-34 hours	7.0	6.8	8.8	7.6	6.7	
35-40 hours	2.6	2.7	2.8	2.2	2.2	
41-48 hours	0.8	0.7	1.1	1.0	1.1	
49 hours or more	1.0	0.9	1.4	1.0	1.0	
<i>missing:</i>	1.7%					
j) Studying						
Don't do this activity	83.6	83.8	81.5	84.1	82.5	
1-15 hours	14.7	14.5	16.7	14.0	15.6	
16-24 hours	1.0	1.0	1.1	1.1	1.3	
25-34 hours	0.5	0.5	0.5	0.4	0.4	
35-40 hours	0.1	0.1	0.2	0.3	0.1	
41-48 hours	0.1	0.1	0.1	0.0	0.1	
49 hours or more	0.0	0.0	0.0	0.1	0.0	
<i>missing:</i>	3.2%					

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q71	k) Socialising					
	Don't do this activity	10.0	9.2	11.2	11.1	13.7
	1-15 hours	83.5	84.1	82.8	82.7	80.6
	16-24 hours	5.1	5.3	4.4	4.5	4.5
	25-34 hours	1.0	1.0	0.9	1.3	0.7
	35-40 hours	0.3	0.3	0.1	0.1	0.2
	41-48 hours	0.1	0.1	0.1	0.0	0.1
	49 hours or more	0.1	0.1	0.5	0.3	0.2
	<i>missing:</i>	1.6%				
		l) Using a computer				
Don't do this activity	35.2	32.9	39.5	41.2	41.9	
1-15 hours	40.1	39.8	39.9	39.5	40.9	
16-24 hours	8.2	8.8	7.3	7.1	6.3	
25-34 hours	7.0	7.6	6.7	5.4	5.7	
35-40 hours	6.4	7.4	4.9	4.5	3.5	
41-48 hours	2.2	2.5	1.1	1.6	1.3	
49 hours or more	1.0	1.2	0.7	0.8	0.5	
<i>missing:</i>	1.1%					
Q72	Do you normally do any of the following kinds of work?					
	a) Paid shift work					
	No	91.8	92.0	89.3	91.0	90.8
	Yes	8.2	8.0	10.7	9.0	9.2
	<i>missing:</i>	2.5%				
	b) Paid work at night					
	No	94.0	94.1	92.8	93.3	93.7
	Yes	6.0	5.9	7.2	6.8	6.4
	<i>missing:</i>	2.5%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %	
Q72	c) Paid work from home						
		No	94.7	94.7	95.3	95.6	95.2
		Yes	5.3	5.3	4.7	4.4	4.8
		<i>missing:</i>					2.5%
	d) Run your own business from home						
		No	88.1	90.0	86.8	87.2	80.0
		Yes	12.0	10.0	13.2	12.8	20.0
		<i>missing:</i>					2.5%
	e) Run your own business from elsewhere						
		No	93.7	94.4	93.1	91.2	92.7
	Yes	6.3	5.6	6.9	8.9	7.3	
	<i>missing:</i>					2.5%	
f) None of the above							
	At least one of these	28.5	25.8	33.0	31.5	37.9	
	None of these	71.5	74.2	67.1	68.5	62.1	
	<i>missing:</i>					2.5%	
Q73	Managing time is often difficult. How often do you feel:						
	a) That you are rushed, pressured, too busy?						
		Every day	19.3	20.0	15.8	17.0	17.3
		Few times a week	36.9	36.9	38.2	35.0	37.1
		Once a week	19.5	19.5	20.1	20.9	19.2
		Once a month	14.9	14.7	15.2	16.2	16.3
		Never	9.4	8.9	10.8	10.9	10.1
	<i>missing:</i>					1.9%	

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q73	b) That you have time on your hands that you don't know what to do with					
	Every day	2.2	2.1	2.9	2.8	2.3
	Few times a week	7.6	7.4	9.0	8.0	7.4
	Once a week	8.7	8.9	7.5	9.5	7.4
	Once a month	16.3	16.7	17.4	17.1	15.4
	Never	65.2	64.9	63.2	62.6	67.5
	<i>missing:</i>		5.1%			
Q74	Do you regularly provide care for grandchildren or other people's children?					
	Daily	3.4	3.3	3.9	3.8	3.8
	Weekly	10.2	9.6	12.1	12.4	10.9
	Occasionally	26.5	25.1	30.4	30.4	31.5
	Never	60.0	62.1	53.6	53.5	53.8
	<i>missing:</i>		0.6%			
Q75	Do you regularly NEED help with daily tasks because of long-term illness, disability or frailty?					
	Yes	3.2	3.0	2.7	4.0	3.4
	No	96.8	97.0	97.3	96.0	96.7
	<i>missing:</i>		0.5%			
Q76	Do you regularly PROVIDE care or assistance to any other person because of their long-term illness, disability or frailty?					
	a) For someone who lives with you					
	Yes	2.9	3.0	2.4	3.4	2.6
	No	97.1	97.0	97.6	96.6	97.4
	<i>missing:</i>		0.3%			
	b) For someone who lives elsewhere					
	Yes	20.0	19.7	20.8	20.7	20.7
	No	80.0	80.3	79.2	79.3	79.3
	<i>missing:</i>		3.7%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q77	How many people with a long-term illness, disability or frailty do you regularly provide care for?					
	No care given	74.5	74.8	74.4	74.8	73.6
	One person	17.9	17.6	17.8	17.3	19.1
	Two people	5.2	5.4	4.6	5.2	4.5
	More than two people	2.3	2.3	3.1	2.7	2.8
	<i>missing:</i>		0.4%			
Q78	How often in total do you provide this care or assistance?					
	No care given	74.5	74.8	74.4	74.7	73.6
	Every day	6.5	6.4	6.7	7.2	6.9
	Several times a week	7.4	7.5	7.0	8.1	7.0
	Once a week	6.7	6.8	6.6	5.5	6.4
	Every few weeks	4.0	3.7	4.2	3.8	4.7
	Less often	0.9	0.8	1.2	0.8	1.4
	<i>missing:</i>		0.3%			
Q79	How much time do you usually spend providing such care or assistance on each occasion?					
	No care given	74.7	74.9	74.7	74.8	73.9
	All day/night	1.8	1.7	1.3	1.6	2.3
	All day	1.7	1.7	1.2	1.0	1.7
	All night	0.1	0.1	0.3	0.1	0.2
	Several hours	15.3	15.6	14.9	15.5	13.7
	About an hour	6.5	6.0	7.6	7.0	8.3
	<i>missing:</i>		0.6%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q80	We would like to know YOUR and YOUR PARTNER'S main occupation NOW.					
	a) Self					
	Manager/administrator	7.1	6.3	6.4	7.7	11.2
	Professional	21.5	22.7	20.5	17.4	17.3
	Associate professional	7.8	8.1	6.8	10.0	6.3
	Tradesperson or related worker	2.5	2.1	3.2	3.0	3.6
	Advanced clerical/service worker	11.6	12.8	9.3	7.9	8.3
	Intermediate clerical/sales/service	13.2	13.7	14.5	11.6	11.1
	Intermediate production/transport	0.8	0.8	1.1	0.4	1.2
	Elementary clerical/sales/service	4.6	4.6	4.7	5.5	4.0
	Labourer or related	6.4	5.5	7.2	8.1	10.1
	No paid job	24.6	23.5	26.4	28.5	26.8
	<i>missing:</i>		8.4%			
	b) Partner					
	Manager/administrator	16.3	15.5	12.9	13.9	24.2
	Professional	13.6	15.2	12.8	9.1	7.6
	Associate professional	11.7	12.0	12.1	11.9	9.1
	Tradesperson or related worker	11.8	11.4	11.7	12.1	12.6
	Advanced clerical/service worker	1.8	1.9	2.4	1.4	1.2
	Intermediate clerical/sales/service	2.2	2.3	2.9	2.2	1.9
	Intermediate production/transport	5.7	5.3	6.2	7.5	6.7
	Elementary clerical/sales/service	1.3	1.3	1.7	1.5	1.2
	Labourer or related	6.0	5.2	6.1	7.7	9.4
	No paid job	14.9	14.1	16.3	20.2	16.0
	Don't know/no partner	14.7	15.8	15.0	12.6	10.3
	<i>missing:</i>		9.8%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q81	How often is each of the following kind of support available to you if you need it?					
	a) Someone to help you if you are confined to bed					
	None of the time	13.4	13.2	12.7	12.7	15.1
	Little of the time	14.1	13.8	15.3	14.5	15.3
	Some of the time	16.8	17.4	15.2	16.0	14.6
	Most of the time	26.4	26.5	26.9	25.2	26.3
	All of the time	29.4	29.1	29.9	31.7	28.7
	<i>missing:</i>	1.7%				
	b) Someone to take you to the doctor if you need it					
	None of the time	8.9	9.0	8.7	8.9	9.2
	Little of the time	11.8	11.7	12.0	10.1	12.2
	Some of the time	11.7	12.5	11.0	10.1	10.0
	Most of the time	28.7	28.9	27.7	29.1	27.9
	All of the time	38.8	37.9	40.6	41.9	40.6
	<i>missing:</i>	1.4%				
	c) Someone to share your most private worries and fears with					
	None of the time	7.8	7.7	7.5	7.2	8.7
	Little of the time	13.2	13.0	13.3	13.3	14.7
	Some of the time	13.9	14.3	14.3	13.2	12.4
	Most of the time	26.9	27.1	26.4	26.2	26.5
	All of the time	38.1	37.9	38.5	40.1	37.7
	<i>missing:</i>	1.1%				
	d) Someone to turn to for suggestions about how to deal with a personal problem					
	None of the time	6.3	6.2	5.2	5.9	7.4
	Little of the time	14.0	13.9	15.6	14.2	15.0
	Some of the time	14.5	14.5	14.1	14.6	14.4
	Most of the time	28.3	28.2	28.3	28.1	28.3
	All of the time	36.8	37.3	36.8	37.1	34.9
	<i>missing:</i>	1.2%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q81	e) Someone to do something enjoyable with					
	None of the time	2.5	2.4	2.5	2.9	3.0
	Little of the time	9.0	9.0	9.4	8.9	10.5
	Some of the time	17.4	17.3	18.3	17.6	17.7
	Most of the time	32.6	32.4	32.5	32.1	30.9
	All of the time	38.5	38.9	37.4	38.6	37.9
	<i>missing:</i>		1.0%			
	f) Someone to love and make you feel wanted					
	None of the time	5.7	5.7	5.8	5.4	5.4
	Little of the time	8.4	8.7	8.1	8.1	8.6
	Some of the time	11.2	11.8	12.0	10.7	9.8
	Most of the time	23.8	23.3	22.9	23.9	23.4
	All of the time	50.9	50.7	51.2	51.9	52.7
	<i>missing:</i>		1.0%			
Q82	What do you think about the neighbourhood that you live in? How much do you agree with the following statements?					
	a) I would be really sorry if I had to move away from the people in my neighbourhood					
	strongly disagree	4.8	4.9	5.0	4.1	4.8
	disagree	10.0	10.3	10.7	10.3	9.2
	neutral	42.2	43.4	43.8	41.6	39.5
	agree	27.2	26.4	25.9	28.8	29.7
	strongly agree	15.8	15.0	14.7	15.2	16.8
	<i>missing:</i>		1.4%			
	b) I have a lot in common with people in my neighbourhood					
	strongly disagree	4.6	4.9	4.7	3.3	5.0
	disagree	16.2	16.5	17.1	17.2	14.3
	neutral	46.3	47.8	48.2	47.0	41.6
	agree	26.0	24.5	24.2	26.0	30.7
	strongly agree	6.9	6.3	5.8	6.5	8.5
	<i>missing:</i>		1.5%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q82	c) I generally trust my neighbours to look out for my property					
	strongly disagree	2.2	2.3	2.9	1.4	2.3
	disagree	5.3	5.8	4.3	4.6	4.3
	neutral	16.4	17.5	16.5	15.8	14.5
	agree	55.2	55.1	54.8	53.7	55.2
	strongly agree	20.9	19.3	21.6	24.5	23.7
	<i>missing:</i>					1.2%
	d) People in my neighbourhood make it a difficult place to live					
	strongly disagree	34.9	33.7	34.7	36.6	37.8
	disagree	46.0	46.6	44.3	44.9	43.4
	neutral	14.1	14.8	15.5	13.3	13.3
	agree	3.5	3.5	4.2	4.2	3.6
	strongly agree	1.5	1.5	1.4	1.1	1.9
	<i>missing:</i>					1.8%
	e) I am good friends with many people in this neighbourhood					
	strongly disagree	2.9	3.3	3.5	2.4	2.5
	disagree	14.3	15.9	14.0	12.2	9.5
	neutral	35.6	37.3	36.4	33.9	30.1
	agree	37.6	34.8	37.6	41.6	45.1
	strongly agree	9.6	8.7	8.6	10.0	12.9
	<i>missing:</i>					1.6%
	f) I like living where I live					
	strongly disagree	1.2	1.1	1.7	1.4	1.7
	disagree	2.7	2.7	3.0	3.1	3.0
	neutral	12.1	12.5	12.0	11.4	11.5
	agree	50.7	51.7	51.2	51.6	49.1
	strongly agree	33.3	32.1	32.1	32.6	34.7
	<i>missing:</i>					1.2%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q82	g) I have little to do with people in this neighbourhood					
	strongly disagree	9.5	8.8	8.0	8.0	12.2
	disagree	29.1	27.4	27.3	29.8	33.3
	neutral	21.7	22.2	21.7	23.8	19.6
	agree	34.1	35.8	37.4	32.9	29.6
	strongly agree	5.6	5.8	5.6	5.5	5.2
	<i>missing:</i>					1.6%
	h) My neighbours treat me with respect					
	strongly disagree	0.5	0.5	0.9	0.4	0.6
	disagree	1.6	1.7	1.1	1.3	1.4
	neutral	20.7	22.2	19.1	17.6	17.7
	agree	64.1	63.3	67.1	66.5	65.3
	strongly agree	13.1	12.2	11.8	14.3	15.1
	<i>missing:</i>					1.6%
	i) Children are safe walking around the neighbourhood during the day					
	strongly disagree	0.8	0.9	1.1	1.0	0.4
	disagree	4.0	4.5	3.9	3.0	2.6
	neutral	14.0	15.5	11.8	10.5	9.6
	agree	64.7	65.3	66.0	66.7	62.2
	strongly agree	16.5	13.9	17.2	18.8	25.1
	<i>missing:</i>					1.6%
	j) I get involved with most local issues					
	strongly disagree	6.8	7.7	6.1	4.7	4.7
	disagree	28.4	31.3	24.9	23.2	19.6
	neutral	44.7	44.5	48.0	48.8	43.4
	agree	17.9	14.8	18.6	21.4	27.3
	strongly agree	2.2	1.7	2.4	1.9	5.1
	<i>missing:</i>					1.9%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q82	k) People in my neighbourhood are very willing to help each other out					
	strongly disagree	1.7	1.9	1.9	1.5	1.4
	disagree	7.4	8.2	7.7	6.2	5.0
	neutral	39.0	43.1	36.8	34.5	26.2
	agree	44.4	41.0	45.9	49.6	54.4
	strongly agree	7.4	5.8	7.7	8.3	13.1
	<i>missing:</i>					1.4%
	l) If I no longer lived here, hardly anyone around here would notice					
	strongly disagree	6.4	5.5	6.3	6.3	9.0
	disagree	37.4	35.1	38.1	41.5	41.9
	neutral	27.1	27.4	27.6	27.1	25.8
	agree	24.5	26.9	23.8	21.1	19.2
	strongly agree	4.7	5.1	4.3	4.1	4.3
	<i>missing:</i>					1.5%
	m) It is safe to walk around the neighbourhood at night					
	strongly disagree	4.3	4.7	5.7	4.6	3.0
	disagree	18.3	19.9	19.2	17.0	11.5
	neutral	23.9	25.8	20.9	21.8	17.8
	agree	46.1	43.9	47.3	49.5	53.0
	strongly agree	7.4	5.7	7.0	7.1	14.7
	<i>missing:</i>					1.3%
	Neighbourhood Safety Score					
	Mean	7.3	7.1	7.3	7.4	7.7
	Standard Error	0.0	0.0	0.0	0.0	0.0
	<i>missing:</i>					1.9%
	Neighbourhood Satisfaction Score					
	Mean	25.2	25.0	25.1	25.6	26.0
	Standard Error	0.0	0.1	0.1	0.1	0.1
	<i>missing:</i>					1.2%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q83	How much do you agree or disagree with each of the following statements?					
	a) At home, I feel I have control over what happens in most situations					
	strongly disagree	1.1	1.0	0.8	1.0	1.0
	disagree	3.2	3.3	2.5	2.5	3.5
	slightly disagree	4.4	4.5	4.3	4.4	4.3
	slightly agree	10.4	10.1	12.4	9.5	11.1
	agree	60.1	59.9	59.3	62.8	60.2
	strongly agree	20.9	21.2	20.8	19.9	19.9
	<i>missing:</i>		0.7%			
	b) I feel that what happens in my life is often determined by factors beyond my control					
	strongly disagree	6.3	6.5	5.3	5.8	5.8
	disagree	28.8	28.8	28.3	28.0	27.6
	slightly disagree	10.8	11.0	10.6	11.1	10.3
	slightly agree	26.5	26.8	27.3	27.2	26.3
	agree	23.7	23.3	25.0	23.8	25.5
	strongly agree	3.9	3.7	3.4	4.2	4.4
	<i>missing:</i>		1.4%			
	c) Over the next 5-10 years I expect to have more positive than negative experiences					
	strongly disagree	0.6	0.6	0.6	0.8	0.8
	disagree	3.2	3.2	2.8	3.2	2.7
	slightly disagree	4.0	4.1	4.2	4.5	3.6
	slightly agree	15.9	16.4	16.6	13.7	15.1
	agree	59.2	58.5	59.9	60.5	61.0
	strongly agree	17.1	17.3	15.9	17.3	16.7
	<i>missing:</i>		1.4%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q83	d) I often have the feeling that I am being treated unfairly					
	strongly disagree	14.6	14.6	13.5	14.2	14.5
	disagree	45.6	45.8	46.8	45.9	46.3
	slightly disagree	11.0	11.1	10.9	11.0	10.0
	slightly agree	19.1	19.0	18.9	19.8	18.5
	agree	7.7	7.6	8.0	7.5	8.4
	strongly agree	2.0	2.0	1.9	1.6	2.4
	<i>missing:</i>					1.1%
	e) In the past 10 years my life has been full of changes without my knowing what will happen next					
	strongly disagree	6.7	6.7	5.7	5.5	6.8
	disagree	29.0	28.2	28.3	28.9	29.7
	slightly disagree	9.2	9.0	10.1	8.9	9.3
	slightly agree	22.4	22.4	22.6	22.7	22.9
	agree	24.7	25.0	25.5	26.9	23.9
	strongly agree	8.0	8.6	7.8	7.0	7.5
	<i>missing:</i>					1.1%
	f) I gave up trying to make big improvements or changes in my life a long time ago					
	strongly disagree	19.6	20.1	17.8	18.6	17.7
	disagree	43.1	43.4	43.6	43.7	42.1
	slightly disagree	10.2	10.4	10.4	9.1	10.3
	slightly agree	13.7	13.6	13.8	14.5	14.7
	agree	11.1	10.4	11.8	11.3	13.1
	strongly agree	2.3	2.2	2.7	2.8	2.2
	<i>missing:</i>					1.2%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q84	Thinking about your current approach to life, please indicate how much you think each statement describes you.					
	a) In uncertain times, I usually expect the best					
	strongly disagree	1.6	1.5	1.5	1.4	1.7
	disagree	16.0	16.1	15.8	16.8	15.2
	neutral	30.2	29.9	30.9	30.6	31.1
	agree	45.6	46.1	45.1	45.0	45.3
	strongly agree	6.7	6.5	6.8	6.3	6.8
	<i>missing:</i>	2.0%				
	b) If something can go wrong for me, it will					
	strongly disagree	11.8	11.7	12.0	11.9	10.7
	disagree	49.1	49.5	49.3	49.1	48.8
	neutral	20.8	21.0	21.0	20.2	21.1
	agree	16.6	16.1	15.9	16.6	17.6
	strongly agree	1.9	1.8	1.9	2.3	1.7
	<i>missing:</i>	1.8%				
	c) I'm always optimistic about my future					
	strongly disagree	1.0	1.0	0.8	1.0	0.9
	disagree	9.8	9.9	8.0	10.0	8.9
	neutral	22.4	22.0	22.6	21.5	22.8
	agree	56.4	56.7	57.9	57.1	57.1
	strongly agree	10.5	10.5	10.7	10.5	10.3
	<i>missing:</i>	1.8%				
	d) I hardly ever expect things to go my way					
	strongly disagree	11.5	11.7	10.6	10.7	10.4
	disagree	52.6	52.7	53.5	53.1	53.1
	neutral	21.2	21.3	22.0	20.9	21.6
	agree	13.4	13.2	12.5	13.8	13.5
	strongly agree	1.3	1.2	1.5	1.5	1.4
	<i>missing:</i>	1.8%				

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q84	e) I rarely count on good things happening to me					
	strongly disagree	13.8	14.0	12.8	12.3	12.4
	disagree	49.8	49.7	51.6	50.8	50.2
	neutral	19.3	19.3	18.9	18.5	20.1
	agree	15.5	15.4	14.6	17.1	15.5
	strongly agree	1.6	1.5	2.2	1.4	1.7
	<i>missing:</i>		1.6%			
	f) Overall, I expect more good things to happen to me than bad					
	strongly disagree	0.9	0.9	1.4	1.0	0.7
	disagree	5.5	5.6	4.1	5.5	5.1
	neutral	14.2	14.0	14.6	13.2	14.5
	agree	62.5	62.9	63.7	62.1	62.9
	strongly agree	17.0	16.7	16.2	18.3	16.8
	<i>missing:</i>		1.2%			
	Marital status					
	Married	73.9	71.9	73.1	77.0	80.0
	De Facto	6.1	6.5	5.3	5.3	5.8
	Separated	3.3	3.8	3.8	2.6	2.1
	Divorced	10.2	11.2	11.1	9.6	6.7
	Widowed	2.8	2.7	3.8	3.6	2.9
	Never married	3.6	3.9	2.9	2.0	2.6
	<i>missing:</i>		0.3%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q87	What is the average gross income that you receive each week, including wages, salary, pensions and allowances?					
	a) Self					
	No income	6.5	6.2	6.5	6.6	7.1
	\$1-\$119 pw	5.0	4.1	6.0	5.7	7.5
	\$120-\$299 pw	16.9	15.6	20.2	21.6	21.5
	\$300-\$499 pw	18.4	17.8	20.5	21.0	19.1
	\$500-\$699 pw	15.6	16.3	16.7	15.0	13.8
	\$700-\$999 pw	14.0	15.3	12.5	13.0	10.0
	\$1000-\$1499 pw	9.1	10.2	7.0	5.5	6.1
	\$1500+ pw	2.2	2.6	0.7	1.1	1.1
	Don't know	1.9	1.5	1.9	1.8	3.2
	Don't want to answer	10.5	10.4	8.0	8.9	10.5
	<i>missing:</i>		22.3%			
	b) Household					
	No income	0.7	0.7	0.6	0.4	0.7
	\$1-\$119 pw	0.7	0.5	1.4	0.9	1.0
	\$120-\$299 pw	3.7	3.1	4.1	5.1	5.9
	\$300-\$499 pw	9.9	8.3	13.7	13.8	14.6
	\$500-\$699 pw	12.3	11.2	14.2	14.6	16.8
	\$700-\$999 pw	14.8	14.1	17.4	18.3	16.1
	\$1000-\$1499 pw	18.5	19.4	19.0	16.7	15.3
	\$1500+ pw	19.5	22.3	12.8	13.2	10.5
	Don't know	4.1	4.3	3.2	3.5	4.0
	Don't want to answer	9.0	8.9	6.1	7.6	9.2
	Income same as mine	6.9	7.3	7.8	6.0	6.1
	<i>missing:</i>		16.8%			
		Weighted Total (n=11,031)	Capital city/ Other Metropolitan (n=4,185)	Large rural (n=1,515)	Small Rural (n=1,573)	Other Rural/ Remote (n=3,758)
Q88	How many people are dependent on this household income?					
	Mean	2.4	2.4	2.2	2.2	2.3
	Standard Error	0.0	0.0	0.0	0.0	0.0
	<i>missing:</i>		1.3%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q89	How do you manage on the income you have available?					
	Impossible	1.5	1.2	1.9	1.6	1.7
	Difficult always	9.1	9.0	10.0	10.8	9.9
	Difficult sometimes	25.8	24.6	27.3	26.5	30.4
	Not too bad	44.2	44.6	43.4	43.6	42.7
	Easy	19.5	20.6	17.5	17.7	15.3
	<i>missing:</i>					1.2%
Q90	How many people live with you now?					
	a) No one, I live alone					
	No	90.5	90.1	88.4	91.4	92.0
	Yes	9.5	9.9	11.6	8.6	8.0
	<i>missing:</i>					0.4%
	b) Partner or spouse					
	No	21.2	23.4	21.8	17.6	13.7
	Yes	78.8	76.6	78.2	82.4	86.3
	<i>missing:</i>					0.4%
	c) Children under 16 years					
	none	88.8	87.9	89.9	91.9	90.9
	one	8.4	9.2	7.9	6.0	6.5
	two	2.4	2.5	1.9	1.9	2.0
	three or more	0.5	0.5	0.3	0.3	0.6
	<i>missing:</i>					0.4%
	d) Children 16-18 years					
	none	89.7	88.7	90.1	91.6	92.9
	one	9.1	10.1	8.5	7.4	6.4
	two	1.0	1.1	1.4	0.8	0.6
	three or more	0.1	0.1	0.0	0.1	0.1
	<i>missing:</i>					0.4%

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q90	e) Children over 18 years					
	none	65.6	60.9	74.9	77.9	81.8
	one	23.1	25.6	19.9	18.2	14.0
	two	9.6	11.5	4.2	3.8	3.5
	three or more	1.8	2.1	1.0	0.2	0.7
	<i>missing:</i>		0.4%			
	f) Your parents or in-laws					
	none	96.8	96.7	97.0	97.1	97.4
	one	2.8	2.9	2.7	2.7	2.4
	two	0.4	0.4	0.3	0.3	0.2
	three or more	0.0	0.0	0.0	0.0	0.0
	<i>missing:</i>		0.4%			
	g) Other adult relatives					
	none	97.1	96.8	97.1	97.4	97.8
	one	2.2	2.4	2.4	1.9	1.6
	two	0.6	0.6	0.5	0.5	0.4
	three or more	0.2	0.2	0.0	0.2	0.1
	<i>missing:</i>		0.4%			
	h) Other adults					
	none	96.8	96.3	97.6	97.4	98.3
	one	2.6	3.1	1.9	2.3	1.4
	two	0.4	0.5	0.3	0.1	0.2
	three or more	0.1	0.1	0.2	0.1	0.2
	<i>missing:</i>		0.4%			
Q91	Are there people who do NOT live with you who are dependent on your household income?					
	no	89.4	91.2	85.3	85.3	83.5
	yes, one	8.3	7.0	10.6	11.4	12.0
	more than one	2.4	1.7	4.1	3.3	4.5
	<i>missing:</i>		1.4%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q92	Throughout your life, have you ever used a mobile phone to make or receive 20 or more calls?					
	Yes	59.8	61.3	59.8	56.2	55.4
	No	38.7	37.2	39.1	42.5	43.4
	Don't know	1.5	1.5	1.1	1.3	1.2
	<i>missing:</i>		0.3%			
Q93	In general, are you satisfied with what you have achieved in your life so far in the areas of:					
	a) Work					
	Very satisfied	20.0	19.6	20.4	21.7	20.7
	Satisfied	64.8	64.6	65.0	64.3	66.0
	Dissatisfied	13.0	13.6	13.0	11.4	11.6
	Very dissatisfied	2.2	2.3	1.6	2.6	1.8
	<i>missing:</i>		2.8%			
	b) Career					
	Very satisfied	15.7	15.4	16.1	17.2	15.8
	Satisfied	58.4	57.9	60.2	58.7	60.3
	Dissatisfied	22.4	23.2	21.2	20.4	20.9
	Very dissatisfied	3.5	3.5	2.5	3.8	3.0
	<i>missing:</i>		7.3%			
	c) Study					
	Very satisfied	11.3	11.6	10.3	11.5	9.7
	Satisfied	55.6	54.3	57.3	60.3	58.7
	Dissatisfied	29.2	30.3	29.9	24.0	27.6
	Very dissatisfied	3.9	3.8	2.5	4.2	4.0
	<i>missing:</i>		11.6%			

		Weighted Total (n=11,031) %	Capital city/ Other Metropolitan (n=4,185) %	Large rural (n=1,515) %	Small Rural (n=1,573) %	Other Rural/ Remote (n=3,758) %
Q93	d) Family relationships					
	Very satisfied	37.5	36.7	33.9	40.1	39.8
	Satisfied	50.8	51.0	54.1	50.6	50.4
	Dissatisfied	9.8	10.3	10.2	8.1	8.1
	Very dissatisfied	1.9	1.9	1.8	1.2	1.6
	<i>missing:</i>					1.6%
	e) Partner/closest personal relationship					
	Very satisfied	41.6	40.6	40.5	44.9	45.2
	Satisfied	38.3	37.9	39.6	38.8	39.7
	Dissatisfied	15.2	16.2	15.3	12.0	11.4
	Very dissatisfied	4.9	5.3	4.7	4.3	3.8
	<i>missing:</i>					2.5%
	f) Friendships					
	Very satisfied	31.6	32.2	29.8	31.1	30.7
	Satisfied	59.5	58.4	62.4	60.5	61.4
	Dissatisfied	8.0	8.3	7.3	7.5	7.3
	Very dissatisfied	1.0	1.1	0.5	1.0	0.7
	<i>missing:</i>					1.2%
	g) Social activities					
	Very satisfied	18.1	18.3	16.9	18.5	17.0
	Satisfied	64.6	63.8	65.5	65.4	67.4
	Dissatisfied	15.6	16.1	16.4	13.7	14.1
	Very dissatisfied	1.8	1.8	1.2	2.5	1.6
	<i>missing:</i>					1.9%
	Life satisfaction					
	Mean	3.0	3.0	3.0	3.1	3.1
	Standard Error	0.0	0.0	0.0	0.0	0.0
	<i>missing:</i>					1.5%

